DoD 4100.39-M VOLUME 16


Replaces AD-A278358

FEDERAL LOGISTICS

INFORMATION

SYSTEM DIC

1/3 lume 16



FLIS PROCEDURES MANUAL

LOGISTICS ON-LINE ACCESS (LOLA) END-USER MANUAL

OCTOBER 1994

19950303 123

DISTRIBUTION STATEMENT A

Approved for public release; Distribution Unlimited

SUPPLEMENTARY

INFORMATION





CHANGE NO. 4 DoD 4100.39-M

ERATA

CH 4 DoD 4100.39-M Volume 16

DLSC-VPH 1 January 1997

FEDERAL LOGISTICS INFORMATION SYSTEM (FLIS) PROCEDURES MANUAL

I. Volume 16. DoD 4100.39-M. 1 October 1994, change as follows: Remove pages listed below and insert revised pages. Additions and changes are indicated by **bold-face italic** type. Deletions are indicated in the Significant Changes paragraph below.

	REMOVE OLD	INSERT NEW
Appendix B	109 and 110. 271 and 272. 327 and 328	109 and 110, 271 and 272, 327 and 328

II. SIGNIFICANT CHANGES

- A. The page changes are effective upon receipt.
- B. Significant changes for the entire manual this quarter and the applicable change number for each affected volume are listed on the change sheet for volume 1.
- III. This change sheet will be filed in front of volume 16 for reference purposes after changes have been made.

BY ORDER OF THE DIRECTOR:

RANDALL B. HAGLUND


Colonel, USMC

Commander

Defense Logistics Services Center

DLSC - The Key to Readiness





DISTRIBUTION: Defense Logistics Agency: 41, 42

Army: To be distributed in accordance with Special Distribution List.

Navy: To be distributed in accordance with Special Distribution List maintained at

NPFC.

Stocked:

Commanding Officer

Naval Publications and Forms Center

5801 Tabor Avenue Philadelphia, PA 19120

Air Force: Distribution "X"

F10 Print

Sends the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility.

F11 Download to PC

Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

B.60 LOLSUP - CAGE/Supplier Data Screen.

SCRNCD: LOLSUP

LOGISTICS ON-LINE ACCESS

DATE: 19-FEB-93

USERID: LSC1992

CAGE/SUPPLIER DATA

TIME: 09:59

CAGE CODE:

11083

AFFILIATED CAGE CODE:

11083

PHONE NUMBER =========> 309-675-6922

COMPANY NAME AND CATERPILLAR INC

ADDRESS: 100 NE ADAMS ST

PEORIA. IL

61629

TYPE =====> A U.S./CANADA MANUFACTURERS STATUS =====> A CAGE/NCAGE ACTIVE RECORD. COMPANY CURRENTLY IN OP

** END OF VIEW **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8= F9= F10=EXP-CAGE F11=DOWNLOAD TO PC

- a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the CAGE/Supplier Data Segment View as the output option.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the CAGE/Supplier Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel Cancels current search and returns to the screen the search was started.

F6 Prev NSN Displays the previous NSN if more than one NSN was selected.

F7 Page Up Displays the prior page of the current file being viewed.

F8 Page Down Displays the next page of the current file being viewed.

F9 Next NSN Displays the next NSN if more than one NSN was selected. Returns

to Item Cage Pick List if user came from there.

(2) Field Name:

Table Name

Entry Requirement:

Mandatory if Table Number not entered.

Valid Entries:

Alphabetical Name.

Results:

Transfers the End-User to the appropriate screen based on

the entry made.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F5 NBR Index

Provides the user with an index list of table numbers and table names

in numeric order.

F6 NAME Index

Same except in alphabetic order.

B.124 PRORCX - Table Index Inquiry Screen.

SCRNCD: PRO	RCX PROCEDURES	DATE: 17-FEB-93
USERID: LSC1	992 RETURN CODE INDEX	TIME: 13:44
RC	DEFINITION	
_ AB	MORE THAN THREE REFERENCE NUMBERS HAVE BED DER THE SAME DOCUMENT CONTROL NUMBER WHE ANOTHER COUNTRY'S REFERENCE	
_ AE	YOUR TRANSACTION LAR. LDR. OR LCR IS RETURNE THE <i>NCAGE</i> AND THE NSN REPRESENT THE SAME COMENT PRECORD IS RETURNED.	
_ AF	THIS CODE IS OUTPUT BY THE IMM AS A RESULT OF ING. (SEE VOL 10, SECTION 10.3.8)	IMC PROCESS-
_ AG	THIS CODE IS OUTPUT BY THE IMM AS A RESULT OF ING. (SEE VOL 10, SECTION 10.3.8)	IMC PROCESS-
_ AH	THIS CODE IS OUTPUT BY THE IMM AS A RESULT OF ING. (SEE VOL 10. SECTION 10.3.8.)	IMC PROCESS-
_ AI	THIS CODE IS OUTPUT BY THE IMM AS A RESULT OF ING. (SEE VOL 10, SECTION 10.3.8.)	IMC PROCESS-
_ AJ	SICA MOE RULE MAY NOT BE ADDED TO AN LOA 01. 23 ITEM	02, 06, 22, OR
	** MORE **	

<MSG 2001> PLACE AN "X" BY SELECTION AND PRESS <ENTER> .

F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F1=HELP F2= F8=PAGE DOWN F9= F1()=F11= F12=

- a. Screen Explanation. This Inquiry screen displays an index list of FLIS table number and FLIS table names. This screen can be displayed by pressing PF5 on Table Inquiry screen (PROTAB).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - (3) To return to screen PROTAB (Table Inquiry) the user presses PF5.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys areavailable. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F5	DRN Index	Provides the user with an index list of DRNs.
F 6	Name Index	Provides the user with an index list of Names.
F7	Page Up	Displays the prior page of the current Data Element Definitions being viewed.
F8	Page Down	Displays the next page of the current Data Element Definitions being viewed.

B.152 PROELR - DRN Name Index Screen.

SCRNCD: PROELR USERID: LSC 1992

PROCEDURES
DRN NAME INDEX

DATE: 16-FEB-93

TIME: 13:45

	DRN	NAME	ALIAS
_		PRNT2	PRNT2
_		SVC-ENT	SVC-ENT
_	0010	ORGN-IDEN-CLRTXT-L	ORGN-IDEN-CLRTXT-L
_	0011	OE-LI-SEG-NBR-EXPL	OE-LI-SEG-NBR-EXPL
_	0041	EXTD-FRT-DESC	EXTD-FRT-DESC
_	0043	DATE-LST-CHG	DATE-LST-CHG
_	0044	TYP-LST-ACT	TYP-LST-ACT
_	0045	IN-THE-CLR-ADRS	IN-THE-CLR-ADRS
_	0046	COMN-VAL-CDS	IN-THE-CLR-ADRS
_	0074	FAB-CAGE- <i>NCAGE</i> -CD	FAB-CAGE- <i>NCAGE</i> -CD
_	0076	NIMSC	NIMSC
_	0078	DT-MOE-RULE-NBR-WT	DT-MOE-RULE-NBR-WT

** MORE **

<MSG 2001> PLACE AN "X" BY SELECTION AND PRESS <ENTER>.

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9= F10= F11= F12=

- a. Screen Explanation. This Inquiry screen displays an index list of DRN. Name, and Alias. The user should tag the appropriate field with an "X" and press enter or PF6 to display the Data Element Definition for a particular item. This screen can be displayed by pressing PF5 on the Data Element Definitions screen (PROELD).
- (1) If this search has more than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Option

Entry Requirement:

Optional

Valid Entries:

"X"

Results:

Transfers to LQLN9401 for Data Element Definitions







CHANGE NO. 1 DoD 4100.39-M CH 1 DoD 4100.39-M Volume 16

DLSC-VPH 1 April 1995

FEDERAL LOGISTICS INFORMATION SYSTEM (FLIS) PROCEDURES MANUAL

I. Volume 16, DoD 4100.39-M, 1 October 1995, change as follows: Remove pages listed below and insert revised pages. Additions and changes are indicated by **bold-face italic** type. Deletions are indicated in the Significant Changes paragraph below.

	REMOVE OLD	INSERT NEW	
Chapter 2	16.2-5 and 16.2-6	16.2-5 and 16.2-6	
Chapter 4	16.4-11 thru 16.4-28	16.4-11 thru 16.4-29	

II. SIGNIFICANT CHANGES

- A. The page changes are effective upon receipt.
- III. This change sheet will be filed in front of Volume 16 for reference purposes after changes have been made.

BY ORDER OF THE DIRECTOR:

LAURENCE E. SIMPSON

Colonel, USMC

Commander

Defense Logistics Services Center







CHANGE NO. 2 DoD 4100.39-M CH 2 DoD 4100.39-M Volume 16

DLSC-VPH 1 July 1995

FEDERAL LOGISTICS INFORMATION SYSTEM (FLIS) PROCEDURES MANUAL

I. Volume 16, DoD 4100.39-M, 1 October 1995, change as follows: Remove pages listed below and insert revised pages. Additions and changes are indicated by **bold-face italic** type. Deletions are indicated in the Significant Changes paragraph below.

REMOVE OLD		INSERT NEW	
Chapter 2	16.2-5 and 16.2-6	16.2-5 and 16.2-6	

II. SIGNIFICANT CHANGES

- A. The page changes are effective upon receipt.
- B. Significant changes for the entire manual this quarter and the applicable change number for each affected volume are listed on the change sheet for volume 1.
- III. This change sheet will be filed in front of Volume 16 for reference purposes after changes have been made.

BY ORDER OF THE DIRECTOR:

RANDALL B. HAGLUND

Colonel, USMC Commander

DLSC - The Key to Readiness





CHANGE NO. 3 DoD 4100.39-M ERRATA.

CH 3 DoD 4100.39-M Volume 16

DLSC-VPH 1 October 1995

FEDERAL LOGISTICS INFORMATION SYSTEM (FLIS) PROCEDURES MANUAL

I. Volume 16, DoD 4100.39-M, 1 October 1995, change as follows: Remove pages listed below and insert revised pages. Additions and changes are indicated by **bold-face italic** type. Deletions are indicated in the Significant Changes paragraph below.

	REMOVE OLD	INSERT NEW
Chapter 2	16.2-5 and 16.2-6	16.2-5 and 16.2-6
Appendix B	13 and 14,	13 and 14,
	37 and 38,	37 and 38,
	57 and 58,	57 and 58,
	63 and 64,	63 and 64,
	97 and 98,	97 and 98,
	301 and 302	301 and 302

II. SIGNIFICANT CHANGES

- A. The page changes are effective upon receipt.
- B. Significant changes for the entire manual this quarter and the applicable change number for each affected volume are listed on the change sheet for volume 1.
- III. This change sheet will be filed in front of volume 16 for reference purposes after changes have been made.

BY ORDER OF THE DIRECTOR:

RANDALL B. HAGLUND

Colonel, USMC

Commander

Defense Logistics Services Center

DLSC - The Key to Readiness

DISTRIBUTION: Defense Logistics Agency: 41, 42

Army: To be distributed in accordance with Special Distribution List.

Navy: To be distributed in accordance with Special Distribution List maintained at

NPFC.

Stocked:

Commanding Officer

Naval Publications and Forms Center

5801 Tabor Avenue Philadelphia, PA 19120

Air Force: Distribution "X"

VOLUME	TITLE
1	General and Administration Information
2	Multiple Application Procedures
3	Development and Maintenance of Item Logistics Data Tools
4	Item Identifications
5	Data Bank Interrogations/Search
6	Supply Management
7	Establish/Maintenance of Organization Entity (OE) and Provisioning Screening Master Address Table
8	Document Identifier Code (DIC) Input/Output (I/O) Formats (Fixed Length)
9	Document Identifier Code (DIC) Input/Output (I/O) Formats (Variable Length)
10	Multiple Application References/Instructions/Tables and Grids
11	Edit/Validation Criteria
12	Data Element Dictionary and Glossary of Terms/Acronyms
13	Materiel Management Decision Rule Tables
14	Reports and Statistics
15	Publications
16	Logistics On-Line Access (LOLA) End-User Manual
17	Federal Logistics Data on Compact Disc (FED LOG)
18	Automated Mailing Labels System (AMLS)

Above volumes are available as a complete set or on an individual basis.



DEFENSE LOGISTICS SERVICES CENTER 74 WASHINGTON AVE N BATTLE CREEK MI 49017-3084 DoD 4100.39-M Volume 16

DLSC-VPH

1 October 1994



FOREWORD

This is one of the volumes (see backside of cover for listing) which comprise the FLIS Procedures Manual. It is published under the authority of Department of Defense Directive 4100.39, Federal Logistics Information System (FLIS).

This revision of volume 16 wholly replaces Appendices A, B, and C of the FLIS Procedures dated April 1994. This revision provides an end user manual for Logistics On-Line Access (LOLA). LOLA has replaced the old inquiry, characteristics search, and FSC/FSG/INC programs.

If you have not received a copy of the LOGRUN Quick Reference Guide and need one, call DLSC Customer Service, (AV) 932-4725, (FTS) 552-4725, Commercial (616) 961-4725.

A Table of Contents and Alphabetic Index for the Total Manual are contained in volume 1.

All interface actions between the Defense Logistics Services Center (DLSC) and the Military Services/Agencies will be submitted in accordance with the procedures contained in volume 1, chapter 1.4.

Changes to this volume will be provided through FLIS Advance Change Notices (ACNs) and/or quarterly numbered changes in accordance with volume 1, section 1.1.4

This volume is prepared and maintained by the Defense Logistics Services Center, Federal Center, Battle Creek, Michigan 49016-3084. Responsible program manager directorates for all narrative are listed in the Table of Contents for Total Manual in volume 1; program manager directorates for tables are listed in volume 10, section 10.3.1. When a point of contact cannot be determined, technical questions may be directed to the DLSC Customer Service Office inaccordance with volume 1, chapter 1.6, or administrative comments and inquiries may be directed to DLSC-VPH.

Service/Agency distribution is handled through established channels; Defense Logistics Agency publication supply officers may direct inquires concerning requirements for and/or receipt of volumes and changes to DLSC-VP.

BY ORDER OF THE DIRECTOR

LAURENCE E. SIMPSON

Colonel, USMC

Commander

Auns

Defense Logistics Services Center

	Acces	on For		
		CRA&I	À	
	DTIC Unann	TAB		
	Justifi		L	
	Ву			
	Distrib	ution/		
	Α	vailabilit	y Codes	
r	Dist	Avail a Spe	ind / or cial	
	A-1			

This document supersedes DoD 4100.39-M, Volume 16, 1 April 1994.

DISTRIBUTION: Defense Logistics Agency: 41, 12

Army: To be distributed in accordance with Special Distribution List.

Navy: To be distributed in accordance with Special Distribution List maintained at NPFC.

Stocked: Commanding Officer Naval Publications and Forms Center 5801 Tabor Avenue Philadelphia, Pa 19120

Air Force: Distribution "X"

END-USER MANUAL

TABLE OF CONTENTS

Volume/ Chapter/ Section	Title	Page/Appendix
16.1	GENERAL	16.1-1
16.1.1	General	16.1-1
16.1.2	Purpose of the End-user Manual	16.1-1
16.1.3	Organization of the LOLA EM	16.1-1
16.1.4	Purpose of the System	16.1-1
16.1.5	References	16.1-2
16.1.6	Terms and Abbreviations	16.1-2
16.1.7	Security	16.1-2
16.2	SYSTEM SUMMARY	
16.2.1	System Summary	16.2-1
16.2.2	Overview	16.2-1
16.2.3	Application Summary	16.2-1
16.2.4	Performance	16.2-4
16.2.5	Controls	16.2-5
16.2.6	System Environment	16.2-5
16.2.7	Contingencies and Alternate Modes of Operation	16.2-5
16.2.8	Assistance and Problem Reporting	16.2-6
16.3	ACCESS TO THE SYSTEM	
16.3.1	Signing onto LOLA	16.3-1
16.3.2	First-Time Use of the System	16.3-1
16.3.3	Equipment Familiarization	16.3-5
16.3.4	Access Control	16.3-5
16.3.5	Installation and Setup	16.3-6
16.3.6	Initiating a Session	16.3-6
16.3.7	Troubleshooting	16.3-7
16.3.8	Stopping and Suspending Work	16.3-7
16.4	INQUIRY SUBSYSTEM PROCESSING REFERENCE GUIDE	
16.4.1	Processing Reference Guide	16.4-1
16.4.2	Inquiry by CAGE Code	16.4-12
16.4.3	Inquiry by CAGE Name	16.4-13
16.4.4	Inquiry by Item Name	16.4-14

Volume/ Chapter/ Section	Title	Page/Appendix
16.4.5	Inquiry by Item Name Code (INC)	16.4-15
16.4.6	Inquiry by NIIN	16.4-16
16.4.7	Inquiry by Part Number (PN) or Partial Part Number (PPN)	16.4-17
16.4.8	Inquiry by Multiple NIIN	16.4-18
16.4.9	Inquiry by Associated CAGE	16.4-20
16.4.10	Inquiry by Company Name	16.4-21
16.4.11	Inquiry by Replacement Code	16.4-21
16.4.12	Inquiry by Debarment Code	16.4-22
16.4.13	Inquiry by ADP/CAO Code	16.4-22
16.4.14	Select/Change Output Options to CRT	16.4-23
16.4.15	Select/Change Output Options to Download to PC	16.4-24
16.4.16	Select/Change Output Options to Printer	16.4-24
16.4.17	Select Overnight Processing	16.4-26
16.4.18	Related Processing	16.4-27
16.4.19	Data Backup	16.4-27
16.4.20	Recovery from Errors and Malfunctions	16.4-27
16.4.21	Messages	16.4-27
16.4.22	Futures Data	16.4-27
16.5	CHARACTERISTICS SEARCH SUBSYSTEM PROCESSING F GUIDE	REFERENCE
16.5.1	Processing Reference Guide	16.5-1
16.5.2	Inquiry Characteristics by Item Name	16.5-1
16.5.3	Inquiry Characteristics by Item Name Code (INC)	16.5-3
16.5.4	Reviewing Characteristic Search Results	16.5-4
16.5.5	Related Processing	16.5-5
16.5.6	Data Backup	16.5-6
16.5.7	Recovery from Errors and Malfunctions	16.5-6
16.5.8	Messages	16.5-6
16.6	FSG/FSC FUNCTIONAL PROCESSING REFERENCE GUIDE	
16.6.1	Processing Reference Guide	16.6-1
16.6.2	Display FSC Change Data	16.6-2
16.6.3	Display FSC Description	16.6-2
16.6.4	Display FSG Group Notes	16.6-3
16.6.5	Display Item Name Change Data	16.6-4
16.6.6	Display Item Name Definition	16.6-5

Volume/ Chapter/	/D:41_	Do 24/A 22 22 35
Section	Title	Page/Appendi
16.6.7	FIIG Search	16.6-5
16.6.8	FSC Data Search	16.6-6
16.6.9	FSG Data Search	16.6-7
16.6.10	INC Data Search	16.6-8
16.6.11	Item Name/Keyword Search	16.6-8
16.6.12	Cancelled FSC Data Search	16.6-9
16.6.13	Ammo Code Inquiry	16.6-10
16.6.14	Management FSG Data	16.6-10
16.6.15	Related Processing	16.6-11
16.6.16	Data Backup	16.6-11
16.6.17	Recovery from Errors and Malfunctions	16.6-11
16.6.18	Messages	16.6-11
16.7	LOLA ON-LINE UPDATE PROCESSING REFERENCE GUI	DE
16.7.1	Processing Reference Guide	16.7-1
16.7.2	Capabilities	16.7-1
16.7.3	Conventions	16.7-1
16.8	FREIGHT SEARCH SUBSYSTEM PROCESSING REFEREN	CÈ GUIDE
16.8.1	Processing Reference Guide	16.8-1
16.8.2	Freight Data Inquiry	16.8-1
16.8.3	Related Processing	16.8-2
16.8.4	Data Backup	16.8-2
16.8.5	Recovery from Errors and Malfunctions	16.8-2
16.8.6	Messages	16.8-2
16.9	MOE RULE SEARCH SUBSYSTEM PROCESSING REFERI	ENCE GUIDE
16.9.1	Processing Reference Guide	16.9-1
16.9.2	MOE Rule Data Inquiry	16.9-1
16.9.3	Related Processing	16.9-2
16.9.4	Data Backup	16.9-2
16.9.5	Recovery from Errors and Malfunctions	16.9-2
16.9.6	Messages	16.9-2
16.10	LOLA PROCEDURES SUBSYSTEM PROCESSING REFERE	ENCE GUIDE
16.10.1	Processing Reference Guide	16.10-1
16.10.2	Display a Subsection of the End-User Manual using the Index	16.10-1

Volume/ Chapter/		
Section	Title	Page/Appendix
16.10.3	Display a Subsection of the End-User Manual by Entering the Subsection Number	16.10-2
16.10.4	Searching the End-User Manual for Specific Search Word(s)	16.10-3
16.10.5	Creating/Deleting/Changing Bulletin Board	16.10-4
16.10.6	Viewing an Existing Bulletin	16.10-5
16.10.7	Data Element Definitions Inquiry	16.10-6
16.10.8	Return Code Inquiry	16.10-7
16.10.9	Table Inquiry	16.10-8
16.10.10	Acronym Inquiry	16.10-9
16.10.11	Edit/Validation Inquiry	16.10-10
16.10.12	Related Processing	16.10-11
16.10.13	Data Backup	16.10-11
16.10.14	Recovery from Errors and Malfunctions	16.10-11
16.10.15	Message	16.10-11

Chapter/ Section	Title	Page/Appendix
	APPENDICES	
A	Glossary of Terms and Abbreviations	1
В	Part 1 - Screen Layouts	1 .
B.1	LOLACC - Inquiry by Associated CAGE	4
B.2	LOLACI - Inquiry by ADP/CAO	6
B.3	LOLAMC - AMMO Code Inquiry Screen	8
B.4	LOLAMD - AMMO Code Data Screen	9
B.5	LOLBAS - Basic Reference Data	10
B.6	LOLCAN - Canceled NIIN	11
B.7	LOLCCD - Item CAGE Pick List	13
B.8	LOLCFI - Freight Inquiry by UFC Code	15
B.9	LOLCGC - Inquiry by Changed CAGE Data	16
B.10	LOLCHG - Get INC/FSC Effective Dated Changes	17
B.11	LOLCHS - Start Characteristic Search	19
B.12	LOLCLT - Inquiry by Clear Text	20
B.13	*LOLCNM - CAGE Code Pick List	21
B.14	LOLCOD - Coded Characteristics	23
B.15	LOLDCL - Debarment CAGE Code List	25
B.16	LOLDEC - Decoded Characteristics	27
B.17	LOLDES - FSC Data	29
B.18	LOLDIM - MRC Reply Selection (Dimensions)	31
B.19	LOLFCH - FSC/FSG Change Data	34
B.20	LOLFDI - Freight Data Inquiry	35
B.21	LOLFGR - FIIG Search Response	36
B.22	LOLFMI - Freight Master Inquiry	38
B.23	LOLFMS - Freight Master Statistic Inquiry	39
B.24	LOLFRT - Freight Data	40
B.25	LOLFSC - FSC Description	42
B.26	LOLFSG - Federal Supply Group Titles (H2-1 Contents	
B.27	LOLIAS - I & S Data	45
B.28	LOLICH - Item Name Change Data	47
B.29	LOLICN - Inquiry by Company Name	48
B.30	LOLIDC - Inquiry by Debarment Code	50
B.31	LOLIDD - Identification Data	52
B.32	*LOLINC - Item Name Definition	5 2 54
B.33	LOLIND - Item Name Data	55

Volume/ Chapter/ Section	Title	Page/Appendix
B.34	LOLINM - INC Pick List	57
B.35	LOLINP - Item INC Pick List	59
B.36	LOLINQ - Start Inquiry	61
B.37	LOLINR - Item Name/Keyword Search Response	64
B.38	LOLMDC - NIIN Search Results	66
B.39	LOLMFD - Management FSC Data	68
B.40	LOLMFP - Management FSC Pick List	69
B.41	LOLMFS - Management FSC Inquiry	71
B.42	LOLMGT - Management Data	73
B.43	LOLMLT - MRC Reply Selection (Multiple Tables)	75
B.44	LOLMOD - MOE Rule Data Decoded	78
B.45	LOLMOE - MOE Rule Data Coded	80
B.46	LOLMOL - MOE Rule Inquiry	82
B.47	LOLMRC - MRC Pick List	83
B.48	LOLMUL - Multiple NIIN Inquiry	85
B.49	LOLNOT - FSG Group Notes	87
B.50	LOLNUM - MRC Reply Selection (Numbers)	88
B.51	LOLOUT - Select Inquiry Output Options	91
B.52	LOLPHR - Phrase Data	95
B.53	LOLPNR - Item PN Pick List	97
B.54	LOLRCC - Replacement CAGE Code Inquiry	99
B.55	LOLREQ - Requistion Data	100
B.56	LOLRES - Characteristics Search Results	102
B.57	LOLSAC - MRC SAC Selection	104
B.58	*LOLSRC - Start FSG/FSC Item Name Search	106
B.59	LOLSTD - Standardization Data	108
B.60	LOLSUP - CAGE/Supplier Data	110
B.61	LOLTBL - MRC Reply Selection (Tables)	112
B.62	LOLTOL - MRC Reply Selection (Tolerances)	115
B.63	LOLTXT - MRC Reply Selection (Text)	118
B.64	LOLXCC - Expanded CAGE Code Inquiry	120
B.65	LOLXME - MOE Master Exclusive FSG/FSC	122
B.66	LOLXMI - MOE Master Inclusive FSG/FSC	123
B.67	LOLXMN - MOE Master Management Inquiry	124
B.68	LOLXMR - MOE Master Inquiry	125
B.69	LOLXMS - STAT MOE Master Inquiry	127
B.70	LOLXRF - Reference/Part Number Data	128

Volume/ Chapter/ Section	Title	Page/Appendix
	Part 2 - LOLA Update Screen Layouts	128
B.71	LOLUPD - LOLA Update Main Menu	131
B.72	LOLHDR - Transaction Header	133
B.73	LOLSSM - Type of NIIN Assignment	135
B.74	REINST - Type of Reinstatement	137
B.75	LOLGRP - Data Group Maintenance	139
B.76	LOLELE - Data Element Maintenance	142
B.77	LOLADA - Add Item Identification Data	144
B.78	LOLSGG - Freight Data	147
B.79	LOLADB - Add MOE Rule Data	152
B.80	LOLCGA - Change FSC and/or FSC Related Data (LCG)	155
B.81	LOLCDA - Change Data Element (LCD) for Item	158
	Identification Data Group	
B.82	LOLADG - Add Data Element	163
B.83	LOLSGA - Identification Data Group	166
B.84	LOLCH1 - Change Catalog Management Data	170
B.85	LOLSGB - MOE Rule Data Group	173
B.86	LOLDDB - Delete MOE Rule Data	178
B.87	LOLSGC - Reference Number Data	180
B.88	LOLSGE - Standardization Relationship Data	184
B.89	LOLDDA - Delete Item Identification Data	187
B.90	LOLAHI - Add Catalog Management Data	189
B.91	LOLCH2 - Change Managment Data	191
B.92	LOLCDB - Change MOE Rule Data Group	195
B.93	LOLCDG - Change Freight Data	199
B.94	LOLDDG - Delete Freight Data	203
B.95	LOLDUB - Change Management Data	205
B.96	LOLCH4 - Change CMD Data Chain (LCD)	207
B.97	LOLCH5 - Change CMD Data Chain (LCD)	209
B.98	LOLDH1 - Delete Catalog Management Data	212
B.99	LOESEG - Standardization Data Input	214
B.100	LOLDH4 - Data Element	216
B.101	LOLSGH - Catalog Management Data	218
B.102	LOARMY - Army Management Data	223
B.103	LOCSGD - Coast Guard Management Data	225
B.104	LOAREC - Air Force Management Data	227

Volume/			
Chapter/ Section	Title		Page/Appendix
B.105	LOMRCP	- Marine Corps Management Data	230
B.106	LONAVY	- Navy Management Data	233
B.107	LO2RTN	- Transaction Completed List	236
B.108	LOPHRS	- Phrase Data	239
B.109	LOLDH3	- Data Element	243
B.110	LOLSGV	- Characteristics Data	245
B.111	LOLCH6	- Change Quantitative Expression	248
B.112	LOLDH2	- Data Element	250
	Part 3 - Proc	edures Screen Layouts	235
B.113	PROCED	- User Information	254
B.114	N840S	- On-line User Manuals	256
B.115	N841S	- On-line Index	258
B.116	N842S	- On-line Subindex	260
B.117	N843S	- On-line User Manual Text	262
B.118	N844S	- Word Search Index	263
B.119	N845S	- On-Line Text	265
B.120	N846S	- On-Line Text	266
B.121	N848S	- On-line Associated Data	267
B.122	PROQIK	- Quick Information	268
B.123	PROTAB	- Table Inquiry Screen	270
B.124	PRORCX	- Table Index Inquiry Screen	272
B.125	PRORP1	- Table Inquiry Reply Screen	274
B.126	PRORP2	- Table Inquiry Reply Screen	276
B.127	PRORP3	- Table Inquiry Reply Screen	278
B.128	PRORP4	- Table Inquiry Reply Screen	280
B.129	PRORP5	- Table Inquiry Reply Screen	282
B.130	PRORP6	- Table Inquiry Reply Screen	284
B.131	PRORP7	- Table Inquiry Reply Screen	286
B.132	PRORP8	- Table Inquiry Reply Screen	288
B.133	PRORP9	- Table Inquiry Reply Screen	290
B.134	PROR10	- Table Inquiry Reply Screen	292
B.135	PROR11	- Table Inquiry Reply Screen	294
B.136	PROR13	- Table Inquiry Reply Screen	296
B.137	PROR14	- Table Inquiry Reply Screen	298
B.138	PROR15	- Table Inquiry Reply Screen	300
B.139	PROR17	- Table Inquiry Reply Screen	302

Volume/ Chapter/ Section	Title		Page/Appendix
B.140	PROR18	- Table Inquiry Reply Screen	304
B.141	PROR19	- Table Inquiry Reply Screen	306
B.142	PROR20	- Table Inquiry Reply Screen	308
B.143	PROR21	- Table Inquiry Reply Screen	310
B.144	PROR22	- Table Inquiry Reply Screen	312
B.145	PROR23	- Table Inquiry Reply Screen	314
B.146	PROR25	- Table Inquiry Reply Screen	316
B.147	PROAD1	- Table Additional Replies Screen	318
B.148	PROAD2	- Table Additional Replies Screen	320
B.149		- Acronym Inquiry Search Screen	322
B.150		- Acronym Index Search Screen	324
B.151	PROELD	- Data Element Definitions Screen	326
B.152	PROELR	- DRN Name Index Screen	328
B.153	PROEDV	- Edit/Validation Inquiry Screen	330
B.154	PRORC1	- Return Code Index Screen	332
B.155	PROFOR	- DIC/Segment Format Screen	334
B.156	PRODIC	- Document Identifier Code Format Screen	336
B.157	PROINS	- Document Identifier Code Format Screen	338
B.158	PRONOT	- INST/NOTES Screen	339
B.159	PROSEG	- Segment Formats Screen	341
B.160	PROTTL	- Alphabetic Index of DIC Titles Screen	343
B.161	PRONTE	- Definition or Notes Screen	345
B.162	PROPAR	- Variable Length Segment Parameters Screen	346
B.163	PROSEL	- Bullentin Extract	348
B.164	PROINQ	- Bulletin Board Extract View	350
B.165	PROADD	- Add/Del/Chg Bulletin Board	351
B.166	PROUPD	- Bulletin Board Update	353
C	Error Messag	es and Recovery Procedures	1
D	STOP WORD	1	

CHAPTER 1 - GENERAL

16.1.1 General

This section of the Logistics On-line Access (LOLA) Manual provides general information pertinent to the preparation of this document. Additionally, it provides a high-level summary of the benefits and major functions.

16.1.2 Purpose of the End-user Manual

The objective of the LOLA EM is to provide the information necessary for a functional end-user to effectively use the LOLA and LOLA Procedures Application. The LOLA and LOLA Procedures Application, a component of the DLSC Modernized System, DLAH00- 90-C-0004, is designed to provide DLSC customers with easy access to the computer system, user-friendly screens to retrieve and update data during work sessions, and the ability to access other DLSC Modernized System Applications as needed.

16.1.3 Organization of the LOLA EM

The organization of information presented in this Manual conforms to the guidelines stated in DoD-STD-7935A, DOD Automated Information Systems (AIS) Documentation Standards. The information includes a non-technical presentation of the overall LOLA and LOLA Procedures Application inclusive of its anticipated performance, its environment, and contingency modes of operation. Attention has been given to Sections 3, 4, 5, 6, 7, 8, 9, and 10 of this manual to include all information required for an end-user to learn the application so that the end-users will have a ready reference manual for future use.

16.1.4 Purpose of the System

LOLA provides the user with the capability to obtain information concerning items of supply contained in the logistics database. The system allows the user to locate items having both approved and non-approved item names by entering a variety of criteria, to include characteristics. In addition, LOLA provides the user with the means to obtain descriptions, definitions, and effective dated change information for item names, Federal Supply Groups (FSGs), and Federal Supply Classes (FSCs).

- a. LOLA is divided into six subsystems:
 - (1) Inquiry Subsystem
 - (2) Characteristics Search Subsystem
 - (3) FSG/FSC Item Name Search Subsystem
 - (4) LOLA Update
 - (5) Freight
 - (6) MOE Rule

- b. Processing inquiries or searches for items of supply is performed incrementally, with each step designed to help the user narrow the search so that the output yielded is as precise as possible. Ideally, the final result will be one item of supply that meets the user's needs. If more than one item satisfies the criteria, however, all may be output. In the latter case, except for inquiries by complete Part Number (PN) and CAGE Code, or any inquiry/search that yields a single item of supply, printed output or data stored for downloading to a personal computer (PC) are limited to 9600 characters.
- c. Processing of updates for NIIN Assignment or changes is performed incrementally, with each step designed to assist the user in submitting an on-line update as easily as possible. Access to all needed Tables and help will be readily available.
- d. In LOLA, the user may directly interface between subsystems. In this respect, the user can have items of supply identified in the Characteristics Search Subsystem carried over to the Inquiry Subsystem for output. In addition, INCs selected in the FSG/FSC Item Name Search Subsystem can be transferred to the Characteristics Search Subsystem for processing. This design increases productivity and makes the system as 'user friendly' as possible.

16.1.5 References

This paragraph identifies DLSC Modernized System Reference documents used to create the End-users Manual.

- a. DLSC Modernized System Functional Description, Revision 2, 04 March 1991, GDS.
- b. LOLA Functional Description, Revision 2, 03 April 1991, GDS.
- c. LOLA Functional Description, July 1989, DLSC.
- d. DLSC System/Subsystem Specification, Sections 1-3 and 4A, Revision 7, 12 June 1991, GDS.
- e. LOLA System/Subsystem Specification for On-Line Update 21 May 1991.
- f. Logistics On-Line Access (LOLA) System/Subsystem Specification Volume II, 26 February 1993.
- **16.1.6 Terms and Abbreviations** A glossary of terms and abbreviations is provided in Appendix A of this document. The terms and abbreviations used in this manual include acronyms, unavoidable technical terms, and words unique to the Modernized System environment. It does not include definitions for screen field labels as they are defined within the instructional information provided in Sections 3, 4, 5, 6, 7, 8, 9 and 10 of this manual.
- **16.1.7 Security** Restrictions that apply to the use of the LOLA Application are explained in Section 3, paragraph 16.3.4, Access Control. These restrictions are applied to safeguard sensitive data stored in the Federal Logistics Information System (FLIS). Users who are provided with access to the LOLA Application should be aware of penalties which may be levied for making unauthorized copies of sensitive material.

CHAPTER 2 - SYSTEM SUMMARY

16.2.1 System Summary

This section provides a non-technical presentation of information on the overall system. Detailed technical information, i.e., how to use the Logistics On-Line Access (LOLA) Application, is presented in other sections of this manual.

16.2.2 Overview

The LOLA and LOLA Procedures Application is a major component of an automated customer service system provided by the Defense Logistics Services Center (DLSC). LOLA and LOLA Procedures was designed, developed, and implemented as part of an overall modernization effort at the DLSC which was undertaken to address end-user considerations. These considerations include reliability, transparency where possible, seamless integration, quick response, single user interface, inter-operability, connectivity, availability and growth. The LOLA and LOLA Procedures Application accomplishes these tasks by providing timely responsiveness for customers, increasing reliability and performance, increasing responsiveness to change, and reducing dependence on hardcopy. The DLSC Modernized System is a centralized, large-scale, fully-integrated, mainframe system. As a part of this System, LOLA provides the on-line software designed to permit easy access to volumes of information stored in DLSC's databases. LOLA and LOLA Procedures provides end-users with user-friendly, help responsive, interactive screens from which data is requested and then displayed.

16.2.3 Application Summary

The LOLA Application provides inquiry capabilities: Inquiry for Item of Supply, Characteristics Search, FSG/FSC Item Name Search, Freight and MOE Rule Data. This application supports on-line access to the Federal Logistics Information System (FLIS). LOLA interfaces with another DLSC Modernized System Application called Characteristics Data Management (CDM). This interface, while transparent to the end-user, provides the characteristics decode feature to LOLA that allows end-users to view clear text data on their screens. The LOLA Application, also, provides on-line update capabilities. This application supports those customers having the need to submit update transactions via an on-line media. It interfaces with the Tables system. This interface is transparent to the user, but does provide access to the tables for verification of entries.

- a. Inquiry. The Inquiry for Item of Supply allows end-users to request information concerning a specific item of supply.
 - (1) When employing the Inquiry function, the end-user has the following access options available:
 - (a) By National Item Identification Number (NIIN)
 - (b) Part Number (PN)
 - (c) Partial Part Number (PPN)
 - (d) Item Name Code (INC)

- (e) Item Name
- (f) Commercial and Government Entity (CAGE) Code
- (g) CAGE Name
- (h) Any valid Inquiry combination (See below)

Valid Inquiry Combinations

	NIIN	Part Number	Partial PN	INC	Item Name	CAGE Code	CAGE Name
NIIN	X						
Part Number				X	X	X	X
Partial PN				X	X	X	X
INC			X	X		X	X
Item Name		X	X			X	
CAGE Code		X	X	X		X	
CAGE Name		\mathbf{X}	X	X		X	

- (2) A list of items is generated matching the criteria entered by the end-user. The end-user then chooses the desired items and the output format for the data. Output data may be in the form of pre-formatted data views or tailored output consisting of a combination of data elements from various data groups. Depending on authorization, output may be displayed to screen, printed as a report, or formatted for downloading to a PC.
- (3) To conduct a CAGE Code search, the end-user enters a CAGE Code. Processing is performed similar to an Item Name/Keyword search, except the resulting list of National Stock Numbers (NSNs), item names and part numbers is based on CAGE Code.
- b. Characteristics Search. This subsystem allows the user to locate items of supply by searching for their characteristics. To initiate a characteristics search, the user must first enter an INC or Item Name.
- (1) Entering an INC initiates the search for items of supply having an approved item name that is assigned an Item Name Code equal to the one entered.
- (2) Entering an Item Name allows the search to be conducted for items of supply having an approved or non-approved name. In this case, the system automatically transfers to the FSG/FSC Item Name Subsystem. There, the system generates a list of names similar to the name entered; the user may then select an INC for an approved item name or a specific non-approved item. At this point, there is an automated return to the Characteristics Search subsystem to complete the user requested search. (NOTE: If a non-approved item name is selected, the system assigns a unique identifier called a 'pseudo INC' for processing purposes. The value of the pseudo INC is transparent to the user.)

Based upon the specific approved or non-approved item name designated by the user as the initial criteria,

the system progresses through a series of steps in which the user adds desired characteristics to the search criteria. The system then outputs the items of supply that match the criteria.

The default output media is the CRT (screen). The user may change the output media prior to output being generated. The standard media options are CRT (screen) or printer; some users may also be authorized to download data to a PC. The output may be provided in the standard format established for the Characteristics Search Subsystem or the user may cause the output to be displayed as selected on the Select Inquiry Output Options Screen in the Inquiry Subsystem.

- c. FSG/FSC Item Name Search. This is a multi-purpose subsystem that allows the user to:
 - (1) Start a search for items of supply based on an item name, keyword, INC, FIIG, FSG, or FSC.
 - (2) Obtain INC definitions, FSG titles, FSG notes, and FSC descriptions.
 - (3) Identify the INCs that are included in a particular FIIG or FSC.
 - (4) Identify the FSC's in which a particular INC is included.
 - (5) Obtain effective dated change data for INCs, FSCs and FSGs.

If the user initiated a search by entering an item name, keyword, INC, FIIG, FSG, or FSC the system will generate a list of approved and/or non-approved Item Names based on the criteria entered. The user may select one specific name from the list and transfer to the Characteristics Search Subsystem. The system uses the INC of an approved item name or assigns a unique identifier to a non-approved item name as the basis for the characteristics search. (NOTE: The unique identifier assigned to a non-approved item name is called a 'pseudo INC'. The value of the pseudo INC is transparent to the user and is used by the system for processing purposes only.)

The FSG/FSC Item Name Search subsystem displays the results of searches on the CRT. However, if the user elects to perform a characteristics search using a specific approved INC or nonapproved Item Name identifier, the output capabilities provided by the Characteristics Search Subsystem will be available.

- d. LOLA Update. This subsystem allows users to perform the following functions: New NIIN Assignment, NIIN Reinstatement, Change PSCN to NIIN, and Maintain Data Elements or Data Groups. The user is guided through a series of screens which require minimal input. Much of the data will be programmatically generated for the user. The user will be able to correct and resubmit the transaction immediately if an error is detected. Once the update transaction has passed the screen edits, it will be passed to the Maintain Item of Supply System for processing. Upon acceptance, the user will be notified at their terminal and transaction output will be forwarded via the normal mode/media.
- e. Freight Data . This subsystem allows users the following capabilities to access data and statistics concerning that data:
- (1) A search to yield the data associated with the Freight entered. A complete Freight Code can be entered displaying the data or a UFC Code alone could be entered displaying a Pick List that the user may then choose one to view.

- (2) Statistical data by the date entered.
- f. Moe Rule. This subsystem allows the users the following capabilities to access data and statistics concerning that data:
- (1) A search to yield the data associated with the MOE Rule entered. If more than one MOE Rule and Effective Date exists, a list of the MOE Rules by Date is displayed and the user may then choose one to view.
- (2) The user may also enter the Effective Date along with the MOE Rule to narrow down the search criteria.
 - (3) Statistical data by the dates entered.

The LOLA Procedures Application will assist users in the day-to-day use of the FLIS. LOLA Procedures provides on-line access to FLIS Applications (i.e., LOLA, CDM, etc.) End-User manuals. This on-line version of the End-User manuals contain the same information as the hardcopy versions. Graphics provided in the hardcopy manual are not displayed in the on-line version. The on-line End-User manuals may be used to support efforts in completing screen entries, determine the screen series used to complete a particular job, and to view function keys use explanations. The User Information is a system function which allows End-Users to view data in response to request through data entries. The User Information capabilities allows the End-Users to access the following information:

- a. How to Get Started for the Beginner
- b. General Information
- c. User Manuals to Transaction Processing. Allows the user to locate the available FLIS End-User Manuals. This subsystem also is able to perform word searches through the End-User Manual.
 - d. DLSC Products and Services
 - e. DLSC Forms

16.2.4 Performance

System responses to the end-user will be governed by two factors. These factors are divided into two categories: processing time and network time.

- a. Processing time is the amount of time required by the computer to perform the request. For simple transactions, such as simple inquiries and updates, the minimum processing time is two seconds with no transaction taking more five seconds. For complex transactions, the minimum processing time is five seconds with no transaction exceeding eight seconds. For transactions requiring large output or numerous screens, the maximum time is five minutes.
- b. Network time is the length of time required to send the user's request to the DLSC system and return the results. This time will vary depending on the type of physical connection with the DLSC system.

End-users who experience delays longer than this should contact the DLSC Customer Service Office, (DSN) 932-4725, (FTS) 555-4725, Commercial (616) 961-4725.

16.2.5 Controls

Numerous controls have been built into the DLSC Modernized System, LOLA, and LOLA Procedures. These controls safeguard system information to ensure that only authorized users can access data. Each of the controls, which are listed below, are explained fully for the user in other sections of this manual.

- a. User-IDs and Passwords
- b. Screen access and useability
- c. Terminal restrictions

16.2.6 System Environment

LOLA and LOLA Procedures resides on an IBM 3090 Mainframe and runs under MVS/ESA, CICS, and DB2.

The software units that comprise the LOLA Application have been created using the COBOL generator called Application Productivity software (APS). APS has been used to build the screens and provide the processing capabilities the end-user employs.

The software units that comprise the LOLA Procedures application have been created using two products: Inquire/Text and Tutor/GT. Inquire/Text has been used to build the screens and provide the processing capabilities the End-User employs. Tutor/GT has been used to provide the processing capabilities of the on-line help features.

This environment supports multiple remote access terminals around the world.

- a. Hardware Required. The hardware required by LOLA and LOLA Procedures end-users makes-up a workstation. The work stations may be local or remote and are composed of the following units:
 - (1) a terminal or a micro computer (connected to the central computer at DLSC)
 - (2) a keyboard
- (3) a printer (the printer may be shared with other workstations and as such be placed in a central location)
- b. Software Required. The software used by LOLA and LOLA Procedures is installed and maintained by DLSC, Federal Center, Battle Creek, Michigan. Kermit is needed at the PC level for downloading data.
- **16.2.7 Contingencies and Alternate Modes of Operation.** Contingency protocol in the event of a system failure/slow down (LOGRUN) is as follows:

- a. Special Extracts
- b. CD-ROM Products
- c. Hardcopy Products
- d. Electronic Data Transfer
- e. Tape

16.2.8 Assistance and Problem Reporting.

DLSC provides end-users with assistance in the following ways:

- a. Updates to the end-users manuals
- b. Service number to call
- c. Integrated On-line Help
- d. On-line end-users manuals Problems should be reported to the DLSC Customer Service Office, *DSN* 932-4725, (FTS) 555-4725, Commercial (616) 961-4725.

CHAPTER 3 - ACCESS TO THE SYSTEM

16.3.1 Signing onto LOLA

This section describes the step-by-step procedures to be used to access the Logistics On-Line Access (LOLA) and Logistics On-Line Access (LOLA) Procedures Applications.

16.3.2 First-Time Use of the System.

The following paragraphs provide two types of information for the first-time end-user: Authorized System Use and System Conventions. Authorized System Use presents the information needed for the first-time end-user to get a user-ID and a password. System conventions present information about using the LOLA and LOLA Procedures menus, using the help feature, error messages, and using function (PF) keys.

- a. Access to the DLSC Modernized System is controlled through the use of User-IDs and Passwords.
- (1) A User-ID is a code entered during a process called System Sign-on. It is used to tell the System who is using it. Valid User-IDs are assigned by a System Administrator. As a first time user you must contact your Automated Data Processing Facility Security Representative (ADPFSR) or Authorized Submitter Point of Contact (ASPOC) to be assigned a user-ID.
- (a) If at any time you forget your user-ID or have reason to believe it has been passed to an unauthorized user, you must contact your ADPFSR/ASPOC immediately.
- (b) If you do not use your user-ID for a period of 90 days, it will be deleted from the System. If you have a problem signing-on to the System (entering your user-ID), contact your ADPFSR or Authorized Submitter Point of Contact (ASPOC).
- (2) Each user is assigned a password for initial sign-on, after which the end-user will have the opportunity to select their own unique password. The password is a code used to confirm your user-ID and access authorization. Your password will not print on the screen when it is entered, this is a precaution provided by the system to ensure the confidentiality of your password. Initial passwords are assigned by your ADPFSR/ASPOC.
 - (a) The password should be treated as confidential information and not to be shared with co-workers.
- (b) Should you get an error when entering your password during sign-on, re-type it carefully. You will be given 3 attempts to enter it correctly. If all three attempts are incorrect, the system locks out the user. They must contact DLSC to investigate the security violation.

. ,	•				ed System LOGON Screen.
**************************************	******	*****	****	*******	***********
, ,	D	I.	S	· ·	*
· \$	D	L	S	C	*
:	MODERNIZE	ZV2 GE	тем і	LOGON SCREEN	J *
•	WODERWIE	20 010	112141 1	JOGON BENEEN	*
********	******	*****	*****	******	******
		fy yours user id	•	•	
******	•		•		*****
***	To exit from	this scr	een an	d the network,	***
***	ype DROP on	Comma	nd line	and press ENTE	ER ***
***		or		-	***
***		Press	PA2		***
**********	******	******	****	******	*****
Command:					
d: Password:					Time: 11:53:48
U: LG400107 New Password:			Date: 03/09/93		

NOTE: Remote users will have to make connection with DLSC in Battle Creek, Michigan prior to accessing the DLSC Modernized System LOGON Screen. Ask DLSC's customer service office for the instructions used from your facility to accomplish this.

b. System conventions are the characteristics of the System which remain consistent from one application to another and from one screen and report to another. The use of conventions employed for the development of the DLSC Modernized System include standard screen formats, uniform function key use and availability of the System Help Features.

(1) There are three types of screens the end-user will work with when using the LOLA and LOLA Procedures Application of the DLSC Modernized System: Menu Screens, Work Screens, and Help Screens. All of these screens have a common layout. See Below.

SCRNCD: XXXXXX CHARACTERISTICS DATA MANAGEMENT DATE: XXXXXXXX USERID: XXXXXXXX SCREEN HEADING TIME: XXXXXX

FIELD PROMPTS FOR MENU SELECTIONS DATA ENTRY, OR OUTPUT DISPLAYS

INFORMATIONAL AND ERROR MESSAGE LINE

F1= HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5= F6= F7= F8= F9= F10= F11= F12=

- (a) The top two lines include the current ScreenID (SCRNCD), the system date and time, and the screen heading.
 - (b) The bottom four lines are divided into two lines for messages and two lines for function (F) keys.
- (2) Menu Screens provide a list of options from which the user makes a selection. The options which will be displayed on a menu are controlled by the level of authorization rights assigned to an end-user with their User Id and Password.
 - (a) Menu options are selected by positioning the cursor next to an option and pressing the key.
- (b) The System will then display a secondary menu or the work screen associated with the menu selection.
- (3) Work Screens, available for Inquiry only, are data entry or data display screens used to provide information to the end-user in various predefined formats. Field prompts provided on the LOLA and LOLA Procedures Application work screens identify the type of information to be entered or displayed. Section 4, Processing Reference Guide, of this document states the specific values and methods to be used while entering data, viewing displays, and ending a session.
- (4) End-users may bypass the menu selection process by employing the Expert Mode feature provided by the DLSC Modernized System. This Feature is available for all DLSC Modernized System Applications allows users to key-in the Program Identifier (up to six letters) of the screen needed into the SCRNCD field (top left corner of the screen) and then pressing the ENTER key.

NOTE: Expert mode can not be used in LOLA Update.

This process may be used whenever the end-user wants to use a direct access approach in going from one input screen to another within the LOLA and LOLA Procedures Application. The end-user must have authorization to access the process requested or else the security system will deny access.

- c. The Help Function provided by the DLSC Modernized System Screens allows end-users to access on-line help assistance from the LOLA Application screen. Help is available for screen information and for individual fields on the screens. Users request help by positioning the cursor in the field they need help with and then pressing the F1 key.
- (1) Screen Help will be displayed when the cursor is placed on the screen ID field and F1 (Help) is pressed. Screen Explanation, Field Entry Requirements and Available Function Keys will be displayed on the screen.
- (2) The top half of a field help screen contains field descriptions and/or a definition of the data element displayed.
- (3) The bottom half of a field help screen lists decoded field value information, if relevant. If a value was entered in a field when the user requested help, the decoded information for that value will be displayed. If the value was incorrect or invalid, an error message will be displayed. If the field was left blank when help was requested, a list of possible values and their decode information will be displayed.

If the help screens are longer than one page, the user may press F7 (Page Up) and F8 (Page Down) to view the remaining text. To exit the help screen and return to the displayed screen, press F3 (Exit).

- d. Error and informational messages are displayed on the bottom of the screen above the function keys to assist end-users in performing tasks on the system.
- (1) Informational messages notify the user of the status of current system operations, i.e., "Incomplete Data" and "File not found." See Appendix C for a complete list of informational messages.
- (2) When the program detects an input error, the field(s) will be highlighted and the cursor will be positioned in the first field with an error. Examples of error messages are "Access not valid" and "Invalid code." See Appendix C for a complete list of error messages.
- e. Function keys (F keys) are tools used in a system to support end-user activities. Each Application in the DLSC Modernized System uses the same function key definitions to provide the end-user with the same results whether the end-user is using LOLA, CDM, or any of the other available applications. The definition of the F keys are:

F1 = Help

F2 = Clear Screen

F3 = Transfer to LOLA Main Menu

F4 = Transfer to LOGRUN Main Menu

F5 Application Use Application Use F6 Application Use F7 Application Use F8 F9 Application Use Application Use F10 F11 Application Use Application Use F12 PF24 = 'Sticky Cursor' (only available when using field level help)

By pressing the function keys, the user can invoke a specific action, thus use time effectively.

16.3.3 Equipment Familiarization

The workstations at each location may have different monitors, keyboards, and printers. End-users should contact their ADPFSRs to learn how to use and care for the equipment to be used when using the DLSC Modernized System.

16.3.4 Access Control

This paragraph describes system access procedures, as well as the security considerations pertaining to the storage and output of data. Prior to initiating a session on the DLSC Modernized System, the user must obtain authorization to use the system.

a. Authorization may be obtained by contacting the ADPFSR/ ASPOC to receive a valid user-ID and password.

Once assigned, the user-ID is entered into a Group Profile. The Group Profile is a security feature that controls which menus can be displayed and what capabilities will be provided for each user, such as adding, changing, and deleting data information appropriate to their work. Special accesses and clearances are also defined according to the following standards:

- (1) A user is able to access data for items of supply only as authorized by the security access the user is assigned. Access restrictions are:
- (a) Data for NIINs that are not for U.S. items of supply are proprietary protected. (NOTE: The first two numbers of NIINs for U.S. items of supply are always 00 or 01.) In addition, the characteristics of some items of supply are also proprietary protected and can be viewed only by users authorized proprietary access.
- (b) Data for FSG 11 (including FSC's in FSG 11), INC 97991, and CAGE Codes 57991, 67991, 77991, or 87991 are restricted to users having NOCO access authority.

- (c) Data for CAGE Codes 02227, 11874, 15492, 28865, and 98230 are restricted to users having CRYPTO access authorization.
- (d) Items of supply with a Limited Distribution Code of O and S are restricted to users authorized to view classified data.
- (2) All LOLA users may output data to the CRT, and if available, a printer. LOLA also provides the capability for authorized users to store data for downloading to a PC.
- b. After obtaining a user-ID and password, the DLSC Modernized System may be accessed. The type(s) of processing the user can do with the system is determined by the personal level of authorization.
 - c. The user can route output in three ways:
 - (1) Screen
 - (2) Printer
 - (3) Download to PC (available to authorized users only)

16.3.5 Installation and Setup

FLIS has been installed at DLSC at the Federal Center in Battle Creek, Michigan. Initial set-up and configuration will be required from the communication area before use.

16.3.6 Initiating a Session

This paragraph includes step-by-step procedures for initiating a session, as well as troubleshooting procedures.

- a. FLIS LOGON Screen. The first accessible screen is the LOGON Screen. The cursor will appear next to the Command field. Press (TAB), enter your seven letter identification User-ID code, and press (TAB) again. Type in your personalized Password. The Password will not appear on the screen. It is confidential and should not be shared with co-workers. Press Enter after keying-in your Password.
- b. LOGRUN Selection Screen. After entering an authorized Password, the "LOGISTICS REMOTE USER NETWORK MAIN MENU" will appear. Only those applications you have access to will appear on the LOGRUN Main Menu. Select the LOLA Application by typing the appropriate application name in the Command field, by pressing the tab key until the cursor is positioned in front of the application, and then pressing Enter or by pressing the associated function key.

c. Action/Result Steps. The following steps will guide the user through the LOGON process.

ACTION	RESULT	
Press Tab;	If correct, the "LOGRUN SELECTION MENU" will be displayed.	
Enter personal User-ID Press Tab; Enter Password	If incorrect, the cursor will return to the Password field and a reject message will be displayed.	
Press enter	A maximum of three attempts is allowed. After which, the user will be locked out of the system. They will then need to contact ADPFSR/ASPOC.	

16.3.7 Troubleshooting

Select LOLA Application

If you encounter difficulties while attempting to access FLIS, the following table may offer some assistance in solving these difficulties.

The LOLA Application Menu will be displayed.

Problem	Possible Cause	Solution
1.Blank Screen	No Power Monitor Contrast	Check Power Source Adjust Contrast
2.Cannot Access System	Communication	Check Terminal Cables
	Incorrect ID/ Pass- word	Re-key ID/Password
	Password	Call ADPFSR/ASPOC for Assistance
	Password Expired	Call ADPFSR/ASPOC for Assistance
	Non-Approved Authorization	Call ADPFSR/ASPOC for Assistance

16.3.8 Stopping and Suspending Work

While working in the system, it may be necessary to temporarily or permanently stop a work session. If this becomes necessary, follow the steps listed below.

- a. Stopping a session. To end a session, press F4 (Main Menu) to the LOGRUN Main Menu, PF3 to return to the LOGISTICS ONLINE REMOTE USERS NETWORK MAIN MENU, and PF3 to quit and return to the LOGRUN SELECTION MENU. On the Command Line, type "off" to exit the application.
- b. Suspending a session. To temporarily end a session, press F3 (Previous Menu) until you return to the LOLA Menu.

c. Automatic stopping of a session. If a terminal is not used for fifteen minutes, the user will be automatically signed off the terminal.

CHAPTER 4 - INQUIRY SUBSYSTEM PROCESSING REFERENCE GUIDE

16.4.1 Processing Reference Guide

This section provides the end-user with the how-to use technical information necessary to use LOLA Inquiry programs.

a. Capabilities. The LOLA Inquiry programs allow end-users to request specific types of information and then view the responding information on-line. For a detailed flow of this process, see Figures 4.1-1 through 4.1-8c.

The end-user may make requests for information by entering a National Item Identification Number (NIIN) or by entering a single piece of information or selected combination of information:

- (1) Part Number (PN) by entering a complete or partial PN.
- (2) Item Name Code (INC) by entering a specific INC value.
- (3) CAGE code by entering a specific Commercial and Government entity (CAGE) code value.
- (4) Multiple NIIN by pressing PF6 and entering Multiple NIINS from 1 to 24.
- (5) Associated CAGE Code by entering a specific Commercial and Government Entity Code value.
- (6) Company Name by entering a Keyword value or specific company namae value.
- (7) Replacement Code by entering a specific value for a replacement CAGE Code.
- (8) Debarement Code by entering a specific value (i.e. D=Debarred: P=Proposed; S=Suspended) for this field.

The end-user may also use a keyword search inquiry by entering either a descriptive Item Name or a CAGE Name. When the keyword search is used, a list of INCs or CAGE codes that match the criteria entered by the user is displayed. The user may then choose a specific item for review as well as the format of the data that will be output. Output data may appear as follows:

- (1) Screen
- (2) Printer
- (3) Download to PC (need special authorization) When the output is formatted to be downloaded to a PC, the user must exit LOLA, LOGOFF CICS and complete the download to the PC in TSO/ISPF.
 - (4) Overnight Processing
- b. Conventions. Conventions used for the Federal Logistics Information System (FLIS) are described in Chapter 16.3.2.b of this manual. Conventions used within the LOLA Application include pre-formatted data views and screen entry requirements. These are explained (with instructions) in paragraphs 16.4.2 through

16.4.10 of the LOLA Inquiry Processing Procedures and screen illustrations in Appendix B.

c. Processing procedures for LOLA Inquiry are provided in paragraphs 16.4.2 through 16.4.10. These procedures provide step-by-step instructions for performing each of the LOLA Inquiry tasks.

S GO TO STEP 4 NEED TO BE SELECTED/CHANGED PRESS ENTER STEP 1 START INQUIRY - NIIN, PART NUMBER, INC, OR CAGE CODE IF A NIIN HAS BEEN ENTERED PRESS F10 DISPLAY USER PROFILE TO STEP IF OUTPUT OPTIONS **FOR THIS SESSION** PRESS PF 12 Start Inquiry LOLINQ IF R CAGE CODE HAS BEEN ENTERED PRESS ENTER ON ITEM OTHER THAN BY NIIN, ITEM NAME, OR CAGE NAME IF INQUIRY IS BEING MADE LOLA MENU GO TO STEP 4(LOLSUP) PRESS PF9 DL\$C-BC-1585R MF

Figure 4.1-01 Inquiry Processing Steps




Figure 4.1-02 Inquiry Processing Steps





Figure 4.1-03 Inquiry Processing Steps



DISC BC 1588 RD

Figure 4.1-04 Inquiry Processing Steps

STEP 3 PICK LIST SELECTIONS - NIIN, INC, PART NUMBER, OR CAGE CODE

LOLPNR Item PN Pick List LOLCCD Item Cage Code Pick List THE PICK LIST DISPLAYED
WILL CORRESPOND TO THE ENTRIES
MADE IN STEP 1. USER SHOULD:
TAG SELECTION AND PRESS
ENTER, THEN GO TO STEP 4

LOLINP Item INC Pick List

DLSC-BC-I 589A-MF

Figure 4.1-05 Inquiry Processing Steps




Figure 4.1-06 Inquiry Processing Steps




Figure 4.1-07 Inquiry Processing Steps

LOLIDD Identification Data

LOLFRT Freight Data

LOLXRF Reference/Part Number Data

DI SC BC 1592 HD

LOLSUP
Cage/Supplier
Data
VIEW OUTPUT

Figure 4.1-08a Inquiry Processing Steps




Figure 4.1-08b Inquiry Processing Steps




Figure 4.1-08c Inquiry Processing Steps

16.4.2 Inquiry by CAGE Code

- a. Task Description. This task will allow you to enter a Commercial and Government Entity (CAGE) Code, search for National Stock Numbers (NSN) associated with that CAGE code and retrieve data elements on those NSNs.
- b. Special Access. Special clearances are required for access to the following information. Check with the security administrator at your facility for authorization.

NOCO

CRYPTO

Security Classified O

Security Classified S

PC Download

Proprietary

NATO

c. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLINQ - Start Inquiry
LOLCCD - Item CAGE Pick List

d. Procedure. From the Start Inquiry screen, move to the CAGE CODE field, type in the desired CAGE code and press Enter. The CAGE Code must be alphanumeric. The Item CAGE Pick List screen will appear with the CAGE code and CAGE name for that code. A list of NSNs, INCs, item names and part numbers and code describing how the match was obtained will be displayed. A limit of 100 NIIN matches will be displayed. Output on CAGE to NIIN will be limited to 100. Select the item or items you wish to view by placing an X next to the desired NSN(s) and press PF6 (Process), or press PF12 (Process All) to process all listed NSNs.

Processing will be either displaying, printing or downloading to PC the information depending on which you specified in the Output Option selection.

- e. Special Features. If more than 12 items are available on the CAGE Pick List, press PF7 (page up) and/or PF8 (page down) to view all the items.
- f. Data Features. To narrow the inquiry search, place additional information in either the part number field, INC field, or Item Name field. This may reduce the number of items on the pick list you will need to scan visually. If anything is placed in the CAGE Name field or NIIN field, the inquiry will be considered invalid and will not proceed. However, when a valid search is initiated, output of the search is limited to 100.

g. Considerations. You may change your Output Options (CRT/Printer/Download to PC) and/or the specified data elements by pressing PF10 (Change Data Elements) on the CAGE Pick List screen. Refer to Select/Change Output Options for further information.

16.4.3 Inquiry by CAGE Name

- a. Task Description. This task will allow you to enter a Commercial and Government Entity (CAGE) name, search for a proper CAGE code, continue the search for NSNs dealing with that CAGE code and retrieve data elements on those NSNs.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLINQ - Start Inquiry

LOLCNM - CAGE Code Pick List

LOLCCD - Item CAGE Pick List

c. Procedure. From the Start Inquiry screen, move to the CAGE Name field, type in the desired CAGE name and press Enter.

NOTE: Cage name entered must be a minimum of three characters in length. (Example: 'international' not 'in').

A list of CAGE codes and names will display on the screen. To pick the proper CAGE Code, move the cursor to the Tag column on the line item you desire. Press X to select that item and press PF6 (Process) to process that code.

The Item CAGE Pick List screen will appear with the CAGE code and CAGE name for the code selected. A list of NSNs, INCs, item names and part numbers will be displayed. Select the item or items you wish to view with an X in the Tag column, or press PF12 (Process All). When PF12 is pressed, processing will commence automatically for all the NIINs displayed as though X's were entered.

Once all the desired items have been properly selected, press PF6 (Process). Processing will be either displaying, printing or downloading to PC the information depending on which you specified in the Output Option selection.

If there is only one CAGE Code for the name entered on the Start Inquiry Screen the Item CAGE Pick List will appear with the entered CAGE Name and the matched CAGE Code. Thus the CAGE Code Pick List is bypassed.

- d. Special Features. If more than 12 items are available on the CAGE Code Pick List or CAGE Pick List, press PF7 (page up) and/or PF8 (page down) to view all the items.
- e. Data Features. To narrow the inquiry search, place additional information in either the part number field, or INC field. This may reduce the number of items on the pick list you will need to scan visually. If

anything is placed in the CAGE Name field. Item Name field, or NIIN field, the inquiry will be considered invalid and will not proceed.

f. Considerations. You may change your Output Options (CRT/Printer/Download to PC) and/or the specified data elements by pressing PF10 (Change Output Options) on the Item CAGE Pick List screen. Refer to Select/Change Output Options for further information.

16.4.4 Inquiry by Item Name

- a. Task Description. This task will allow you search by the Item Name Code to find the proper NIIN(s).
- b. Special Access. Special clearances are required for access to the following information. Check with the security administrator at your facility for authorization.

NOCO

CRYPTO

Security Classified O

Security Classified S

PC Download

Proprietary

NATO

c. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLINQ - Start Inquiry

LOLINM - INC Pick List

LOLINP - Item INC Pick List

LOLUSR - Select Data Elements

d. Procedure. From the Start Inquiry screen, move to the Item Name field, enter a valid Item name and press Enter. The screen will respond with a INC Pick List corresponding to the Item Name. A limit of 100 NIIN to INC matches will be displayed. To pick an item, move to the Tag field of the line item you desire, press X to mark the item and press F6 (Process).

NOTE: Item name entered must be a minimum of three characters in length. (Example: 'THER' not 'TH').

The Item INC Pick List screen will appear. To pick the item, place an X in the Tag field of each NSN you wish to view and press PF6 (Process) to process them, or press PF12 (Process All) to process all listed items. When F12 is pressed, processing will commence automatically as though X's were entered.

The selected NSNs will either be displayed, printed, or downloaded to your PC, depending on the Output Options you previous selected.

If there is only one Item Name Code for the name entered on the Start Inquiry Screen, the Item INC Pick

List will appear with the entered name and the matched INC. Thus the INC Pick List is bypassed.

- e. Special Features. If more than 12 items are available on the Item INC Pick List, press PF7 (page up) and/or PF8 (page down) to view all the items.
- f. Data Features. To narrow the inquiry search, place additional known information in either the part number field or the CAGE code field. This will reduce the number of items on the pick list you will need to scan visually.
- g. Considerations. You may change your Output Options (CRT/Printer/Download to PC) and/or the specified data elements by pressing F10 (Change Output Options) on the Item INC Pick List screen. Refer to Select/Change Output Options for further information.

16.4.5 Inquiry by Item Name Code (INC)

- a. Task Description. This task will allow you search by the Item Name Code (INC) to find the desired NIIN(s).
- b. Special Access. Special clearances are required for access to the following information. Check with the security administrator at your facility for authorization.

NOCO CRYPTO Security Classified O Security Classified S PC Download Proprietary NATO

c. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLINQ - Start Inquiry
LOLINP - Item INC Pick List
LOLUSR - Select Data Elements

d. Procedure. From the Start Inquiry screen, move to the Item Name Code field, enter a valid Item Name Code (INC) and press Enter.

NOTE: INC must be entered as all numerics.

The Item INC Pick List screen will appear. Select the item or items you wish to view by placing an X in the Tag field and press PF6 (Process), or press PF12 (Process All) to process all listed NSNs.

Each selected NSN will be displayed, printed, or downloaded to PC, depending on the Output Option you previously selected.

- e. Special Features. If more than 12 items are available on the Item INC Pick List, press PF7 (page up) and/or PF8 (page down) to view all the items.
- f. Data Features. To narrow the inquiry search, place additional information in either the part number field, CAGE code field, or CAGE name field. This will reduce the number of items on the pick list you will need to scan visually. There is a limit of 100 matches for each search initiated.
- g. Considerations. You may change your Output Options (CRT/Printer/Download to PC) and/or the specified data elements by pressing F10 (Change Output Options) on the Item INC Pick List screen. Refer to Select/Change Output Options for further information.

16.4.6 Inquiry by NIIN

- a. Task Description. By entering a given NIIN, a search for information pertaining to that NIIN will be initiated.
- b. Special Access. Special clearances are required for access to the following information. Check with the security administrator at your facility for authorization.

NOCO

CRYPTO

Security Classified O

Security Classified S

PC Download

Proprietary

NATO

- c. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.
 - LOLINQ Start Inquiry
 - LOLSUP CAGE/Supplier Data
 - LOLIDD Identification Data
 - LOLXRF Reference/Part Number Data
 - LOLFRT Freight Data
 - LOLCOD Coded Characteristics
 - LOLMOE MOE Rule Data Coded
 - LOLMOD MOE Rule Data Decoded
 - LOLMUL Multiple NIIN
 - LOLISA I & S Data
 - LOLDEC Decoded Characteristics
 - LOLSTD Standardization Data
 - LOLMGT Management Data
 - LOLBAS Basic Reference Data

> LOLREQ - Requisition Data LOLPHR - Phrase Data

d. Procedure. On the Start Inquiry screen, enter a NIIN in the NIIN Inquiry field leaving all other inquiry fields blank, then press Enter. If that NIIN is not found, an error message will be displayed on the screen.

NOTE: NIIN entered must be numeric for positions 1-2,6-9 and alpha or numeric for positions 3-5.

If the NIIN is found, an Active/Inactive NIIN will send the appropriate screen(s) to the select output media: CAGE/Supplier Data, Identification Data, Reference/Part Number Data, Freight Data, Coded Characteristics, MOE Rule Data Coded, MOE Rule Data Decoded, I&S Data, Decoded Characteristics, Standardization Data, Management Data, Basic Reference Data, Requisition Data, Phrase Data, and Packaging Data.

- e. Special Features. If the NIIN has been or will be canceled, the screen will display the Canceled NIIN with the date of cancellation and the replacement NIIN if there is a replacement or message NIIN Cancelled with no replacement. Press PF9 to display the data for the canceled NIIN, or press PF6 to show data for the Replacement NIIN. You will only get a replacement NIIN if there is one to replace the canceled NIIN.
 - f. Data Features. None.
- g. Considerations. The information you receive will depend on the Data Elements you specified on your Output Options screen. If you would like a printed copy or to download to PC, refer to Select/Change Output Options.

16.4.7 Inquiry by Part Number (PN) or Partial Part Number (PPN).

- a. Task Description. This task will allow you to enter a part number, select one or more part numbers. CAGE numbers, item names and NSNs, and inquiry the selected NSNs.
- b. Special Access. Special clearances are required for access to the following information. Check with the security administrator at your facility for authorization.

NOCO
CRYPTO
Security Classified O
Security Classified S
PC Download
Proprietary
NATO

c. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLINQ - Start Inquiry

LOLPNR - Item PN Pick List

- d. Procedure. From the Start Inquiry screen, enter the part number in the Part Number field and press Enter. The Item PN Pick List will display with list of part numbers (if you entered a partial part number with a wildcard), CAGE codes, items names, and NSNs. Select the item(s) you wish to inquiry by placing an X in the Tag column next to the part number(s) or press PF12 (Process All). When PF12 is pressed, processing will commence automatically as though X's were entered. Once the desired item(s) have been selected, press PF6 (Process) to display, print or download to PC (depending on your previous Output Option selection).
- e. Special Features. If you do not know the complete part number, you may search with partial part number. Enter as much of the start of the part number known (minimum of 1 character) and place a single question mark (?) at the end (i.e. 5?). A search will be conducted for all parts that start with those numbers (5). If more than 12 items are available on the Item PN Pick List, you may scan the other items by pressing PF7 (page up) and/or PF8 (page down).
- f. Data Features. To narrow the inquiry search, place additional information about the part in the CAGE Name field or the CAGE code field (not both), and/or the item name field or the INC field (not both) on the Start Inquiry screen. Output on INC to NIIN will be limited to 100. If information is in the CAGE code field and CAGE Name field, the inquiry will be considered invalid and will not continue until one is erased. Also, if information is in the Item Name field and INC field, the inquiry will be considered invalid and will not continue until one is erased.
- g. Considerations. You may change your Output Options (CRT/Printer/Download to PC) and/or the specified data elements by pressing PF10 (Change Output Options) on the Item PN Pick List screen. Refer to Select/Change Output Options for further information.

16.4.8 Inquiry by Multiple NIIN

- a. Task Description. By entering a given NIIN from 1 to 24, a search for information pertaining to those NIINs will be initiated.
- b. Special Access. Special clearances are required for access to the following information. Check with the security administrator at your facility for authorization.

NOCO CRYPTO Security Classified O Security Classified S PC Download Proprietary NATO

c. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLINQ - Start Inquiry

LOLMUL - Multiple NIIN Inquiry

LOLSUP - CAGE/Supplier Data

LOLIDD - Identification Data

LOLXRF - Reference/Part Number Data

LOLFRT - Freight Data

LOLCOD - Coded Characteristics

LOLMOE - MOE Rule Data Coded

LOLMOD - MOE Rule Data Decoded

LOLISA - I & S Data

LOLDEC - Decoded Characteristics

LOLSTD - Standardization Data

LOLMGT - Management Data

LOLBAS - Basic Reference Data

LOLREO - Requisition Data

LOLPHR - Phrase Data

d. Procedure. On the Start Inquiry screen press PF6 key. The Multiple NIIN Inquiry screen will appear. Enter multiple NIINs from 1 to 24, a Submitter-ID, and press PF10 for the Select Inquiry Output Option Screen to choose the output format and the output media desired.

NOTE: NIIN entered must be numeric for positions 1-2.6-9 and alpha or numeric for positions 3-5.

If the NIIN is found, an Active/Inactive NIIN will send the appropriate screen(s) to the select output media: CAGE/Supplier Data, Identification Data, Reference/Part Number Data, Freight Data, Coded Characteristics, MOE Rule Data Coded, MOE Rule Data Decoded, I&S Data, Decoded Characteristics, Standardization Data, Management Data, Basic Reference Data, Requisition Data, Phrase Data.

- e. Special Features. If the NIIN has been or will be canceled, the screen will display the Canceled NIIN with the date of cancellation and the replacement NIIN. Press PF9 to display the data for the canceled NIIN, or press PF6 to show data for the replacement NIIN. You will only get a replacement NIIN if there is one to replace the canceled NIIN.
 - f. Data Features. None.
- g. Considerations. The information you receive will depend on the Data Elements you specified on your Output Options screen.

If you would like a printed copy or to download to PC, refer to Select/Change Output Options.

16.4.9 Inquiry by Associated CAGE.

a. Task Description. This task allows the user to inquire the database for an Associated CAGE Code and be presented with a Pick List and/or detailed data pertaining to the Associated CAGE Code entered.

b. Special Access. Special clearances are required for access to the following information. Check with security administrator at your facility for authorization.

NOCO

CRYPTO

PC Download

Proprietary

NATO

c. Screen Displays. The following screens may display during this procedure. For specific information about a screen, see Appendix B.

LOLINQ - Start Inquiry

LOLACC - Inquiry by Associated CAGE

LOLXCC - Expanded CAGE Code Inquiry

LOLCLT - CAGE Clear Text

LOLCGC - Change CAGE Data

d. Procedure. From the Start Inquiry screen (LOLINQ), enter an Associated CAGE Code and press Enter.

If Enter was pressed, the Inquiry by Associated CAGE screen (LOLACC) will be displayed. Tag the CAGE Code you wish to inquire and press F6 (Process). The Expanded CAGE Code Inquiry screen (LOLXCC) will be displayed. Press F8 (Page Down) or F7 (Page Up) to view the information.

From screen LOLXCC, F9 (Clr TEXT) OR F10 (CHG DATA) may be pressed for further information. If F9 (Clr TEXT) is pressed, the CAGE Clear Text screen (LOLCLT) will be displayed. This screen will display Clear Text information for the CAGE Code selected on screen LOLXCC. If F11 (Print) or F12 (Download) was pressed on LOLXCC, this information will be loaded into a holding TSQ to format the data for print or download. Screen LOLCLT will not be displayed if this is the case.

If F10 (Chg Data) is pressed from screen LOLXCC, the Inquiry by Changed CAGE Data screen (LOLCGC) will be displayed with tracking information for the CAGE Code inquiry. This screen will display changed data for the First and Second Name/Location and the last time each Line Number was changed for this CAGE code.

- e. Specail Features. None
- f. Data Features. None
- g. Considerations. You may change your Output Options (CRT/Printer/Download to PC) and/or the specified data elements by pressing F10 (Change Output Options) on the Start Inquiry screen (LOLINQ). Refer to Select/Change Output Options for further information.

16.4.10 Inquiry by Company Name.

a. Task Description. This task allows the user to search the database on a Full or Partial Company Name.

b. Screen Displays. The following screens may display during this procedure. For specific information about a screen, see Appendix B.

LOLINQ - Start Inquiry LOLICN - Inquiry by Company Name

- c. Procedure. From the Start Inquiry screen (LOLINQ), tab to the Company Name field, enter a full or partial company name, and press Enter. The Inquiry by Company Name screen (LOLICN) will be displayed with a listing of the companies that match the inquiry criteria and a listing of CAGE Names that match the keywords entered on LOLINQ. Press F7 (Page Down) or F8 (Page UP) if there is more than one page of data to display.
 - d. Special Features. None
 - e. Data Features. None
- f. Considerations. You may change your Output Options (CRT/Printer/Download to PC) and/or the specified data elements by pressing F10 (Change Output Options) on the Start Inquiry screen (LOLINQ). Refer to Select/Change Output Options for further information.

16.4.11 Inquiry by Replacement Code.

- a. Task Description. This task allows the user to inquire the database by Replacement CAGE Code.
- b. Special Access. Special clearances are required for access to the following information. Check with security administrator at your facility for authorization.

NOCO

CRYPTO

PC Download

Proprietary

NATO

c. Screen Displays. The following screens may display during this procedure. For specific information about a screen, see Appendix B.

LOLINQ - Start Inquiry

LOLRCC - Replacement CAGE Code Inquiry

- d. Procedure. From the Start Inquiry screen (LOLINQ), tab to the Replacement Code field, enter a Replacement CAGE Code, and press Enter. The Replacement CAGE Code Inquiry Screen (LOLRCC) will be displayed with the Replacement Code and the CAGE Codes replaced. Press F7 (Page Down) or F8 (Page Up) to view additional information if available. Press F11 (Print) to send the data to a system or local printer or press F12 (Download) to download the data to your PC.
 - e. Special Features. None.

- f. Data Features. None.
- g. Considerations. You may change your Output Options CRT/Printer/Download to PC) and/or the specified data elements by pressing F10 (Change Output Options) on the Start Inquiry screen (LOLINQ). Refer to Select/Change Output Options for further information.

16.4.12 Inquiry by Debarment Code

- a. Task Description. This task allows the user to inquire the database by Debarment Code.
- b. Screen Displays. The following screens may display during this procedure. For specific information about a screen, see Appendix B.

LOLINQ - Start Inquiry

LOLDCL - Debarment CAGE Code List

LOLIDC - Debarment CAGE Detail

- c. Procedure. From the Start Inquiry screen (LOLINQ), tab to the Debarment Code field and enter a value (D=Debarred, P=Proposed, and S=Suspended) and press Enter. The Debarment CAGE Code List (LOLDC) will be displayed with a listing of CAGE Codes that are associated with the Debarment Code entered on LOLINQ. Tag the CAGE Code you wish to inquire against and press F6 (Process). The inquiry by Debarment Code (LOLIDC) screen will be displayed with additional information about the CAGE Code. Press F7 (Page Down) or F8 (Page Up) to view additional information if available. Press F11 (Print) to send the data to a system or local printer or press F12 (Download) to download the data to your PC.
 - d. Special Features. None.
 - e. Data Features. None
- f. Consideration. You may change your Output Options (CRT/Printer/Download to PC) and/or the specified data elements by pressing F10 (Change Output Options) on the Start Inquiry screen (LOLINQ). Refer to Select/Change Output Options for further information.
 - g. Special Features. None
 - h. Data Features. None.

16.4.13 Inquiry by ADP/CAO Code.

- a. Task Description. This task allows the user to view, ADP/CAO information for the requested data elements.
- b. Screen Displays. The following screens may display during this procedure. For specific information about a screen, see Appendix B.

LOLINQ - Start Inquiry

LOLACI - ADP/CAO Inquiry

- c. Procedures. From the Start Inquiry screen (LOLINQ), press F5 (ADP/CAO). The Inquiry by ADP/CAO screen (LOLACI) will be displayed. You may enter information in only one of these fields and press Enter. If no data is found for the entered code, a message will appear that states 'No Data Found for...'
 - d. Special Features. None
 - e. Data Features. None
- f. Considerations. You may change your Output Options (CRT/PRINTER/Download to PC) and/or the specified data elements by pressing F10 (Change Output Options) on the Start Inquiry screen (LOLINQ). Refer to Select/Change Output Options for further information.

16.4.14 Select/Change Output Options to CRT.

- a. Task Description. This task will display the retrieved information to your CRT.
- b. Special Access. None.
- c. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLOUT - Select Inquiry Output Options

- d. Procedure. Access the Select Inquiry Output Options screen by either entering LOLOUT in the screen code field or press PF10 when defined as Change Output Options. Enter a C for CRT in the Output Media field. You may also define your Output Data Segment View at the same time. NOTE: Basic Reference Data is the data segment view default. To exit, press PF6 (Process) to process your defined inquiry request or press PF9 (Specific Data Elements) to further tailor output format of data segment views.
 - e. Special features. None.
- f. Data Features. There must be only one Output Media and at least one Output Data Segment View selected.
- g. Considerations. For more information about selecting Output Data Segment View, refer to Select/Change Output Data Segment View.

If you wish to print the information on the printer associated with your terminal, refer to Select/Change Output Options to Printer.

If you wish to download the information to your PC, refer to the Select/Change Output Options to Download to PC.

16.4.15 Select/Change Output Options to Download to PC.

a. Task Description. Unless you specify differently, all retrieved information will be displayed on the screen. This task will copy the information to your PC.

- b. Special Access. Your PC must have the ability to accept a download and your user profile needs the appropriate clearance. You should check with the office responsible for installing your PC to ensure that your equipment configuration has compatible software for downloading, and with the security administrator at your facility for authorization.
- c. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLOUT - Select Inquiry Output Options

d. Procedure. Access the Select Inquiry Output Options screen by either entering LOLOUT in the screen code field or press PF10 when defined as Change Output Options. Enter a D for Download in the Output Media field. You may also define your Output Data Segment View at the same time. To exit, press PF6 (Process) to process your defined inquiry request.

After the inquiry has been completed, you must logoff LOLA completely by pressing PF4 to return to the Main Menu, then PF3 to quit. The LOGRUN Selection Menu will be displayed. Press the PF key assigned for Download. The total number of records downloaded will be displayed on the screen. Press the key and the LOGRUN Selection Menu will be displayed again. At this time, press the PF key assigned to KERMIT. Refer to KERMIT Documentation for usage and procedures.

- e. Special Features. None.
- f. Data Features. There must be only one Output Media and at least one Output Data Segment View selected.
- g. Considerations. For more information about selecting Output Data Segment View, refer to Select/Change Output Data Segment View.

If you wish to print the information to the printer associated with your terminal, refer to Select/Change Output Options to Printer.

16.4.16 Select/Change Output Options to Printer.

- a. Task Description. Unless you specify differently, all retrieved information will be displayed on the screen. This task will send the information to the printer associated with your terminal instead.
 - b. Special Access. There is no special access required for this task.
- c. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLOUT - Select Inquiry Output Options

d. Procedure. You can invoke the PC Download option three different ways:

Option 1: Changing your user profile.

CH 1 DoD 4100.39-M

Volume 16

Option 2: Changing the output media in the select inquiry output options screen.

Option 3: By hitting PF11 when viewing the output on the CRT.

NOTE: PC Download DOES NOT immediately return the results to your PC. The data goes to a temporary storage table. The results will be returned to you, via e-mail.

Step-by-Step Procedures:

Option 1:

- 1. Start at LOLA's Inquiry screen (LOLINQ) and enter your query.
- 2. Depress the F10 Key=Select Output Options.
- 3. Change the output media from "C" to "D" on the Select Inquiry Output options screen.
- 4. Tag the output views desired.
- 5. At the submitters ID field, enter your E-Mail address (example: msmith@dlsc.dla.mil).

This is an IMPORTANT STEP, you must enter your E-mail address in the submitter ID field shown on the output selection screen. You must type over the user code that appears there.

- 6. Depress F6=Process.
- 7. You will be returned to the Start Inquiry screen and you should see the results of your request, in the next work day's e-mail.

Option 2:

- 1. Start at LOLA Inquiry screen (LOLINQ) and enter your inquiry.
- 2. Depress the F12=User Profile.
- 3. Change inquiry Output Media from "C" to "D", press "Enter" at the User Profile Information screen.
- 4. Depress the F10=Select Output Options.
- 5. Tag the output views desired.
- 6. At the submitters memo id field, enter your e-mail address (example: msmith@dlsc.dla.mil).
- 7. Depress F6=Process.
- 8. You will be returned to the Start Inquiry screen and you should see the results of your request in the next work day's e-mail.

Option 3:

- 1. Start at LOLA's Inquiry screen (LOLINQ) and enter your inquiry.
- 2. Depress the F10 Key=Select Output Options.
- 3. Tag the output views desired.
- 4. At the submitters id field, enter your e-mail address (example: bsmith@dlsc.dlsl.mil).
- 5. Depress the F6=Process
- 6. The results of your inquiry will be return to your screen. To download from here, depress the F11=Download to PC.
- 7. You will return to the Start Inquiry screen and you should see the results of your request in the next work day's e-mail.
 - e. Special Features. None.
- f. Data Features. There must be only one Output Media and at least one Output Data Segment View selected.

If you wish to download the information to the PC, refer to Select /Change Output Data Segment View.

16.4.17 Select Overnight Processing

- a. Task Description. Unless you specify differently. all retrieve processed information will be be at DLSC. This task will send the information to you via Overnight Processing consisting of either *MADS* output, or Magnetic Tape.
- b. Special Access. There is special access required for this. Only certain activities entered in Table 783 Activity_Media_ID are the activities that can utilize Overnight Processing.
- c. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLOUT - Select Inquiry Output Options

- d. Procedure. Access the Select Inquiry Output Options screen by either entering LOLOUT in the screen code field, or press F10 when defined as Select Output Options. Enter an O for Overnight Processing in the Output Media field. If you are not authorized to receive Overnight Processing, then you will not have it listed as one of your Output Media's. NOTE: Basic Reference Data is the data segment view default. After you have selected the output data views you want to process, tab to the Deskcode, enter a 7-position Deskcode, and press PF6 (Process) to process your defined inquiry request.
 - e. Special Features. None.

- f. Data Features. There must be only one Output Media and at least one Output Data Segment View. The output from Overnight Processing does not look like a LOLA printed listing. The output will be in ODRC Output Data Request Code format. Also, note you may actually receive additional segments/views over and above what you actually requested. This is only because of the way the ODRC tables are defined. Also, you cannot obtain Characteristics Data (Coded or Decoded) when submitting CAGE Code/Part Number queries via Overnight Processing. Only NIIN overnight queries can obtain Characteristics Data.
- g. Considerations. For more information about Overnight Processing, refer to DLSC Customer Service Office.

16.4.18 Related Processing.

The first time a user accesses LOLA, the users will need to define one of the following output parameters:

Screen

Printer

PC Download

Overnight Processing

If the user does not select an output parameter, the default will be the screen. See screen layout LOLOUT in Appendix B for further information.

16.4.19 Data Backup.

The end-user will not have responsibility for backup procedures related to the DLSC Modernized System. All backups are performed by DLSC at the Federal Center in Battle Creek. Michigan.

16.4.20 Recovery from Errors and Malfunctions.

See Appendix C, Error Messages and Recovery Procedures.

16.4.21 Messages See Appendix C, Error Messages and Recovery Procedures.

16.4.22 Futures Data.

Using LOLA Inquiry, you may view, print or download futures data on supply items. Futures data is available only on the following segment views:

Identification Data

MOE Rule Data Coded

MOE Rule Data Decoded

Coded Characteristics

Decoded Characteristics

Management Data

Phrase Data

All current data on segment views show first. A message indicating the availability of futures data is also displayed.

Futures data with the same effective date, DIC and originating activity are grouped together.

You may press PF12 to view the next set of futures data. If the last set is displayed, pressing PF12 brings back the current data.

Futures data is printed in the same order as it shows on the screen. Headings and line spacing conform to the current standards for printing segment views.

CHAPTER 5 CHARACTERISTICS SEARCH SUBSYSTEM PROCESSING REFERENCE GUIDE

16.5.1 Processing Reference Guide

This section provides the end-user with technical information regarding LOLA's characteristics search functions.

a. Capabilities. The LOLA Characteristics Search Subsystem allows the end-user to search the logistics database by specifying characteristics information to acquire information concerning item of supply.

While employing the Characteristics Search Subsystem, the user may start a search by entering an Item Name Code (INC) or, if a specific INC is not known, by entering a descriptive Item Name.

(1) INC Search. After the user enters a specific INC, he/she is provided with a list of Master Requirement Codes (MRCs) that apply to the INC and number of the NIINs for each MRC. The user chooses one or more MRC from which the user will select specific characteristics criteria. The NIINs that have characteristics that match the criteria are those that are output. The output may appear as follows:

Screen

Printer

Downloaded to PC

- (2) Item Name Search. If a descriptive Item Name is entered, the user is transferred directly to the FSG/FSC/Item Name Subsystem, where the user can identify a specific INC based on the Item Name entered (see Section 6). Once an INC is selected, the user may return to the Characteristics Search Subsystem and process the search as described above.
- b. Conventions. Conventions used for the Federal Logistics Information System (FLIS) are described in Section 16.3.2.b of this manual. Conventions used within the LOLA Applications include pre-formatted data displays and screen entry requirement. These are explained in paragraphs 16.5.2 through 16.5.4 of the Processing Procedures and screen illustrations in Appendix B.
- c. Processing Procedures. Processing procedures for LOLA Characteristics Search are provided in paragraphs 16.5.2 through 16.5.4. These procedures provide step-by-step instructions for performing each LOLA Characteristics Search task.

16.5.2 Inquiry Characteristics by Item Name.

- a. Task description. This task will allow you to search the characteristics of an item given you have an item name to start the inquiry process.
- b. Special Access. Special clearances are required for access to the following information. Check with the security administrator at your facility for authorization.

NOCO CRYPTO

Security Classified O Security Classified S PC Download Proprietary

c. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLCHS - Start Characteristics

LOLINR - Item Name/Keyword Search Response

LOLMRC - MRC Pick List

LOLSAC - MRC SAC Selection Screen

LOLDIM - MRC Reply Selection (Dimension)

LOLMLT - MRC Reply Selection (Multiple Tables)

LOLNUM - MRC Reply Selection (Number)

LOLTBL - MRC Reply Selection (Single Tables)

LOLTOL - MRC Reply Selection (Tolerances)

LOLTXT - MRC Reply Selection (Text)

d. Procedure. From the Start Characteristics Search screen, enter the Item Name you would like to inquiry and press Enter. The Item Name/Keyword Search Response screen will display the Item Names and Item Name Code (INC). Tab to the line of a valid, approved Item Name/INC and press PF10 (Start CHS). The MRC Pick List will display MRCs that is associated with the selected Item Name Code. You may select the desired MRCs by placing a X in the Tag field. Once all desired MRCs have been selected, press PF6 (Process).

If the current MRC has more than one Secondary Access Code (SAC), the SAC Selection Screen will appear. This screen will display the SACs of an MRC and its descriptions. Tag the desired SAC and press PF6.

The MRC Reply Selection screen will appear. This screen will vary depending on the characteristics associated with that MRC. Select the characteristics of your item and press PF6 (Process).

The section Reviewing Characteristics Search Results will further explain how to select your output method and view NIIN search results.

e. Special Features. If more that 12 items are available on either the MRC Pick List or the MRC Reply Selection screens, press PF7 = page up and/or PF8 = page down to view additional items.

The number of Reply Values displayed on a MRC Reply Selection Screen can be restricted by entering specific information which defines guidelines for the database search. The type of information used to initiate the database search for each MRC Reply Selection Screen is provided with the explanation of each screen.

If you select more than one MRC from the MRC Pick List, you may move to your first MRC Reply

Selection by pressing PF6 (Process). PF5 (Cancel) will stop this inquiry and return you to the Start FSG/FSC Item Name.

- f. Data Features. On the Start Characteristics Search screen, do not enter a INC and Item Name at the same time. If you know both, enter the INC and leave the Item Name field blank.
- g. Considerations. If the entered item name can not be found, the Start Characteristics Search screen will display with an appropriate message.

16.5.3 Inquiry Characteristics by Item Name Code (INC)

- a. Task Description. This task will allow you to search the characteristics of an item given you have an INC to start the inquiry process.
- b. Special Access. Special clearances are required for access to the following information. Check with the security administrator at your facility for authorization.

NOCO

CRYPTO

Security Classified O

Security Classified S

PC Download

Proprietary

c. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLCHS - Start Characteristics

LOLMRC - MRC Pick List

LOLSAC - MRC SAC Selection Screen

LOLDIM - MRC Reply Selection (Dimension)

LOLMLT - MRC Reply Selection (Multiple Tables)

LOLNUM - MRC Reply Selection (Number)

LOLTBL - MRC Reply Selection (Single Tables)

LOLTOL - MRC Reply Selection (Tolerances)

LOLTXT - MRC Reply Selection (Text)

If the Selected MRC has SAC associated with it, the MRC SAC Selection screen will automatically appear. The user will need to select a SAC for processing (Press PF6).

If SAC is not available for the selected MRC then the MRC SAC Selection screen will not appear for the MRC.

d. Procedure. From the Start Characteristics Search screen, enter in the INC you would like to inquiry and press Enter. The MRC Pick List will display MRCs that are associated with the entered INC. You may select

the desired MRCs by placing a X in the Tag field. Once all desired MRCs have been selected, press PF6 (Process).

If the current MRC has more than one SAC, the SAC Selection Screen will appear. This screen will display the SACs of an MRC and its descriptions. Tag the desired SAC and press PF6.

The MRC Reply Selection screen will appear. This screen will vary depending on the characteristics associated with that MRC. Select the characteristics of your item and press PF6 (Process).

The section Reviewing Characteristics Search Results will further explain how to select your output method and view NIIN search results.

e. Special Features. If more that 12 items are available on either the MRC Pick List or the MRC Reply Selection screens, press PF7= page up and/or PF8= page down to view additional items.

The number of Reply Values displayed on a MRC Reply Selection Screen can be restricted by entering specific information which defines guidelines for the database search. The type of information used to initiate the database search for each MRC Reply Selection Screen is provided with the explanation of each screen.

If you select more than one MRC from the MRC Pick List, you may view the next MRC Reply Selection by pressing F9 (Next MRC).

F5 (Cancel) will stop this inquiry and return you to the Start Characteristics Search screen.

- f. Data Features. On the Start Characteristics Search screen, do not enter a INC and Item Name at the same time. If you know both, enter the INC and leave the Item Name field blank.
- g. Considerations. If the entered item name code can not be found, the Start Characteristics Search screen will display an appropriate message.

16.5.4 Reviewing Characteristics Search Results

- a. Task Description. This task describes the various options available once the MRCs have been selected.
- b. Special Access. Special clearances are required for access to the following information. Check with the security administrator at your facility for authorization.

NOCO CRYPTO Security Classified O Security Classified S PC Download Proprietary c. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLRES - Characteristics Search Results

LOLMDC - NIIN Search Results

- d. Procedure. Once you are on the Characteristics Search Results screen (See Inquiry Characteristics by Item Name Code (INC) or Inquiry Characteristics by Item Name), you have four (4) main options:
 - (1) Return to MRC Pick List to modify MRC replies: Press PF9 (Redo Current Search).
- (2) Enter a CAGE code to narrow the search: Enter a CAGE Code in the Secondary Search By CAGE Code field and press Enter.
- (3) Transfer NIIN to LOLA Inquiry (section 4 of this manual): transfer NIIN to the Select Inquiry Output Options screen.
- (4) NIIN Search Results: Press PF6 (Process). This will display each individual NIIN that matches the MRC selected (and CAGE Code, if entered).
- e. Special Features. You may change the output media to CRT, printer, or download to PC (depending on special access) while on the Characteristics Search Results screen. Enter the proper code in the field to the far right of the Enter Output Media prompt.

You can also select several NIINs and transfer to LOLA Inquiry an NIIN Search Results Screen. This can be done by pressing PF12 (to tag all) or entering an 'X' in the tag column.

On the NIIN Search Results screen, you may view any other MRCs by pressing PF7 (page up) and/or PF8 (page down). If you would like to view another NIIN, press PF6 (Prev NIIN) and/or PF9 (Next NIIN) as appropriate.

PF5 (Cancel) will stop this inquiry and return you to the Start Characteristics Search Screen (LOLCHS).

Characteristics Search reflects current data only. Interfacing with the Inquiry Subsystem allows you to acquire futures data on the NIINs that match your search criteria.

- f. Data Features. You must have one output media entered. If you do not specify where to send the results, they will be displayed on the screen.
- g. Considerations. Use of the Secondary Search By CAGE Code can reduce the number of NIINs. If an invalid CAGE Code is entered, a message will be displayed at the bottom of the screen.

16.5.5 Related Processing

There is no related processing that concerns the end-user.

16.5.6 Data Backup

The end-user will not have responsibility for backup procedures related to the Federal Logistics Information System (FLIS). All backups are performed by DLSC at the Federal Center in Battle Creek, Michigan.

16.5.7 Recovery from Errors and Malfunctions

See Appendix C, Error Messages and Recovery Procedures.

16.5.8 Messages

See Appendix C, Error Messages and Recovery Procedures.

CHAPTER 6 - FSG/FSC FUNCTIONAL PROCESSING REFERENCE GUIDE

16.6.1 Processing Reference Guide

This section provides the end-user with technical information regarding LOLA's FSG/FSC Subsystem functions.

- a. Capabilities. The LOLA FSG/FSC Subsystem allows the user the capability to search and display information concerning H2/H6 Cataloging Handbooks, the H2-2 Publications Directory, and the Item Name/Keyword data tables. The end-user may make requests for information by entering:
 - (1) Item Name
 - (2) Keyword
 - (3) Federal Item Identification Guide (FIIG)
 - (4) Item Name Code (INC)
 - (5) Federal Supply Group (FSG)
 - (6) Federal Supply Code (FSC)
 - (7) AMMO Code
 - (8) Management FSG Data
- b. While employing the FSG/FSC Item Name Search Subsystem, the user has the following options to access data in the logistics database:
- (1) A search to yield a list of Item Name Codes (INCs) by entering either a descriptive Item Name or a descriptive keyword.
 - (2) A search to yield a list of INCs by entering a Federal Item Identification Guide (FIIG) number.
- (3) The definition of a specific INC, the subordinate group titles that make up a specific Federal Supply Group (FSG), or the data for a specific Federal Supply Class (FSC).
 - (4) The change data associated with a particular INC, FSC or FSG.
 - (5) The data associated with a particular AMMO or DoDAAD Code.
 - (6) The data associated with FSG Mangement.
- c. Conventions. Conventions used for the Federal Logistics Information System (FLIS) are described in Section 16.3.2.b of this manual. Conventions used within the LOLA Applications include pre-formatted data displays and screen entry requirement. These are explained (with directions) in paragraphs 16.6.2 through 16.6.12 of the Processing Procedures and screen illustrations in Appendix B.

d. Processing Procedures. Processing procedures for LOLA FSG/FSC Search are provided in paragraphs 16.6.2 through 16.6.12. These procedures provide step-by-step instructions for using each of the LOLA FSG/FSC Search tasks.

16.6.2. Display FSC Change Data.

- a. Task Description. This task allows you to enter an FSC to display the change data within a specified date range.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLSRC - Start FSG/FSC Item Name Search

LOLCHG - Get INC/FSC Effective Dated Changes

LOLFCH - FSC Change Data

- c. Procedure. From the Start FSG/FSC Item Name Search, press the PF5 (INC/FSC EFF DTD Changes) key. The Get INC/FSC Effective Dated Changes screen will be displayed. Enter your FSC in the appropriate field, a valid Julian date range and press Enter. If all entries are valid, the FSC Change Data screen will appear with the entered information with corresponding description, effective date and DRN changed.
- d. Special Features. If more than twelve descriptions are available on the FSC Change Data screen, press the PF7 (page up) and/or PF8 (page down) view the remaining descriptions.

When finished viewing the FSC Change Data screen, press the PF5 (previous screen) to return to the Get INC/FSC Effective Dated Changes screen.

e. Data Features. Entering an INC, FSC and FSG on the Get INC/FSC Effective Dated Changes screen will be considered an invalid search. To display INC effective dated changes, refer to the task Display INC Effective Dated Changes. To display FSG effective dated changes, refer to Display FSG Effective Dated Changes.

The date range entered must be no earlier than 180 days prior to or 180 days after the current date.

For futures data (Effective Date of Change), an FSG or a complete FSC can be entered. Note that on screen LOLFCH, the screen header could change to either FSC or FSG depending on this input. Please refer to screen layout.

f. Considerations. If a valid FSC or date range is not entered, an error message will appear at the bottom of the screen.

16.6.3 Display FSC Description

- a. Task Description. This task will allow you to display the description of an FSC.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLSRC - Start FSG/FSC Item Name Search LOLFSC - FSC Description

- c. Procedure. From the Start FSG/FSC Item Name Search screen, enter an FSC in the FSG/FSC Data field and press PF11 (Item Name Definition/FSC Description). The FSC and Group will display on the FSC Description screen with the FSC Description.
- d. Special Features. If more than twelve lines are available on the FSC Description screen, press the PF7 (page up) and/or PF8 (page down) to view the remaining lines. You may transfer to the FSC Data screen by pressing PF9 (FSC Data) on the FSC Description screen.
- e. Data Features. To perform this task, only an FSC should be entered on the Start FSG/FSC Item Name Search screen. If any other information is entered on the screen, the search criteria will be considered invalid.
- f. Considerations. If a valid search criteria is not entered, an error message will appear at the bottom of the screen.

This task may also be performed any time a function key is defined as FSC DESC.

16.6.4 Display FSG Group Notes.

- a. Task Description. This task will allow you to display the notes for a particular FSG.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLSRC - Start FSG/FSC Item Name Search

LOLFSG - Federal Supply Group Titles

(H2-1 Contents)

LOLNOT - FSG Group Notes

- c. Procedure. From the Start FSG/FSC Item Name Search screen, enter an FSG in the FSG/FSC Data field and press Enter. The FSG, any related Groups and Titles will display on the screen. Press the PF9 (Group Notes) key to display the FSG Group Notes. FSG Group Notes will also be invoked when you enter an FSG in the Start FSG/FSC Item Name Search Screen and press PF11.
- d. Special Features. If more than twelve lines are available on the FSC Description screen, press the PF7 (page up) and/or PF8 (page down) to view the remaining lines.

You may transfer back to the Federal Supply Group Titles (H2-1 Contents) screen by pressing PF9 (FSG Titles) on the FSG Group Notes screen.

You may transfer to the FSC Data screen by pressing PF10 (FSC Data) on the FSG Group Notes screen.

You may transfer back to the Start FSG/FSC Item Name Search screen by pressing PF5 (Start Search Screen) on the FSG Group Notes screen.

- e. Data Features. To perform this task, only an FSG should be entered on the Start FSG/FSC Item Name Search screen. If any other information is entered on the screen, the search criteria will be considered invalid.
 - f. Considerations. If a valid FSG is not entered, an error message will appear at the bottom of the screen.

16.6.5 Display Item Name Change Data

- a. Task Description. This task allows you to enter an INC to display the item name change data within a specified date range.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLSRC - Start FSG/FSC Item Name Search

LOLCHG - Get INC/FSC Effective Dated Changes

LOLICH - Item Name Change Data

- c. Procedure. From the Start FSG/FSC Item Name Search, press the F5 (INC/FSC EFF DTD Changes) key. The Get INC/FSC Effective Dated Changes screen will display. Enter your INC in the appropriate field, a valid Julian date range and press Enter. If all entries are valid, the Item Name Change Data screen will appear with the entered information with corresponding (Item Names, Effective Dates, FSC, Condition Codes, FIIGs, and Applicability Keys) effective dates, changed data and changed DRNs.
- d. Special Features. If more than twelve Item Names are available on the Item Name Change Data screen, press the PF7 (page up) and/or PF8 (page down) view the remaining Item Names.

When finished viewing the Item Name Change Data screen, press the PF5 (previous screen) to return to the Get INC/FSC Effective Dated Changes screen.

e. Data Features. Entering an INC, FSC and FSG on the Get INC/FSC Effective Dated Changes screen will be considered an invalid search. To display FSC effective dated changes, refer to the task Display FSC Change Data. To display FSG effective dated changes, refer to Display FSG Change Data.

NOTE: Entered INC must be numeric or alpha G-Z for position 1 and numeric in other positions.

The date range entered must be no earlier than 180 days prior to or 180 after the current date.

f. Considerations. If a valid INC or date range is not entered, an error message will appear at the bottom of the screen.

16.6.6 Display Item Name Definition

- a. Task Description. This task will allow you to display the definition of a certain Item Name.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLSRC - Start FSG/FSC Item Name Search

LOLINC - Item Name Definition

- c. Procedure. From the Start FSG/FSC Item Name Search, type in an INC in the INC Data field and press the F11 (Item Name Definition/FSC Description). Entered INC must be numeric or alpha G-Z for position 1 and numeric in other positions. The Item Name Definition screen will appear displaying the INC entered, the item name, FIIG, and the definition for that INC.
- d. Special Features. If more than twelve lines are available on the Item Name Definition screen, press the PF7 (page up) and/or PF8 (page down) to view the remaining lines.

You may transfer to the Item Name/Keyword Search Response screen by pressing PF5 (Start Search Screen) on the Item Name Definition screen.

You may return to the Item Name Data screen by pressing PF9 (INC Data) on the Item Name Definition screen.

You may begin a Characteristics Search (Section 5) by pressing PF10 (Start CHS) on the Item Name Definition screen.

- e. Data Features. To perform this task, only an INC should be entered on the Start FSG/FSC Item Name Search screen. If any other information is entered on the screen, the search criteria will be considered invalid.
- f. Considerations. If a valid search criteria is not entered, an error message will appear at the bottom of the screen.

This task may also be performed any time a function key is defined as INC DEF.

16.6.7 FIIG Search

- a. Task Description. This task will search and display a list of INCs and Item Names by entering a FIIG or partial FIIG.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLSRC - Start FSG/FSC Item Name Search

LOLFGR - FIIG Search Response

- c. Procedure. From the Start FSG/FSC Item Name Search, enter a FIIG or partial FIIG and press Enter. The FIIG Search Response screen will appear with a list of Item Names, INCs, related INCs (for COLLOQUIAL INCs), FSC, Condition Codes concept number and Applicability Keys.
- d. Special Features. If more than twelve Item Names are available on the FIIG Search Response screen, press the PF7 (page up) and/or PF8 (page down) view the remaining Item Names.

To cancel the search results, press PF5 (Cancel) on the FIIG Search Response screen.

To search on different FIIG, enter the new FIIG in the Search FIIG field and press PF6 (New Search).

To transfer to the FSC Description screen, move to the Item Name and press PF9 (FSC Desc) on the FIIG Search Response screen or enter an 'X' on the tag beside the desired FSC and press PF9.

To transfer to Characteristics Search (Section 5), press the PF10 (Start CHS).

To transfer to the Item Name Definition screen, move to the Item Name and press PF11 (INC DEF) or enter an 'X' on the tag field beside desired INC and press PF9.

e. Data Features. To perform this task, only the FIIG should be entered on the Start FSG/FSC Item Name Search screen. If any other information is entered on the screen, the search criteria will be considered invalid.

A partial FIIG may be entered as valid search criteria. A partial FIIG is a FIIG of the first 4 or 5 character/numbers. Any FIIG that matches these starting characters/ numbers will be displayed as part of the search result.

f. Considerations. If a valid search criteria is not entered, an error message will appear at the bottom of the screen.

16.6.8 FSC Data Search

- a. Task Description. This task will display the item names and supporting data for a certain FSC.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLSRC - Start FSG/FSC Item Name Search

LOLDES - FSC Data

- c. Procedure. From the Start FSG/FSC Name Search screen, type in a FSC in the FSG/FSC Data field and press Enter. If the FSG is found, the FSC, and Group will appear with a list of Item Names, INCs, Related INC (for COLLOQUIAL INCs), Condition Codes, FIIGs, and Applicability Key that support the given FSC.
- d. Special Features. If more than twelve Item Names are available on the FIIG Search Response screen, press PF7 (page up) and/or PF8 (page down) view the remaining Item Names.

To return to the Start FSG/FSC Item Name Search screen, press PF5 (Start Search Screen).

To display the Item Name Definition screen for a specific Item Name, move to the Item Name and press the PF9 (INC Def) key or enter an 'X' on the tag field beside desired INC and press PF9.

To transfer to Characteristics Search (Section 5), press PF10 (Start CHS). To display the FSC Description screen, press the F11 (FSC Desc) key.

- e. Data Features. To perform this task, only a valid FSC should be entered on the Start FSG/FSC Item Name Search screen. If any other information is entered on the screen, the search criteria will be considered invalid.
- f. Considerations. If a valid search criteria is not entered, an error message will appear at the bottom of the screen.

16.6.9 FSG Data Search

- a. Task Description. This task displays the title and corresponding FSC data for a certain FSG.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.
 - LOLSRC Start FSG/FSC Item Name Search
 - LOLFSG Federal Supply Group Titles (H2-1 Contents)
- c. Procedure. From the Start FSG/FSC Item Name Search screen, enter a FSG in the FSG/FSC Data field and press Enter. If that FSG is found, any Groups and numerically sequential Titles will display on the screen.
- d. Special Features. If more than twelve Groups and Titles are available on the Federal Supply Group Titles (H2-1 Contents) screen, press the PF7 (page up) and/or PF8 (page down) to view the remaining Groups and Titles.

To transfer back to the Start FSG/FSC Item Name Search screen, press the PF5 (Start Search Screen).

To transfer to the FSG Group Notes screen, press the PF9 (Group Notes) key.

To transfer to the FSC Data screen for a specified Group, move to the Group and press PF10 (FSC Data).

- e. Data Features. To perform this task, only a valid FSG should be entered on the Start FSG/FSC Item Name Search screen. If any other information is entered on the screen, the search criteria will be considered invalid.
- f. Considerations. If a valid search criteria is not entered, an error message will appear at the bottom of the screen.

16.6.10 INC Data Search

- a. Task Description. This task will allow the entry of an INC to retrieve the Item Name, FIIG, FSC Condition Code, Applicability Key for that INC, and a list of FSC and modifiers related to that INC.
- b. Screen Displays. The following screens may be displayed during this procedure. For information specific about a screen, see Appendix B.

LOLSRC - Start FSG/FSC Item Name Search

LOLIND - Item Name Data

- c. Procedure. From the Start FSG/FSC Item Name Search screen, enter an INC in the INC Data field and press Enter. Entered INC must be numeric or alpha G-Z for position 1 and numeric in other positions. The Item Name Data screen will appear containing the Item Name, FIIG, FSC Condition Code and Applicability Key matching to the entered INC. A list of FSCs and Modifiers will also appear.
- d. Special Features. If more than twelve FSCs or modifiers are available on the Item Name Data screen, press the PF7 (page up) and/or PF8 (page down) view the remaining FSCs and Modifiers.

To transfer to the Item Name/Keyword/Response screen, press the PF5 (Start Search Screen) key.

To display the INC Definition screen, press the PF9 (INC Def) key.

To transfer to Characteristics Search (Section 5), press PF10 (Start CHS).

To display the FSC Description screen for a specified FSC, move to the desired FSC and press the PF11 (FSC Desc) key or enter an 'X' on the tag field beside the desired FSC and press PF11.

- e. Data Features. To perform this task, only an INC Data field should be entered on the Start FSG/FSC Item Name Search screen. If any other information is entered on the screen, the search criteria will be considered invalid.
- f. Considerations. If a valid search criteria is not entered, an error message will appear at the bottom of the screen.

16.6.11 Item Name/Keyword Search

- a. Task Description. This task will allow you search and list INCs, Item Names, FSCs, Condition Codes, FIIGs, and Applicability Keys that apply to an entered Item Name or keyword.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLSRC - Start FSG/FSC Item Name Search

LOLINR - Item Name/Keyword Search Response

- c. Procedure. From the Start FSG/FSC Item Name Search, enter an Item Name or Keyword and press Enter. The Item Name/Keyword Search Response screen will appear with a list of Item Names, INCs, Related INCs (for COLLOQUIAL INCs), FSC, Condition Codes, Concept Number and Applicability Keys.
- d. Special Features. If more than twelve Item Names are available on the FIIG Search Response screen, press the PF7 (page up) and/or PF8 (page down) view the remaining Item Names.

To cancel the search and return to the Start FSG/FSC Item Name Search screen, press the PF5 (Cancel) key.

To search on a different Item Name or keyword, enter the Item Name or keyword into the appropriate field and press PF6 (New Search).

To display the FSC Description screen for a specified FSC, move to the appropriate line and press PF9 (FSC Desc) or enter an 'X' on the tag field beside the desired FSC and press PF9.

To transfer to Characteristics Search (Section 5), move to the desired Item Name and press F10 (Start CHS) or enter an 'X' on the tag field beside the desired Item Name and press F10.

To display the INC Definition screen for a certain INC, move to the line for the INC and press the PF11 (INC Def) key or enter an 'X' on the tag field beside the desired INC and press PF11.

- e. Data Features. To perform this task, only an Item Name or keyword (not both) should be entered on the Start FSG/FSC Item Name Search screen. If any other information or both an Item and Keyword is entered on the screen, the search criteria will be considered invalid.
- f. Considerations. If a valid search criteria is not entered, an error message will appear at the bottom of the screen.

16.6.12 Cancelled FSC Data Search.

- a. Task Description. This task is similar to FSC Data, but data for the cancelled INCs of the input FSG.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLSRC - Start FSG/FSC Item Name Search

LOLDES - FSC Data

- c. Procedure. From the Start FSG/FSC Name Search screen, type in an FSG in the FSG/FSC Data field and press PF10.
- d. Special Features. If more than twelve Item Names are available on the FIIG Search Response screen, press the PF7 (page up) and/or PF8 (page down) view the remaining Item Names.

To return to the Start FSG/FSC Item Name Search screen, press PF5 (Start Search Screen).

To display the Item Definition screen for a specific Item Name, move to the Item Name and press the PF9

(INC Def) key or enter an 'X' on the tag field beside desired INC and press PF9.

To transfer to Characteristics Search (Section 5), press PF10 (Start CHS).

To display the FSC Description screen, press the PF11 (FSC Desc) key.

FSG/FSC Item Name Search displays futures data as Change Data when you enter a date range that goes beyond the current date.

- e. Data Features. To perform this task, only a valid FSG should be entered on the Start FSG/FSC Item Name Search screen. If any other information is entered on the screen, the search criteria will be considered invalid.
- f. Considerations. If a valid search criteria is not entered, an error message will appear at the bottom of the screen.

16.6.13 AMMO Code Inquiry

- a. Task Description. This task allows the user to inquire the database for AMMO Codes.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLSRC - Start FSG/FSC Item Name Search

LOLAMC - AMMO Code Data Inquiry

LOLAMD - AMMO Code Detail Data

- c. Procedure. From a blank Start FSG/FSC Item Name Search screen (LOLSRC)[press F6 (AMMO Code). The AMMO Code Data Inquiry Screen (LOLAMC) will be displayed. Enter a valid alpha-numeric AMMO Code and press enter. The AMMO Code Detail Data screen (LOLAMD) will be displayed with additional information for the AMMO Code entered on LOLAMC.
 - f. Special Features. None.
 - e. Data Features. None.
 - f. Considerations. None.

16.6.14 Management FSG Data.

- a. Task Description. This task allows the user to view Management FSG Data on line.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLSRC - Start FSG/FSC Item Name Search

LOLMFS - Management FSC Inquiry

LOLMFP - Management FSC Pick List LOLMFD - Management FSC Detail

c. Procedure. From the Start FSG/FSC Item Name Search (LOLSRC) screen, press F9 (Mgmt/FSC) with all other fields blank. The Management FSC Inquiry screen (LOLMFS) will be displayed. Enter an FSC and press Enter. The Management FSC Detail screen (LOLMFD) will be displayed with information for the entered FSC.

If the FSC is unknown, then enter a DATE/DATE RANGE on the Management FSC Data Inquiry (LOLMFS) screen and press Enter. The Management FSC Pick List screen (LOLMFP) will be displayed. Tag one or more FSCs and press F6 (Process). You will be transferred to the Management FSC Detail screen (LOLMFD). Press F7 (Page Down) or F8 (Page Up) to view data. Press F11 (Print) or F12 (Download) to send data to a local or system printer or to download the data to your PC (if you have that authorization.

16.6.15 Related Processing

There is no related processing that concerns the end-user.

16.6.16 Data Backup

The end-user will not have responsibility for backup procedures related to the Federal Logistics Information System (FLIS). All backups are performed by DLSC at the Federal Center in Battle Creek, Michigan.

16.6.17 Recovery from Errors and Malfunctions

See Appendix C, Error Messages and Recovery Procedures.

16.6.18 Messages

See Appendix C, Error Messages and Recovery Procedures.

CHAPTER 7 - LOLA ON-LINE UPDATE PROCESSING REFERENCE GUIDE

16.7.1 Processing Reference Guide.

This section provides the end-user with the how-to use technical information necessary to use LOLA Update programs. See Appendix B.

16.7.2 Capabilities.

The LOLA On-line Update applications allows end-users to submit NIIN Assignments and Reinstatements, Adds, Changes, and Deletes to Data Groups and Data Elements.

The end-user submits transactions by selecting from a menu the type of transaction they would like to perform. They then enter identifying information for the transaction, then move on to the input screens. All screens are menu driven or have prompts for the user.

16.7.3 Conventions.

Conventions used for the Federal Logistics Information System (FLIS) are described in Section 16.3.2.b of this manual. Conventions used within the LOLA Application include pre-formatted data views and screen entry requirements. These are explained (with instructions) in Appendix B.

CHAPTER 8 - FREIGHT SEARCH SUBSYSTEM PROCESSING REFERENCE GUIDE

16.8.1 Processing Reference Guide.

This section provides the end-user with the how-to use technical information necessary to use LOLA Freight Data Inquiry Programs.

a. Capabilities. The LOLA Freight Data Inquiry programs allow End-Users to request specific types of information and then view the responding information on-line.

The End-User may make requests for information by entering specific search criteria, entering a single piece of information, or selected combination of information.

- (1) Search the database to yield the Freight data associated with the Freight Code entered.
- (2) Display Freight data by choosing a UFC Code from a Pick List.
- (3) View statistics associated with Freight data by date entered.

The user has the option to print or to perform a PC Download operation from any of the output display screens. Output data may appear as follows:

- (1) Screen
- (2) Printer
- (3) Download to PC (need special authorization) When the output is formatted to be downloaded to a PC, the user must exit LOLA, LOGOFF CICS and complete the download to the PC.
- c. Conventions. Conventions used for the Federal Logistics Information System (FLIS) are described in Section 16.3.2.b of this manual. Conventions used within the LOLA Application included pre-formatted data views and screen entry requirements. These are explained (with directions) in paragraphs 16.8.2 of the LOLA Freight Data Inquiry Processing Procedures and screen illustrations in Appendix B.
- d. Processing Procedures. Processing procedures for LOLA Freight Data Inquiry is provided in paragraph 16.8.2. These procedures provide step-by-step instructions for performing each of the LOLA Freight Data Inquiry processes.

16.8.2 Freight Data Inquiry.

- a. Task Description. This task allows the user to view Freight Data.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLFDI - Freight Data Inquiry LOLFMI - Freight Master Inquiry

LOLCFI - Freight Inquiry by UFC Code LOLFMS - Freight Master Statistic Inquiry

c. Procedure. From the LOLA Main Menu, select the LOLA Freight Data Inquiry option and press Enter. The Freight Data Inquiry screen (LOLFDI) will be displayed. Enter a complete Freight Code (including NMFC, SUB and UFC) and press Enter. The Freight Master Inquiry screen (LOLFMI) will be displayed with a Description, Extended Description, Last Update, NIIN Count, and Less Than Truckload (LTL) Rating.

If you enter just a UFC Code on the Freight Data Inquiry screen (LOLFDI) and press Enter, the Freight Inquiry by UFC Code Pick List screen (LOLCFI) will be displayed. Tag the Freight Codes you wish to inquire and press F6 (Process). The Freight Master Inquiry screen (LOLFMI) will be displayed with the information for the tagged Freight Codes as mentioned in the above paragraph.

If you entered a Year and Month in the Freight Statistics Inquiry field and press Enter, the Freight Master Statistics Inquiry screen (LOLFMS) will display the Master Freight Table and the Extended Description Freight Table for the Month and Year entered. You may then Print or Download the data depending upon your authorization.

- d. Special Features. When entering Inquiry data on screen LOLFDI, all three fields in the Freight Master Inquiry section must be entered or the user may enter just a UFC Code in this section. The user cannot enter data in the Freight Master Inquiry and the Freight Statistics Inquiry sections.
 - e. Data Features. None.
 - f. Considerations. None.

16.8.3 Related Processing

There is not related processing that concerns the end-user.

16.8.4 Data Backup

The end-user will not have responsibility for backup procedures related to the Federal Logistics Information System (FLIS). All backups are performed by DLSC at the Federal Center in Battle Creek, Michigan.

16.8.5 Recovery from Errors and Malfunctions

See Appendix C, Error Messages and Recovery Procedures.

16.8.6 Messages

See Appendix C, Error Messages and Recover Procedures.

CHAPTER 9 - MOE RULE SEARCH SUBSYSTEM PROCESSING REFERENCE GUIDE

16.9.1 Processing Reference Guide.

This section provides the end-user with the how-to technical information necessary to use LOLA MOE Rule Data Inquiry programs.

a. Capabilitites. The LOLA MOE Rule Data Inquiry programs allow End-Users to request specific types of information and then view the responding information on-line.

The End-User may make requests for information by entering specific search criteria, entering a single piece of information, or selected combination of information:

- (1) Search MOE Master Data associated with a MOE Rule.
- (2) In combination with a, above, enter an Effective Date to narrow down the search criteria.
- (3) Enter Statistical Data against the Master MOE Rules.

The user has the option to print or to perform a PC Download operation from any of the output display screens. Output data may appear as follows:

- (1) Screen
- (2) Printer
- (3) Download to PC (need special authorization) When the Output is formatted to be downloaded to a PC, the user must exit LOLA, LOGOFF CICS and complete the download to the PC in TSO/ISPF.
- b. Conventions. Conventions used for the Federal Logistics Information System (FLIS) are described in Section 16.3.2.b of this manual. Conventions used within the LOLA Application include pre-formatted data views and screen entry requirements. These are explained (with directions) in paragraph 16.9.2 of the LOLA MOE Rule Data Inquiry Processing Procedures and screen illustrations in Appendix B.
- c. Processing Procedures. Processing procedures for LOLA MOE Rule Data Inquiry is provided in paragraph 16.9.2. This procedure will provide step-by-step instructions for performing the LOLA MOE Rule Data Inquiry task.

16.9.2 MOE Rule Data Inquiry.

- a. Task Description. This task allows the user to inquire the database for MOE Rule information.
- b. Screen Displays. The following screens may display during this procedure. For information specific about a screen, see Appendix B.

LOLMOL - MOE Rule Data Inquiry LOLMOP - MOE Rule Pick List

LOLXMR - MOE Master Inquiry

LOLXMS - MOE Rule Statistics

LOLXMN - MOE Master Management Inquiry

LOLXME - MOE Master Exclusive FSG/FSC

LOLXMI - MOE Master Inclusion FSG/FSC

c. Procedure. From the LOLA Main Menu, select the LOLA Moe Rule Data Inquiry option and press Enter. The MOE Rule Data Inquiry screen (LOLMOL) will be displayed. Enter a valid MOE Rule Number and Effective Date or an Effective Date Range and press Enter. If you entered a MOE Rule Number and Effective Date, the MOE Master Inquiry screen (LOLXMR) will be displayed. Press F6 (Mgmt Excp) from LOLXMR to display the MOE Master Management Inquiry screen (LOLXMN). Press F9 (Inclusion) from LOLXMR to display the MOE Master Inclusive FSG/FSC screen (LOLXMI). Press F10 (Exclusion) from LOLXMR to display the MOE Master Exclusive FSG/FSC screen (LOLXME).

If you entered a MOE Rule Number and no Effective Date, The MOE Master Inquiry screen (LOLXMR) will be displayed. Follow the instructions in the paragraph above to continue processing.

If you entered an Effective Date Range and pressed Enter, the Stat MOE Master Inquiry screen (LOLXMS) will be displayed. There are no other PF keys or functions associated with this screen.

- d. Special Features. None
- e. Data Features. None
- f. Considerations. None.

16.9.3 Related Processing.

There is not related processing that concerns the end-user.

16.9.4 Data Backup.

The end-user will not have responsibility for backup procedures related to the Federal Logistics Information System (FLIS). All backups are performed by DLSC at the Federal Center in Battle Creek, Michigan.

16.9.5 Recovery from Errors and Malfunctions.

See Appendix C, Error Messages and Recovery Procedures.

16.9.6 Messages.

See Appendix C, Error Messages and Recover Procedures.

CHAPTER 10 - LOLA PROCEDURES SUBSYSTEM PROCESSING REFERENCE GUIDE

16.10.1 Processing Reference Guide. This section provides The End-User with the how-to-use technical information necessary to use LOLA Procedures programs.

a. Capabilities. The LOLA Procedures programs will allow End-Users to request specific types of information and then view the responding information on-line.

The end-user may display the available end-user manuals by requesting sections:

- (1) Through the index and appropriate subindexes
- (2) Searching on one or a combination of search words.
- (3) Using the section number.

When the desired sections(s) are known, that section will display on the screen. The user may display available following or previous subsections within a section through the use of the appropriate function keys.

- b. Conventions. Conventions used for the Federal Logistics Information System (FLIS) are described in paragraphs 16.3.2.b this manual. Conventions used within the LOLA Procedures Application include pre-formatted data views and screen entry requirements. These are explained (with instructions) in Appendix B.
- c. Processing Procedures. Processing procedures for LOLA Procedures are provided in paragraphs 16.10.2 through 16.10.10 of this manual. These procedures provided step-by-step instruction for performing each of the LOLA Procedures tasks.

16.10.2 Display a Subsection of the end-user manual using the Index.

- a. Task Description. This task will allow you to retrieve and display a selected portion of an End-User manual by referencing the section through the index.
 - b. Special Access. Check with the security administrator at your facility for authorization.

None

c. Screen Displays. The following screen may display during this procedure. For specific information about a screen see Appendix B.

N810S - User Manuals to Transaction Processing

N840S - On-line User Manuals

N841S - On-line Index

N842S - On-line Subindex

N843S - On-line Text

N848S - Associated Data Text

d. Procedure. From the User Information Menu, move to User Manuals to Transaction Processing by pressing the Tab key. Press Enter to Select this option.

The On-line User Manuals screen will appear on your screen. Move to the desired End-User manual by pressing Tab key, then press Enter to select the manual.

The On-line User Manual Index screen for the selected manual will be shown. Move and select the desired section of your manual. The subsection index will display on the On-line User Manual Subindex screen. Move and select the desired subsection.

The On-line User Manual Text screen will display the text associated with the selected subsection

When you are finished viewing the text, you may press F3 (Prev Menu) three times to return to the On-line User Manuals screen.

e. Special Features. If there are more lines in the index or selected text than the screen can display, press F7 (Page Up) and F8 (Page Down) to display the remaining lines.

If you would like to display a previous subsection or following subsection, press F11 (Prev Rec) or F12 (Next Rec).

A word search from the On-line User Manual Index screen or the On-line User Manual Subindex screen may be initiated by entering the desired word(s) in the search field and press enter.

You may display a specific section from the On-line User Manual Index screen or the On-line User Manual subindex screen by entering an equal sign (=) and the subsection number in the search field (i.e.=10.8) and press Enter.

- f. Data Features. A word search may incorporate a complete word or the beginning part of a word followed by an asterisk (*). For example, to search for the words SHOW, SHOWN, or SHOWING, the search word could be SHOW*.
 - g. Considerations. None.

16.10.3 Display a Subsection of the End-User Manual by Entering the Subsection Number.

- a. Task Description. This task will allow you to retrieve and display a known subsection of an End-User manual by entering the desired subsection.
- b. Special Access. Special clearances are required for access to the following information. Check with the security administrator at your facility for authorization.

None

c. Screen Displays. The following screen may display during this procedure. For specific information about a screen, see Appendix B.

N810S - User Manuals to Transaction Processing

N840S - On-line User Manuals

N841S - On-line User Manual Index

N845S - On-line User Manual Text

N848S - Associated Data Text

d. Procedure. From the User Information Menu, move to User Manuals to Transaction Processing by pressing the Tab key. Press Enter to select this option.

The On-line User Manuals screen will appear on your screen. Move to the desired End-User manual be pressing Tab key, then press Enter to select the manual.

The On-line User Manual Index screen for the desired manual will display. Using the Tab key, move to the SEARCH==> field. Enter an equal (=), followed by the desired subsection (i.e., 10.08) and press Enter. If the subsection entered is valid (i.e., subsection name contains more than just a heading) the On-line User Manual Text screen will appear with the text for the entered subsection.

When you are finished viewing the text, you may press F3 (Prev Menu) to return to the On-line User Manual Index screen.

e. Special Features. If there are more lines in the indexed or selected text than the screen can display, press F7 (Page Up) and F8 (Page Down) to display the remaining lines.

If you would like to display a previous subsection or following subsection, press F11 (Prev Rec) or F12 (Next Rec).

- f. Data Features. None.
- g. Considerations. If an invalid subsection is entered, an error message will display on the screen.

16.10.4 Searching the End-User Manual for Specific Search Words(s).

- a. Task Description. This task will allow the End-User to search the End-User manuals for a desired word or string of words. The system will display an index of the subsections where the search criteria was found. The End-User may then select the specific subsection they would like to view.
 - b. Special Access. No special access is required.

None

c. Screen Displays. The following screens may display during this procedure. For specific information about a screen, see Appendix B.

N810S - User Manuals to Transaction Processing

N840S - On-line User Manuals

N844S - User Manual Word Search Index

N846S - On-line User Manual Text

N848S - Associated Data Text

d. Procedure. From the User Information Menu, move to User Manuals to Transaction Processing by pressing the Tab key. Press Enter to select the option.

The On-line User Manuals screen will appear. Move to the desired End-User Manual by pressing the Tab key, then press Enter to select the manual.

The On-line User Manual Index screen for the selected manual will display. Using the Tab key, move to the SEARCH==> field. Enter the desired search word(s) and press Enter. If the search word(s) are found in the text of the End-User manual, the User Manual Word Search Index screen will appear with the location(s) of the search word(s). Move to the desired subsection and press Enter to view a subsection.

When you are finished viewing the text, you may press F3 (Prev Menu) to return to the On-line User Manual Index screen.

e. Special Features. If there are more lines in the index or selected text than the sereen can display, press F7 (Page Up) and F8 (Page Down) to display the remaining lines.

If you would like to display a previous subsection or following subsection, press F11 (Prev Rec) or F12 (Next Rec).

You may display a specific section from the On-line User Manual Index screen or the On-line User Manual Subindex screen by entering an equal sign (=) and the subsection number in the search field (i.e., 10.08) and press Enter.

- f. Data Features. None.
- g. Considerations. If the desired search word(s) are not found anywhere in the End-User manual, an error message will display on the screen.

16.10.5 Creating/Deleting/Changing Bulletin Board.

a. Task Description. This task will allow the End-User to create new bulletins, change existing bulletins, or delete existing bulletins. If creating a new bulletin, the system will provide the user with a lined (blank) screen, once the key information is provided. If changing a bulletin, the system will provide the user with an existing bulletin once the lay information is provided. If deleting bulletins,

upon entering the key information, the system will display the bulletin to be deleted and will ask for a delete confirmation message.

- b. Special Access. Only a specific number of End-Users can use this capability. For special access, the End-User must check with the facility security administrator.
- c. Screen Displays. The following screens may be displayed during this procedure. For specific information about a screen, see Appendix B.

PROADD - Add/Del/Chg Bulletin Board

PROUPD - Update Bulletin Board

d. Procedure. From the Logrun Main Menu, move the cursor to the Procedure (PRCICS) selection and press the Enter key to select this option.

The Procedures Inquiry Main Menu will be displayed. Position the cursor to the Bulletin Board (PROBUL) and press the Enter key.

The Bulletin Board Main screen will be displayed. Position the cursor to the Create Bulletin Board (PROADD) and press the Enter key.

At this point, the Add/Del Bulletin (PROBUL) screen will be displayed with a blank (lined) screen for the user to enter the key information (e.g., To, From, Date and Message No.)

If this is a new bulletin to be added, type the text in the blank (lined) area provided. Press the Enter key. The bulletin just entered will be added. If more test is to be entered, press F9 and a new blank (lined) screen will be displayed.

If the bulletin is to be deleted, press F6 to start the delete process. The user will be prompted to press F6 again as a confirmation of the delete. Press F6 again and the bulletin will be delete.

When you are finished with this function, press F3 (Prev Menu) to return to the Procedures Inquiry Main Menu (PRCICS).

- e. Special Features. To view additional bulletins, press F8 (Page Down). To re-display previously viewed bulletins, press F7 (Page Up).
 - f. Data Features. None.
 - g. Considerations. None.

16.10.6 Viewing an existing Bulletin.

a. Task Description. This task will allow the End-User to select existing bulletins for viewing and reviewing. The system will provide the End-User with a list of existing bulletins from which the user can select specific bulletins to view.

- b. Special Access. Only a specific number of end-users may use this capability. For special access, the End-User must check with the facility security administrator.
- c. Screen Displays. The following screens may be displayed during this procedure. For specific information about a screen, see Appendix B.

PROINQ - Bulletin Board Extract View

PROSEL - Selected Bulletin Board View

d. Procedure. From the Logrun Main Menu, move the cursor to the Procedure (PRCICS) selection and press the Enter key to select this option.

The Procedures Inquiry Main Menu will be displayed. Position the cursor to the Bulletin Board (PROBUL) and press the Enter key.

The Bulletin Board Main screen will be displayed. Position the cursor to the View Bulletin Board (PROADD) and press the Enter key.

At this point, the view Bulletin (PROSEL) screen will be displayed where the user can select a specific Bulletin to view. To use this function, position the cursor to the bulletin desired. The user can either press the Enter key, or type 'X' and then press the Enter key.

When you are finished viewing the bulletin, press F3 (Prev Menu) to return to the Procedures Inquiry Main Menu (PRCICS)

- e. Special Features. To view additional bulletins press F8 (Page Down). To re-display previously view bulletins, press F7 (Page Up).
 - f. Data Features. None.
 - g. Considerations. None.

16.10.7 Data Element Definitions Inquiry.

- a. Task Description. This task will allow the End-User to Inquire/Search for Data Elements as defined in DoD 4100.39-M Volume 12. This will provide the user with a full meaning of the data elements entered. Search can be conducted using a full or partial data element number or data element name. Also, search can be conducted using an Alias. To assist the user in searching, a DRN Index and Name Index is provided.
- b. Special Access. For special access, the End-User must check with the facility security administrator.
- c. Screen Displays. The following screens may be displayed during this procedure. For specific information about a screen, see Appendix B.

PROELD - Data Element Definitions Screen

PROELR - DRN Name Index Screen

d. Procedure. The Procedures Inquiry Main Menu will be displayed. Position the cursor to the Quick Information (PROQIK) and press the Enter key.

The Quick Information main screen will be displayed. Position the cursor to the Data Element (PROELD) and press the Enter key.

At this point, the Data Elements screen (PROELD) will be displayed. Enter a full or partial data element, data name or enter an Alias and press the Enter key.

The definition of the data element, name and alias will be displayed for viewing.

If the data element number to search is not available, the user may press F5 to display DRN's on Number sequence or F6 to display DRN's by Name sequence. Enter a 'X' on the DRN desired and press the Enter key. The Data Element Definition (PROELD) screen will be displayed.

When you are finished with this functions, press F3 (Prev Menu) to return to the Procedures Inquiry Main Menu (PRCICS).

- e. Special Features. To view additional definitions, press F8 (Page Down). To re-display previously viewed definitions, press F7 (Page Up).
 - f. Data Features. None.
 - g. Considerations. None.

16.10.8 Return Code Inquiry.

- a. Task Description. This takes will provide the End-User with a definition of Return Codes.
- b. Special Access. For special access, the End-User must check with the facility security administrator.
- c. Screen Displays. The following screens may be displayed during this procedure. For specific information about a screen, see Appendix B.

PRORCI - Return Code Inquiry Screen

d. Procedure. From the Logrun Main Menu, move the cursor to the Quick Information (PROQIK) and press the Enter key to select this option.

The Procedures Inquiry Main Menu will be displayed. Position the cursor to the Quick Information (PROQIK) and press the Enter key.

The Quick Information main screen will be displayed. Position the cursor to the Return Code (PRORCI) and press the Enter key.

The Return Code screen (PRORCI) will be displayed. Enter the Return Code desired and press the Enter key.

The definition for the Return Code will be displayed.

When you are finished with this function, press F3 (Prev Menu) to return to the Procedures Inquiry Main Menu (PRCICS).

- e. Special Features. To view additional definitions, press F8 (Page Down). To re-display previously viewed definitions, press F7 (Page Up).
 - f. Data Features. None.
 - g. Considerations. None.

16.10.9 Table Inquiry.

- a. Task Descriptions. This task will allow the End-User to Inquiry/Search for Tables and their names, codes and definitions as stated in the FLIS Procedures manual, Volume 10. An Index of Tables is provided to allow the user to verify the Tables available for inquiry.
- b. Special Access. For special access, the End-User must check with the facility security administrator.
- c. Screen Displays. The following screens may be displayed during this procedure. For specific information about a screen, see Appendix B.
 - PROTAB Table Inquiry Screen
 - PROICX Table Index Inquiry Screen
 - PRORP1 Table Inquiry Reply Screen
 - PRORP2 Table Inquiry Reply Screen
 - PRORP3 Table Inquiry Reply Screen
 - PRORP4 Table Inquiry Reply Screen
 - PRORP5 Table Inquiry Reply Screen
 - PRORP6 Table Inquiry Reply Screen
 - PRORP7 Table Inquiry Reply Screen
 - PRORP8 Table Inquiry Reply Screen
 - PRORP9 Table Inquiry Reply Screen
 - PROP10 Table Inquiry Reply Screen
 - PROP11 Table Inquiry Reply Screen
 - PROP13 Table Inquiry Reply Screen
 - PROP14 Table Inquiry Reply Screen
 - PROP15 Table Inquiry Reply Screen
 - PROP17 Table Inquiry Reply Screen
 - PROP18 Table Inquiry Reply Screen

PROP19 - Table Inquiry Reply Screen

PROP20 - Table Inquiry Reply Screen

PROP21 - Table Inquiry Reply Screen

PROP22 - Table Inquiry Reply Screen

PROP23 - Table Inquiry Reply Screen

PROP25 - Table Inquiry Reply Screen

PROAD1 - Table Additional Replies Screen

PROAD2 - Table Additional Replies Screen

d. Procedure. From the Logrun Main Menu, move the cursor to the Procedure (PRCICS) selection and press the Enter key to select this option.

The Procedures Inquiry Main Menu will be displayed. Position the cursor to the Quick Information (PROQIK) and press the Enter key.

The Quick Information main screen will be displayed. Position the cursor to the Tables and press the Enter key.

At this point, the Table Inquiry screen (PROTAB) will be displayed. Enter a table number or table name and press the Enter key.

When you are finished with this function, press F3 (Prev Menu) to return to the Procedures Inquiry Main Menu (PRCICS).

- e. Special Features. To view additional definitions, press F8 (Page Down). To re-display previously viewed definitions, press F7 (Page Up).
 - f. Data Features. None.
 - g. Considerations. None.

16.10.10 Acronym Inquiry.

- a. Task Descriptions. This task will allow the End-User to Inquiry/Search for Acronyms as defined in DoD 4100.39-M Volume 12. This will provide the user with a full meaning of the acronym entered. A full or partial acronym may be searched. An Index is also provided to assist the user in choosing the acronym to be searched.
 - b. Special Access. For special access, the End-User must check with the facility security administrator.
- c. Screen Displays. The following screens may be displayed during this procedure. For specific information about a screen, see Appendix B.

PROACQ - Acronym Inquiry Search Screen

PROACX - Acronym Inquiry Search Screen

d. Procedure. From the Logrun Main Menu, move the cursor to the Procedure (PRCICS) selection and press the Enter key to select this option.

The Procedures Inquiry Main Menu will be displayed. Position the cursor to the Quick Information (PROQIK) and press the Enter key.

The Quick Information main screen will be displayed. Position the cursor to the Acronym and press the Enter key.

At this point, the Acronym Inquiry Search screen (PROACQ) will be displayed. Enter a full or partial acronym and press the Enter key.

When you are finished with this function, press F3 (Prev Menu) to return to the Procedures Inquiry Main Menu (PRCICS).

- e. Special Features. To view additional definitions, press F8 (Page Down). To re-display previously viewed definitions, press F7 (Page Up).
 - f. Data Features. None.
 - g. Considerations. None.

16.10.11 Edit/Validation Inquiry.

- a. Task Description. This task will provide the EndUser with a definition of Return Code in combination with the DIC (Document Indicator Code) or Data-Group, DRN (Data Return Code) and Return Code.
- b. Special Access. For special access, the End-User must check with the facility security administrator.
- c. Screen Displays. The following screens may be displayed during this procedure. For specific information about a screen, see Appendix B.

PROEDV - Edit/Validation Screen

d. Procedure. From the Logrun Main Menu, move the cursor to the Procedure (PRCICS) selection and press the Enter key to select this option.

The Procedures Inquiry Main Menu will be displayed. Position the cursor to the Quick Information (PROQIK) and press the Enter key.

The Quick Information main screen will be displayed. Position the cursor to the Edit/Validation (PROEDV) and press the Enter key.

The Edit/Validation screen (PROEDV) will be displayed. Enter the Data-Group or DIC, Return Code and DRN and press the Enter key.

The definition for the DIC or Data-Group, Return Code and DRN will be displayed.

When you are finished with this function, press F3 (Prev Menu) to return to the Procedures Inquiry Main Menu (PRCICS).

- e. Special Features. To display additional definitions press F8 (Page Down). To re-display previously viewed definitions, press F7 (Page Up).
 - f. Data Features. None.
 - g. Considerations. None.
- **16.10.12 Related Processing.** There is no related processing that concerns the End-User.
- **16.10.13 Data Backup.** The End-User will not have responsibility for backup procedures related to FLIS. All backups are performed by DLSC at the Federal Center in Battle Creek, Michigan.
- 16.10.14 Recovery from Errors and Malfunctions. See Appendix C, Error Messages and Recovery Procedures.
- 16.10.15 Messages. See Appendix C, Error Messages and Recovery Procedures.

APPENDIX A GLOSSARY OF TERMS AND ABBREVIATIONS

TERM DEFINITION

ADPFSR Automated Data Processing Facility Security Representative

AIS Automated Information Systems

APP-KEY Applicability Key

Application A group of interconnected processes which accomplish the tasks or objectives

defined within a functional description.

APS Application Productivity System

Batch A sequential process procedure that uses an accumulation of data or a group of

units without any directed user interaction during processing. Typically, a set of multiple transactions are executed as a single job unit. Batch jobs may be initiated by remote user terminals in the communication with modernized DLSC environment, but there will be no communication with the user during execution. Ordinarily, results will not be available to the user until the entire batch has completed execution. The DLSC design will also allow for batch jobs to be initiated automatically by on-line transaction if certain time parameter are

exceeded.

CAGE Commercial and Government Entity

CDM Characteristics Data Management

CD-ROM Compact Disk Read Only Memory. A disk read by a laser, which stores data.

CICS Customer Information Control System

COBOL Common Business Oriented Language

CPU Central Processing Unit

CRT Cathode Ray Tube

DB2 Database 2 (IBM Relational Database)

DLA Defense Logistics Agency

DLSC Defense Logistics Services Center

EM End-user Manual

Expert Mode Mechanism for traversing through the developed application by bypassing

menus

FD Functional Description

FIIG Federal Item Identification Guide

DoD 4100.39-M

Volume 16

TERM DEFINITION

FLIS Federal Logistics Information Systems (Formerly Defense Logistics Informa-

tion System DLIS)

FSC Federal Supply Class

FSG Federal Supply Group

Group Profile A security feature that controls which means can be displayed and what

capabilities will be provided each user

IBM International Business Machines

INC Item Name Code

ISPF Interactive Systems Programming Facility

Julian Date A date format (YYDDD) that is determined by the current year and number of

days since the beginning of the year. Example: February 1, 1991 would be

written 91032.

LOGON The procedure by which a user begins a terminal session.

LOGOFF The procedure by which a terminal session is ended.

LOGRUN Logistics Remote Users Network

LOLA Logistics On-Line Application

Mainframe A large computer, to which other computers can be connected, that handles

several tasks for multiple user simultaneously

MOE Major Organizational Entity

MRC Master Requirements Code

MRD Master Requirements Directory

MVS/ESA Multiple Virtual Storage/Enterprise System Architecture

NIIN National Item Identification Number

On-line The operation of a functional unit when under the direct control of a computer.

It is the user's ability to interact with a computer.

Password A code used to confirm the user-ID and access authorization.

PC Personal Computer

PN Part Number

SAC Secondary Address Code

SCRNID Screen-ID

TERM DEFINITION

STD Standard

S/SS System/Subsystem Specification

System A combination of interconnected applications which accomplish a portion of the

Defense Logistics Agency's (DLAs) mission. The primary DLA missions at DLSC are the Federal Logistics Information System (FLIS) and the Military

Engineering Drawing Asset Locator System (MEDALS).

TSO Time Sharing Option

TSQ Temporary Storage Queue

UD Usage Designer

User-ID User Identification

VSAM Virtual Sequential Access Method

Workstation A configuration of input/output equipment at which an operator works.

APPENDIX B - PART 1 SCREEN LAYOUTS

This Appendix provides a cross reference of the inquiry screen codes (SCRNCD) and the screen title associated with that code.

SCRNCD	SCREEN TITLE
LOLACC	Inquiry By Associated CAGE
LOLACI	Inquiry by ADP/CAO
LOLAMC	AMMO Code Inquiry
LOLAMD	AMMO Code Data
LOLBAS	Basic Reference Data
LOLCAN	Canceled NIIN
LOLCCD	Item CAGE Pick List
LOLCFI	Freight Inquiry by UFC Code
LOLCGC	Inquiry By Changed CAGE Data
LOLCHG	Get INC/FSC Effective Dated Changes
LOLCHS	Start Characteristic Search
LOLCLT	Inquiry By Clear Text
*LOLCNM	CAGE Code Pick List
LOLCOD	Coded Characteristics
LOLDCL	Debarment CAGE Code List
LOLDEC	Decoded Characteristics
LOLDES	FSC Data
LOLDIM	MRC Reply Selection (Dimensions)
LOLFCH	FSC Change Data
LOLFDI	Freight Data Inquiry
LOLFGR	FIIG Search Response
LOLFMI	Freight Master Inquiry
LOLFMS	Freight Master Statistic Inquiry
LOLFRT	Freight Data
LOLFSC	FSC Description
LOLFSG	Federal Supply Group Titles (H2-1 Contents)
LOLIAS	I & S Data
LOLICH	Item Name Change Data
LOLICN	Inquiry by Company Name
LOLIDC	Inquiry by Debarment Code
LOLIDD	Identification Data
*LOLINC	Item Name Definition
LOLIND	Item Name Data
LOLINM	INC Pick List
LOLINP	Item INC Pick List
LOLINQ	Start Inquiry

SCRNCD	SCREEN TITLE
LOLINR	Item Name/Keyword Search Response
LOLMDC	NIIN Search Results
LOLMFD	Management FSC Data
LOLMFP	Management FSC Pick List
LOLMFS	Management FSC Inquiry
LOLMGT	Management Data
LOLMLT	MRC Reply Selection (Multiple Tables)
LOLMOD	MOE Rule Data Decoded
LOLMOE	MOE Rule Data Coded
LOLMOL	MOE Rule Inquiry
LOLMRC	MRC Pick List
LOLMUL	Multiple NIIN Inquiry
LOLNOT	FSG Group Notes
LOLNUM	MRC Reply Selection (Numbers)
LOLOUT	Select Inquiry Output Options
LOLPHR	Phrase Data
LOLPNR	Item PN Pick List
LOLRCC	Replacement CAGE Code Inquiry
LOLREQ	Requisition Data
LOLRES	Characteristics Search Results
LOLSAC	MRC SAC Selection Screen
*LOLSRC	Start FSG/FSC Item Name Search
LOLSTD	Standardization Data
LOLSUP	CAGE/Supplier Data
LOLTBL	MRC Reply Selection (Tables)
LOLTOL	MRC Reply Selection (Tolerances)
LOLTXT	MRC Reply Selection (Text)
LOLXCC	Expanded CAGE Code Inquiry
LOLXME	MOE Master Exclusive FSG/FSC
LOLXMI	MOE Master Inclusive FSC/FSC
LOLXMN	MOE Master Management Inquiry
LOLXMR	MOE Master Inquiry
LOLXMS	Stat Moe Master Inquiry
LOLXRF	Reference/Part Number Data

*EXPERT NAVIGATION LIMITATIONS:

The following are the only LOLA screens that may be directly invoked using Expert Navigation:

- 1. LOLINQ Start Inquiry Screen
- 2. LOLCHS Start Characteristics Search Screen
- 3. LOLSRC Start FSG/FSC Item Name Search Screen

Within any LOLA Subsystem screen, you may jump to any of the screens available to your group. This is defined in the Table REC-MENU3.

B.1 LOLACC - Inquiry By Associated CAGE.

SCRNCD: LOLACC

LOGISTICS ON-LINE ACCESS

DATE: 02-MAR-93

USERID: LSC1992

INQUIRY BY ASSOCIATED CAGE

TIME: 11:01

ASSOCIATEI	CAGE CODE: K1172	PARENT CAGE CODE: 50587
CAGE	COMPANY NAME	CITY STATE
_ K0467	PLESSEY SEMICONDUCTORS LTD	SWINDON WILTS SN3 2Q
_ K1172	PLESSEY CO LTD	SWINDON WILTS SN2 6A
_ K1206	PLESSEY MICROWAVE MATERIAL	TOWCESTER NORTHANTS
_ K1605	PLESSEY AND CO LTD	LIVERPOOL L7 9NW UK
_ K1659	PLESSEY AEROSPACE LTD	TITCHFIELD FAREHAM H
_ K1945	ARCOTRONICS /SCOTLAND/ LTD	BATHGATE WEST LOTHIA
_ K2510	B I C C - CITEC LTD	SWINDON WILTS SN5 7Y
_ K2523	GEC AEROSPACE LTD	TITCHFIELD FAREHAM H
_ K3911	SUNDSTRAND HYDRATEC LTD	SWINDON WILTS SN2 2P
_ K4547	PLESSEY RADAR PLC	CHESSINGTON SURREY K
_ K6036	PLESSEY AVIONICS LTD	HAVANT PO9 1DH UK
_ K7033	PLESSEY AEROSPACE LTD	TITCHFIELD FAREHAM H
_ U0147	PLESSEY UK LTD	LIVERPOOL L7 9TE UK
	** MORE **	

<MSG 1299> ONLY ONE ITEM MAY BE TAGGED

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8=PAGE DOWN F9= F10= F11= F12=

- a. Screen Explanation. This screen displays a list of CAGE Codes resulting from the search.
- b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name:

TAG

Entry Requirements:

Must be entered only as a single entry.

Valid Entries:

X

Results:

Transfer to the Expanded CAGE Code Inquiry

(LOLXCC) screen when F6 (Process) is pressed.

c. Available Function Keys. The following unique function keys may be used from the Basic Reference Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel

Cancels current search and returns to the screen the search was

started.

F6	Process	Displays the Expanded CAGE Code Inquiry (LOLXCC) screen for the CAGE Code selected.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.

B.2 LOLACI - Inquiry by ADP/CAO.

SCRNCD: LOLACI	LOGISTICS ON	DATE: 02-MAR-93		
USERID: LSC1992	INQUIRY BY	INQUIRY BY ADP/CAO		
ZIP-CODE RANGE:	TO	STATE	/POSESSION ABBREVIATION:	
CAO CODE:		ADP P	OINT CODE:	
CAO CODE	ADP POINT CODE	ZIP CODE	STATE CODE	

<MSG 0492> ENTER CRITERIA AND PRESS <ENTER> KEY

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7=PAGE UP F8=PAGE DOWN F9= F10= F11=PRINT F12=DOWNLOAD

a. Screen Explanation. This screen allows the user to enter the criteria to initiate an ADP/CAO search.

b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name:

ZIP-CODE RANGE

Entry Requirement:

5-digit valid Zip Code

Valid Entries:

Valid Zip Code

Results:

Displays Zip Codes within the appropriate range.

(2) Field Name:

CAO CODE

Entry Requirement:

6-digit CAO Code

Valid Entries:

Valid CAO Code

Results:

Displays CAO Codes within the appropriate search.

(3) Field Name:

Results:

STATE/POSESSION ABBREVIATION

Entry Requirement:

2-digit State Abbreviation Valid State Abbreviation

Valid Entries:

Displays State Abbreviation data that have ADP/CAO that

match.

(4) Field Name:

ADP POINT CODE

Entry Requirement:

5-digit ADP Code

Valid Entries:

ADP Code

Results:

Display ADP/CAO data that that match the ADP Point

Code entered.

c. Available Function Keys. The following unique function keys may be used from the Basic Reference Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel

Cancels current search and returns to the screen the search was

started.

F11 Print

Sends the information displayed to the printer associated with your

terminal. Available only after special access has been granted by the

security administrator for your facility.

F12 Download to PC

Sends the information displayed on the screen to a PC disk file.

Available only after special access has been granted by the security

administrator for your facility.

B.3 LOLAMC - AMMO Code Inquiry Screen.

SCRNCD: LOLAMC

LOGISTICS ON-LINE ACCESS

USERID: LSC1992

AMMO CODE INQUIRY TIME: 12:18

ENTER AMMO CODE: _____

<MSG> ENTER NEW CRITERIA AND PRESS <ENTER> KEY

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7=

F8=

F9=

F10=

F11=

F12=

DATE: 27-JUN-94

a. Screen Explanation. This screen is displayed after the user presses F6 (AMMO-CD) from the LOLA Start FSG/FSC Item Name Search screen.

b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name:

Enter AMMO Code

Entry Requirement:

Mandatory

Valid Entries:

Any valid alpha-numeric AMMO Code

Results:

The AMMO Code Detail Data screen (LOLAMD) is dis-

played when the user presses <ENTER>.

c. Available Function Keys. The following unique function keys may be used from the AMMO Code Data Inquiry screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel

Cancels current search/inquiry and returns control to the previously

displayed screen.

B.4 LOLAMD - AMMO Code Data Screen.

SCRNCD: LOLAMD

LOGISTICS ON-LINE ACCESS

DATE: 27-JUN-94

USERID: LSC1992

AMMO CODE DATA

TIME: 12:19

AMMO CODE: PD85

STATUS CODE: A

USER CODE:

DATE EST/CANC: 1988134

INC: 61588

FSG/FSC: 1410

DESCRIPTION

RGM-84C-2, Tactical, Harpoon, White, Tartar Launch, NAVAIR DWG 642AS0646-20,-22

** END OF DATA **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F8=

F7=

F9=

F10 =

F11=

F12=

- a. Screen Explanation. This screen is displayed after the user enters an AMMO Code and presses Enter from the AMMO Code Inquiry screen (LOLAMC).
- b. Field Entry Requirements. There are no valid field entries for this screen. Other fields shown on the screen are display-only fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the AMMO Code Detail Inquiry screen. All Standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel Cancels current search/inquiry and returns control to the previously

displayed screen.

F11 Print Sends the screen data to a printer.

F12 Download Transfers the screen data to a PC.

B.5 LOLBAS - Basic Reference Data Screen.

SCRNCD: LOLBAS

LOGISTICS ON-LINE ACCESS

DATE: 17-FEB-93

USERID: LSC1992

BASIC REFERENCE DATA

TIME: 15:34

ITEM NAME: ADAPTER, GUN MOUNTING, AIRCRAFT

NSN: 1010-00-000-0001

PART NUMBER	AAC	CAGE	DAC	UNIT-PR	RNCC	RNVC	SOS UI
AA1	D	28865	2	1.00	3	2	B17 EA
SDCF06	D	92685	5	1.00	5	2	B17 EA

** END OF DATA **

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7=PAGE UP F8=PAGE DOWN F9= F10= F11= F12=

- a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the Basic Reference Data Segment View as an output option. When multiple screens are needed to display information, MORE DATA or END OF VIEW or END OF DATA will appear at the bottom of each screen in the series.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the Basic Reference Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Prev NSN	Displays the previous NSN if more than one NSN was selected.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Next NSN	Displays the next NSN if more than one NSN was selected.
F10	Print	Send the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility.
F11	Download to PC	Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

B.6 LOLCAN - Cancelled NIIN Screen.

SCRNCD: LOLCAN

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

CANCELLED NIIN

TIME: 12:27

ITEM NAME: *** CANCELLATION IN PROCESS ***

NSN: 6510-00-016-8225

STATUS CODE:

7 - ITEM CANCELLED AS DUPLICATE

CANCELLATION DATE:

60000

REPLACEMENT NSN:

6510-00-559-3175

D-MIL CODE:

Α

ADPEC:

ESD/EMI:

PMIC:

U

HMIC:

P

1 NSN(S) SELECTED FOR OUTPUT

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=REPL NSN

F9=

F10=CANC NSN F11=

F12=

a. Screen Explanation. This screen displays the inquiry results if the user entered or selected a NIIN that has been or will be canceled. If the requested NIIN will be cancelled, the effective date, originating DIC, and originating activity will be displayed on the header line.

- b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the Cancelled NIIN screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel

F7=

Cancels current search and returns to the screen the search was

started.

F6 Repl NSN

Continues processing with the replacement NIIN.

F10 Print

Send the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility. Data displayed on the above screen will be sent to the printer. Requested data for the cancelled NIIN will then be printed, followed by requested printed, followed by requested data for the replacement NIIN.

F11 Download to PC

Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

B.7 LOLCCD - Item CAGE Pick List Screen.

SCRNCD: LOLCCD	LOGISTICS ON-LINE ACCESS	DATE: 09-MAR-93
USERID: LSC1992	ITEM CAGE PICK LIST	TIME: 15:58

CAGE CODE: 10001 CAGE NAME: NAVAL ORDNANCE SYSTEMS COMMAND

TAG	NSN	INC	ITEM NAME	PART NUMBER
	1005-00-000-0013	05550	ADAPTER,GUN MOUNTIN	AA2498971-2
	5925-00-000-0072	0 0136	CIRCUIT BREAKER	2290452-1
_	1355-00-000-0152	77777	AUTOPILOT ASSEMBLY	2556882
_	1510-00-000-0153	77777	AUTOPILOT ASSEMBLY	2556920
_	1355-00-000-0154	77777	COMPUTER ASSEMBLY	2557606
_	1355-00-000-0266	77777	COMPUTER ASSEMBLY	2557606-1
_	5310-00-000-0330	Ø 1869	WASHER,KEY	12Z335-37
_	5310-00-000-0331	Ø 1869	WASHER,KEY	12Z335-38
_	5310-00-000-0331	Ø1869	WASHER,KEY	228463-10
_	1350-00-000-0435	20719	WASHER, SOLUBLE, UNDE	403296
_	1320-00-000-0706	20001	CHARGE,PROPELLING,5	2847233
	1320-00-000-0725	20018	CHARGE,PROPELLING,8	L00002880
			** MORE **	TOTAL NSNS: 92

<MSG Ø521> PICK ONE OR MORE ITEMS AND PRESS APPROPRIATE PF KEY

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8=PAGE DOWN F9= F10=CHANGE OUTPUT OPTIONS F12=PROC ALL

a. Screen Explanation. This screen displays a list of items based on the CAGE Code entered and allows the user to pick the item(s) to be processed. Other fields shown on the screen are display only fields and will display data based on the entries made. It will display only the first 108 lines.

When multiple screens are needed to display information, MORE DATA, END OF DATA, or SEARCH CRITERIA EXCEEDS ALLOWABLE AMOUNT will appear at the bottom of the screen. The last screen in the series will also display Total NSNs found.

b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name: TAG

AU

Entry Requirement: To select a given NSN(s), place an X in the Tag field to

the left of the desired NSN(s). Press F6 (Process) when

all desired NSN(s) are selected.

Valid Entries:

X

Results:

Processes selected NSNS as defined on the Select Inquiry

Output Options (LOLOUT) screen.

(2) Field Name:

TAG

Entry Requirement:

An NSN could be matched through an associated cage of the input cage or the replacement of the input cage. To display data this cage which produced matches, place an X on the tag field to the left of desired NSN and press

F9.

Valid Entries:

X

Results:

Display CAGE Supplier Data for the CAGE which pro-

duced the match.

c. Available Function Keys. The following unique function keys may be used from the Item CAGE Pick List screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Process	Will process selected NSNS as defined on the Select Inquiry Output Options (LOLOUT) screen.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F 9	CAGE-Only	Displays CAGE/SUPPLIER DATA of an associated CAGE code.
F10	Change Output	Transfers to the Select Inquiry Options Output Options (LOLOUT) screen.
F12	Proc All	Selects and processes all NSNs on the current list.

The system limits the number of matches you will see on-line for CAGE-CODE SEARCH.

You may continue with the search by specifying more search conditions.

Or to obtain additional matches for this search, call or forward your request to DLSC's Customer Service Office (DSN 932-4725, FTS 552-4725, Comm'l (616) 961-4725, fax DSN 932-4715, e-mail vcs@dlsc.dla.mil). Please specify how you want the output.

B.8 LOLCFI - Freight Inquiry by UFC Code Screen.

SCRNCD: LOLCFI

LOGISTICS ON-LINE ACCESS

DATE: 28-JUN-94

USERID: LSC1992

FREIGHT INQUIRY BY UFC CODE

TIME: 13:29

UFC CODE: 03640

TAG

NMFC

SUB LAST LTL

NIIN

DESCRIPTION

CODE

UPDATE

COUNTS

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP

F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=PROCESS

F12=

F7=PAGE UP F8=PAGE DOWN F9=

F10=

F11=

a. Screen Explanation. This screen is displayed when the users enters a UFC Code on the Freight Data Inquiry screen (LOLFDI). The user is presented with a listing of Freight Codes for inquiry.

When multiple screens are needed to display information, <MORE DATA> or <END OF DATA> will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.

b. Field Entry Requirements. The valid field entries are described below.

Field Name: (1)

Tag

Entry Requirement:

Optional

Valid Entries:

Results:

After a Freight Code is tagged and F6 is pressed, the

Freight Master Inquiry screen (LOLFMI) is displayed.

c. Available Function Keys. The following unique function keys may be used from the UFC - Freight Code Pick List screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 **CANCEL** Cancels current search/inquiry and returns control to the previously

displayed screen.

F6 **Process** Transfers control to the Freight Master Inquiry screen (LOLFMI).

B.9 LOLCGC - Inquiry By Changed CAGE Data.

SCRNCD: LOLCGC

LOGISTICS ON-LINE ACCESS

DATE: 02-MAR-93

USERID: LSC1992

INQUIRY BY CHANGED CAGE DATA

TIME: 11:58

CAGE CODE: 0FW74

DATE OF LAST CHANGE: 1989076

1ST FORMER NAME/LOCATION

2ND FORMER NAME/LOCATION

LAST TIME LINE NUMBER WAS CHANGED

00	01	06	08	10	19	21	59
1989076	1989069	1989069	1989069	1989069	1989069	1989076	1989069

** END OF DATA **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=

F7≃

F8=

F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F9= F10=

F11=

F12=

- a. This screen allows the user to inquiry when changes have been made to the CAGE Codes.
- b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the FSC Change Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel Cancels current search and returns to the screen the search was

started.

B.10 LOLCHG - Get INC/FSC Effective Dated Changes Screen.

SCRNCD: LOLCHG

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

GET INC/FSC EFFECTIVE DATED CHANGES

TIME: 13:04

CHANGE DATA FOR INC: 00440

---- OR ----

CHANGE DATA FOR FSC: ____

DATE RANGE:

93049 TO 93229

(ENTER JULIAN DATE)

NOTE: THE DATE RANGE ENTERED MUST BE NO EARLIER/LATER THAN 180 DAYS FROM THE CURRENT DATE. IN JULIAN FORMAT TODAY IS 93049 - THE 180 DAY WINDOW IS FM 92234 TO 93229

<MSG 0531> ENTER ONE CRITERIA AND PRESS <ENTER> KEY

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=RETURN START SEARCH F8=

F7=

F9=

F10=

F11=

F12=

- a. Screen Explanation. This screen allows the user to enter the criteria to obtain INC or FSC change data.
- b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name: CHANGE DATA FOR INC

Entry Requirement:

Must be entered in combination with a valid Date Range.

Valid Entries:

Any valid INC (Numeric or Alpha G-Z on 1st character).

Results:

Transfers to Item Name Change Data (LOLICH) screen.

(2) Field Name: CHANGE DATA FOR FSC

Entry Requirement:

Must be entered in combination with a valid Date Range.

Valid Entries:

Any valid FSC or FSG (Numeric)

Results:

Transfers to FSC or FSG Change Data (LOLFCH) screen.

(3) Field Name:

DATE RANGE

Entry Requirement:

Must be entered in combination with either a valid INC

or a valid FSC or valid FSG.

Valid Entries:

Must be entered in Julian date format and be no earlier

than 180 days prior or 180 days after the current date.

Valid ranges will be displayed.

c. Available Function Keys. The following unique function keys may be used from the Get INC/FSC Effective Dated Changes screen. All standardized DLSC Modernized System function keys are available Refer to Section 16.3.2.e of this document.

F5 Return Start Search

Transfers back to the screen the search was started.

(ENTER)

Displays changed data for valid input.

B.11 LOLCHS - Start Characteristics Search Screen.

SCRNCD: LOLCHS

LOGISTICS ON-LINE ACCESS

DATE: XXXXXXXXX

USERID: XXXXXXX

START CHARACTERISTICS SEARCH

TIME: XXXXX

ITEM NAME CODE (INC) SEARCH: XXXXX

---- OR ----

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=

F6=

F7=

F8=

F9=

F10=

F11=

F12=USER PROF

- a. Screen Explanation. This is the first screen for a characteristics search. The user is able to enter either an INC or Item Name as the basis of the characteristics search.
 - b. Field Entry Requirements. The valid field entries are described below.

Field Name: (1)

ITEM NAME CODE (INC) SEARCH

Entry Requirement:

May only be entered as a single entry.

Valid Entries:

Any valid INC and press Enter (Numeric).

Results:

If 25 or fewer NIINs are found, the Characteristics Search Results (LOLRES) screen will appear. If more than 25

NIINS are found, the MRC Pick List (LOLMRC) screen

will appear.

Field Name: (2)

ITEM NAME SEARCH

Entry Requirement:

May only be entered as a single entry.

Valid Entries:

Any valid Item Name and press Enter.

Results:

Transfers to the Item Name/Keyword Search Response

Screen (LOLINR).

c. Available Function Keys. The following unique function key may be used from the start characteristics search screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F12 **USER PROF** Displays user profile information.

B.12 LOLCLT - Inquiry By Clear Text.

SCRNCD: LOLCLT

LOGISTICS ON-LINE ACCESS INQUIRY BY CLEAR TEXT

DATE: 02-MAR-93

TIME: 12:15

USERID: LSC1992

CAGE CODE: 0FW74

LINE

CLEAR TEXT

59 307 R

** END OF DATA **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7= F8=

F9=

F10=

F11=

F12=

- a. Screen Explanation. This screen will display the clear text data for a CAGE Code.
- b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the FSC Change Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel

Cancels current search and returns to the screen the search was started.

B.13 LOLCNM - CAGE Code Pick List Screen.

SCRNCD: LOLCNM LOGIS

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

CAGE CODE PICK LIST

TIME: 10:31

SEAF	RCH CAGE I	NAME:	TEXAS INSTRU	UMENTS	
TAG	CAGE COL	ЭE	CAGE NAME	3	
	K0461	TEXAS	INSTRUMENTS L	LTD	
_	0BB06	TEXAS	INSTRUMENTS I	INC	
_	0BUH9	TEXAS	INSTRUMENTS I	INC	
	0BYP8	TEXAS	INSTRUMENTS I	INC	
_	0DTW8	TEXAS	INSTRUMENTS I	INC	
_	0EUE8	TEXAS	INSTRUMENTS I	INC	
_	0GNV6	TEXAS	INSTRUMENTS I	INC	
_	0HPY7	TEXAS	INSTRUMENTS I	INC	
	OJ1E1	TEXAS	INSTRUMENTS I	INC	
_	0LCG1	TEXAS	INSTRUMENTS		
_	0LD05	TEXAS	INSTRUMENTS I	INC	
	01295	TEXAS	INSTRUMENTS I	INC	

<MSG 0625> PICK ONE CAGE CODE AND PRESS <PF6> TO PROCESS

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8=PAGE DOWN F9= F10= F11= F12=

** MORE **

- a. Screen Explanation. This screen displays a list of CAGE Codes based on the CAGE Name entered by the user. The user can select a CAGE Code from this list to process.
 - b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name:

TAG

Entry Requirement:

Must be a single entry.

Valid Entries:

Move to Tag field for the desired CAGE Code and press

<F6> Process.

Results:

Transfers to the Item CAGE Pick List (LOLCCD) screen.

- c. Available Function Keys. The following unique function keys may be used from the CAGE Code Pick List screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.
- F5 Cancel

Cancels current search and returns to the screen the search was

started.

F6 Process

Displays the Item CAGE Pick List (LOLCCD) for the Cage Code selected.

F7 Page Up

Displays the prior page of the current file being viewed.

F8 Page Down

Displays the next page of the current file being viewed.

B.14 LOLCOD - Coded Characteristics Screen.

SCRNCD: LOLCOD

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

CODED CHARACTERISTICS

TIME: 10:32

ITEM NAME: ADAPTER, GUN MOUNTING, AIRCRAFT

NSN: 1010-00-000-0001

MRC	SAC	ISAC	MODE	

CODED-REPLY-VALUE

NAME

D 05550

ADZC

D AW

TEXT

G TUNGSTEN ALLOY,2 LB,3 IN. H,3 IN. W

** END OF VIEW **

<MSG 0640> NO FUTURES DATA AVAILABLE

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7=PAGE UP F8=PAGE DOWN F9= F10= F11= F12=

- a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the Coded Characteristics Segment View as an output option. When multiple screens are needed to display information, MORE DATA, END OF DATA, or END OF VIEW will appear at the bottom of the screen.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the Coded Characteristics screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Prev NSN	Displays the previous NSN if more than one NSN was selected.
F7	Page Up	Displays the prior page of the current file being viewed.

your terminal. Available only after special access has been granted by the security administrator for your facility. F11 Download to PC Sends the information displayed on the screen to a PC disk: Available only after special access has been granted by the scurity administrator for your facility. F12 Futures/Current If presently displaying current data, F12 will display next available futures data. If presently displaying futures data and the	F8	Page Down	Displays the next page of the current file being viewed.
your terminal. Available only after special access has been granted by the security administrator for your facility. F11 Download to PC Sends the information displayed on the screen to a PC disk: Available only after special access has been granted by the scurity administrator for your facility. F12 Futures/Current If presently displaying current data, F12 will display next available futures data. If presently displaying futures data and the is no more next futures data to be displayed, F12 will display	F9	Next NSN	Displays the next NSN if more than one NSN was selected.
Available only after special access has been granted by the scurity administrator for your facility. F12 Futures/Current If presently displaying current data, F12 will display next avable futures data. If presently displaying futures data and the is no more next futures data to be displayed, F12 will display	F10	Print	• •
able futures data. If presently displaying futures data and the is no more next futures data to be displayed, F12 will displa	F11	Download to PC	Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.
	F12	Futures/Current	If presently displaying current data, F12 will display next available futures data. If presently displaying futures data and there is no more next futures data to be displayed, F12 will display current data.

B.15 LOLDCL - Debarment CAGE Code List.

SCRNCD: LOLDCL LOGISTICS ON-LINE ACCESS DATE: 24-MAR-93

USERID: LSC1992 DEBARMENT CAGE CODE LIST TIME: 15:30

DEBARMENT CODE: D

TAG	CAGE	DATE-EST	COMPANY	CITY
_	0ABM1	01 - 30 - 87	DUKE CITY INVESTIGATORS A	ALBUQUERQUE NM
_	0AEV8	02 - 18 - 87	SAPPHIRE SYSTEMS INC	VIENNA VA
_	0AJD5	03 - 10 - 87	DYNA PRECISION CO	CLAY NY
_	0A295	06 - 08 - 87	ELECTRONIC PRECISION ASSE	LYNDONVILLE VT
	0A6E1	06 - 30 - 87	BEDROCK ENTERPRISES INC	FAYETTEVILLE NC
	0A7B6	07 - 06 - 87	ALL STAR CHEMICALS	POWAY CA
_	0A7Y9	07 - 08 - 87	COMPRESSOR TECHNICIANS IN	HOUSTON TX
_	0BAC3	07 - 24 - 87	INTERNATIONAL TOTAL SERVI	JACKSONVILLE FL
_	0BFY4	08 - 24 - 87	AMERICAN THERAPEUTICS INC	BOHEMIA NY
_	0BJ44	09 - 10 - 87	METATRACE INC	EARTH CTY MO
_	0BNB7	09 - 30 - 87	WHITE GLOVE CLEANING SERV	GARY IN
	0BPH5	10 - 07 - 87	VME MICROSYSTEMS INTL COR	HUNTSVILLE AL
	0BU58	11 - 03 - 87	ISC INC	STAMFORD CT

** MORE **

<MSG 1299> ONLY ONE ITEM MAY BE TAGGED

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8=PAGE DOWN F9= F10= F11= F12=

- a. Screen Explanation. This screen displays a list of Debarred companies that resulted in the Debarment Code search.
 - b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name: TA

TAG

Entry Requirement:

Must be entered as a single entry.

Valid Entries:

X

Results:

Transfers to the Inquiry by Debarment Code (LOLIDC)

screen.

c. Available Function Keys. The following unique function keys may be used from the Decoded Characteristics screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

Cancel	Cancels current search and returns to the screen the search was started.
Process	Transfers to the Inquiry by Debarment Code (LOLIDC) screen.
Page Up	Displays the prior page of the current file being viewed.
Page Down	Displays the next page of the current file being viewed.
	Process Page Up

B.16 LOLDEC - Decoded Characteristics Screen.

SCRNCD: LOLDEC

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

DECODED CHARACTERISTICS

TIME: 10:33

ITEM NAME: ADAPTER, GUN MOUNTING, AIRCRAFT

NSN: 1010-00-000-0001

MRC	REQUIREMENT-STATEMENT	CLEAR-TEXT-REPLY
NAME	ITEM NAME	ADAPTER,GUN MOUNTING,AIRCRAFT
TEXT	GENERAL CHARACTERISTICS ITEM	TUNGSTEN ALLOY, 2 LB, 3 IN. H, 3
	DESCRIPTION	IN. W
ADZC	III ENVIRONMENTAL PROTECTION	CHEMICAL RESISTANT

** END OF VIEW **

<MSG 0640> NO FUTURES DATA AVAILABLE

F1=HELP	F2=CLEAR SCR	F3=PREV MENU	F4=MAIN MENU	F5=CANCEL	F6=
F7=PAGE UP	F8=PAGE DOWN	F9=	F10=	F11=	F12=

- a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the Decoded Characteristics Segment View as an output option. When multiple screens are needed to display information, MORE DATA, END OF DATA, or END OF VIEW will appear at the bottom of the screen.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the Decoded Characteristics screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Prev NSN	Displays the previous NSN if more than one NSN was selected.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Next NSN	Displays the next NSN if more than one NIIN was selected.

F11 Download to PC

F12 Futures/Current

F10 Print Sends the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security security administrator for your facility.

Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

If presently displaying current data, F12 will display next available futures data. If presently displaying futures data and there is no more next futures data to be displayed, F12 will display current data.

B.17 LOLDES - FSC Data Screen.

SCRNCD: LC	LDES	LOGISTICS ON-LINE	E ACCE	ESS	DATE: 18	3-FEB-93
USERID: LSC	C1992	FSC DATA	FSC DATA		TIME: 10:35	
FSC: 6510	GROUP: 65	Medical, Dental, and Veter	inary E	quipment and Suj	pplies	
TAG	ITEM NAM	E	INC	REL-INC CONI	O FIIG	APP-KEY
_ ADHESIVE	E TAPE,SURGIO	CAL	0019	9 1	A1430	00 A
_ PAD,ABDO	OMINAL		0025	7 1	T0060	0 AB
_ BANDAGE	CANTON FLA	NNEL	0026	0 1	T0060	0 AG
_ BANDAGE	E,GAUZE		0026	1	T0060	0 BJ
_ COTTON,P	URIFIED		0026	2 1	T0060	0
_ GAUZE,AE	SORBENT,IOD	OFORM IMPREGNATED	0026	3 1	T0060	0 AG
_ GAUZE,PE	TROLATUM		0026	4 1	T0060	0 AG
_ PAD,COPP	ER SULFATE I	MPREGNATED	0026	9 1	T0060	0 AE
_ ROLL,COT	TON TAPE		0027	4 1	T0060	0 AE
_ ADHESIVE	E LIQUID,SURG	GICAL	0027	5 1	T0060	0 AA
_ CELLULOS	SE,ABSORBEN	T,SURGICAL	0037	4 1	T0060	0 AS
_ PAD,COTT	ON		0037	5 1	T0060	0 AS
_ COMPRES	S AND SKULL	CAP,HEAD DRESSING	0037	9 1	T0060	0 AV
		** MORE **				

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=START SEARCH SCREEN F7=PAGE UP F8=PAGE DOWN F9=INC DEF F10=START CHS F11=FSC DESC F12=

- a. Screen Explanation. This screen displays the item names and supporting data within an FSC. When multiple screens are needed to display information, MORE DATA or END OF DATA will appear at the bottom of the screen.
 - b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name:

TAG

Entry Requirement:

Must be a single entry

Valid Entries:

Move to the Tag field for the desired item name and

press a function key

Current Tag Index:

INCs

Results:

See Section 16.9.B.14.c, Available Function Keys

c. Available Function Keys. The following unique function keys may be used from the FSC Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Start Search Screen	Transfers to a start search screen.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	INC Def	Transfers to the Item Name Definition (LOLINC) screen.
F10	Start CHS	Transfers selected item to the Characteristics Search Subsystem.
F11	FSC Desc	Transfers a selected FSG title to the FSC Description (LOLFSC) screen.

B.18 LOLDIM - MRC Reply Selection (Dimensions) Screen.

SCRNCD: LOLDIM

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

MRC REPLY SELECTION (DIMENSION)

TIME: 10:53

INC: 03197

ITEM NAME: TRUCK,LIFT,FORK

MRC: AGBT FORK WIDTH

TAG MEASUREMENT	NOMINAL/MINIMUM	MAXIMUM	REPLY-COUNT
_ INCHES	0.0000000	5.0625000	1
_ INCHES	6.0000000	0.0000000	1

** END OF DATA **

OPTIONAL REPLY VALUE:

<MSG 0600> TYPE AN "X" ON ONE OR MORE REPLY VALUES AND PRESS <PF6> OR CONDITION IS CURRENTLY ACTIVE

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8= F9= F10=AND F11= F12=

a. Screen Explanation. This screen displays the reply value for a selected MRC using dimensions as the input characteristic. The Optional Reply Value will enable users to reduce number of reply values and to specify characteristics to be processed. The keywords which may be used to initiate a reply on the LOLDIM screen are MIN, MAX, DISPLAY, PROCESS, TO, ?. In the format entry example below, the criteria is a unit of measure.

FORMAT ENTRY EXAMPLE: (within the current MRC)

KEYWORD	CRITERIA	EXPLANATION
DISPLAY	10	to display the characteristics for a Dimension = 10.
DISPLAY	MIN 10 TO MIN ?	to display the minimum characteristics with Dimension >10.
DISPLAY	MIN 10 TO MIN 20	to display the characteristics with Dimension >= 10 and not >20 inclusive.

DISPLAY	MAX 20	to display the characteristics for Dimenstion not >20.
DISPLAY	MAX 20 TO MAX ?	to display the characteristics with maximum Dimension >= 20.
DISPLAY	MAX 20 TO MAX 40	to display the characteristics with maximum Dimension between 20 and 40 inclusive.
DISPLAY	MIN 10 TO MAX 40	to display the characteristic with minimum dimension >= 10 and maximum Dimension <= 40.
PROCESS	10	to process the characteristics for a Dimension = 10.
PROCESS	MIN 10 TO MIN ?	to obtain the NIINs with minimum Dimension >= 10.
PROCESS	MIN 10 TO MIN 20	to obtain the NIINs with minimum Dimension between 10 and 20 inclusive.
PROCESS	MAX 20	to obtain the NIINs with maximum Dimension of 20.
PROCESS	MAX 20 TO MAX ?	to obtain the NIINs with maximum Dimension >=20.
PROCESS	MAX 20 TO MAX 40	to obtain the NIINs with maximum dimension between 20 and 40 inclusive.
PROCESS	MIN 10 TO MAX 40	to obtain the NIINs with minimum Dimension >= 10 and maximum Dimension not > 40.

Also see LOLMLT, LOLNUM, LOLTBL, LOLTXT, and LOLTOL for other characteristics.

b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name:

TAG

Entry Requirement:

May be entered with multiple TAGs.

Valid Entries:

X

Results:

Transfers to the Characteristics Search Results (LOLRES)

screen when F6 (Process) is pressed.

(2) Field Name:

OPTIONAL REPLY VALUE

Entry Requirement:

Must be valid keyword and criteria.

Valid Entries:

DISPLAY, PROCESS, MIN, MAX, TO, ?

Results:

DISPLAY will reduce number of reply valudes available with given criteria. PROCESS will transfer to the Charac-

teristics Search Results Screen.

c. Available Function Keys. The following unique function keys may be used from the MRC Reply Selection (Dimensions) screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Process	Transfers to the Characteristics Search Results (LOLRES) screen.
F 7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Next MRC	Displays the next MRC if more than one was selected
F10	And/Or	Toggles between 'AND' and 'OR' processing. If user presses F10 and F6, 'AND processing will be active. Processing will default to 'OR'.
F12	Text	Transfers to the MRC Reply Selection (Text) screen (LOLTXT) if available for this MRC.

B.19 LOLFCH - FSC/FSG Change Data Screen.

SCRNCD: LOLFCH

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

FSC CHANGE DATA

TIME: 13:09

FSC: 5430

DATE RANGE: 93049 TO 93229

FSG: 54 Prefabricated Structures and Scaffolding

DRN

CHANGED DATA FOR AN ACTIVE FSC

EFF DATE

<MSG 0570> NO CHANGED DATA FOUND

F1=HELP F7=PAGE UP F8=PAGE DOWN F9=

F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=PREV SCR F6=

F10 =

F11=

F12=

- a. Screen Explanation. This screen displays the change data for an FSC. Other fields shown on the screen are display only fields and will display data based on the entries made. When multiple screens are needed to display information, END OF DATA or MORE DATA will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the FSC Change Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Prev Scr

Transfers back to the previous screen.

F7 Page Up Displays the prior page of the current file being viewed.

F8 Page Down Displays the next page of the current file being viewed.

B.20 - LOLFDI - Freight Data Inquiry Screen.

	: LOLFDI LSC1992	LOGISTICS (FREIGHT I	DATE: 28-JUN-94 TIME: 13:26		
FREIGHT MASTER INQUIRY (ENTER A COMPLETE FREIGHT OR UFC)					
		N: EIGHT CODE: TISTICS INQUIR		JB	UFC
	ENTER MONTH AND YEAR:				
<msg 0494=""> ENTER VALID CRITERIA</msg>					
F1=HELP F7=	F2=CLEAR SCR F8=	F3=PREV MENU F9=	F4=MAIN MENU F10=	J F5= F11=	F6 F12=
a. Screen Explanation. This screen is displayed when the user selects Freight Data Inquiry from the LOLA Main Menu (LOLA).					

b. Field Entry Requirements. The valid field entries are described below.

NOTE: When entering Inquiry data on this screen, all three fields in the Freight Master Inquiry section must be entered or the user may enter just a UFC Code in this section. The user cannot enter data in the Freight Master Inquiry and the Freight Statistics Inquiry sections.

(1) Field Name:

Freight Code (NMFC, SUB, UFC)

Entry Requirement:

Optional

Valid Entries:

Valid Freight, SUB, or UFC Code

Results:

The Freight, Inquiry by UFC Code screen (LOLCFI) will be displayed if the user entered a UFC Code by itself and there is more than one Freight Code associated with it

and F5 was pressed.

(2) Field Name:

Freight Statistics Inquiry (Enter Month and Year)

Entry Requirement:

Optional

Valid Entries:

Valid Year/Month in CCYYMM format

Results:

The Freight Master Statistics Inquiry screen (LOLFMS) is

displayed with Master Freight Table and Extended De-

scription Freight Table data shown.

c. Available Function Keys. There are no unique function keys available for this screen.

B.21 LOLFGR - FIIG Search Response Screen.

SCRNCD: LOLFGR

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

FIIG SEARCH RESPONSE

TIME: 13:18

SEARCH	FIIG:	T1330
	, II .	1 1000

TAG	ITEM NAME	INC REL-	NC FSC C	C Cì	N A-KEY FIIG
_ HAND	LE,INTERCHANGEABLE,CYSTOSCOPIC INSTR	07325	6515	1	T13300
_ HAND	LE,INTERCHANGEABLE,NASAL,INSTRUMENTS	07326	6515	1	T13300
_ DEPRE	ESSOR,TONGUE,PLASTIC	13019	6515	1	T13300
_ DEPRE	ESSOR,TONGUE,WOOD	13020	6515	1	T13300
_ DEPRE	ESSOR,TONGUE,METAL	13665	6515	1	T13300
_ SYRIN	GE,AUTOMATIC	15234	6515	1	T13300
_ FORCE	EPS,PLASTER BREAKING	32970	6515	1	T13300
_ BARRI	EL,HYPODERMIC SYRINGE	33177	6515		T13300
_ BLADI	E,AMPUTATING SAW	33185	6515	1	T13300
_ BUR,B	ONE	33702	6515	1	T13300
_ FORCE	EPS,BORE HOLE PROTECTION	33706	6515	1	T13300
_ FORCE	EPS,PERITONIUM	33707	6515	1	T13300
	** MODE **				

** MORE **

<MSG 0521> PICK ONE OR MORE ITEMS AND PRESS APPROPRIATE PF KEY

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=NEW SEARCH F7=PAGE UP F8=PAGE DOWN F9=FSC DESC F10=START CHS F11=INC DEF F12=

- a. Screen Explanation. This screen displays a list of INCs that resulted in the FIIG search. When multiple screens are needed to display information, MORE DATA or END OF DATA will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.
- b. Field Entry Requirements. The valid field entries are described below. Other fields shown on the screen are display only fields and will display data based on the entries made.

(1) Field Name:

SEARCH FIIG

Entry Requirement:

Must be entered as a single entry

Valid Entries:

Enter a valid FIIG and press F6 (New Search).

Results:

Returns to current screen with item names associated with

new FIIG number.

(2) Field Name:

TAG

Entry Requirement:

Must be entered as a single entry.

Valid Entries:

Position the cursor on the Tag field of the desired item

name and press a function key.

Results:

See Section 16.9.B.17.c, Available Function Keys.

c. Available Function Keys. The following unique function keys may be used from the FIIG Search Response screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	New Search	Performs a search for a valid FIIG entered in the Search FIIG field.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	FSC Desc	Transfers selected item name to the FSC Description (LOLFSC) screen.
F10	Start CHS	Transfers selected item to the Characteristics Search Subsystem.
F11	INC Def	Transfers selected item to the Item Name Definition (LOLINC) screen.

The system limits the number of matches (100) you will see on-line for FIIG SEARCH.

You may continue with the search by specifying more search conditions.

Or to obtain additional matches for this search, call or forward your request to DLSC's Customer Service Office (DSN 932-4725, FTS 552-4725, Comm'l (616) 961-4725, fax DSN 932-4715, e-mail vcs@lsc.dla.mil). Please specify how you want the output.

CH₃ DoD 4100.39-M Volume 16

B.22 LOLFMI - Freight Master Inquiry Screen.

SCRNCD: LOLFMI

LOGISTICS ON-LINE ACCESS

DATE: 28-JUN-94

USERID: LSC1992

FREIGHT MASTER INQUIRY

TIME: 13:27

NMFC

SUB

FREIGHT CODE:

009660

X

UFC 03640

LAST UPDATE

NIIN CT

LTL

DESCRIPTION

0000000

M

HARROWS SPRING TOOTH R REG TOOTH

EXTENDED DESCRIPTION

TOTAL MATCHES:

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7= F8

F9=

F10=

F11=PRINT

F12=DOWNLOAD

- a. Screen Explanation. This screen is displayed after the user enters a complete Freight Code on the Freight Data Inquiry screen (LOLFDI) or selects a Freight Code from the Freight Inquiry by UFC Code screen (LOLCFI).
- b. Field Entry Requirements. There are no valid field entries for this screen. Other fields shown on the screen are display-only fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the Freight Master Inquiry screen. All Standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cance1

Cancels current search/inquiry and returns control to the previously

displayed screen.

F11

Print

Sends the screen data to a printer.

Download F12

Transfers the screen data to a PC.

B.23 LOLFMS - Freight Master Statistic Inquiry Screen.

SCRNCD: LOLFMS

LOGISTICS ON-LINE ACCESS

DATE: 28-JUN-94

USERID: LSC1992

FREIGHT MASTER STATISTIC INQUIRY

TIME: 13:36

MONTH AND YEAR: 051994

MASTER FREIGHT TABLE

TOTAL CURRENT MONTH

TOTAL CURRENT YEAR

ADDS 0000 CHANGES 0000 DELETES 0000

0000 ADDS CHANGES 0000

DELETES 0000

EXTENDED DESCRIPTION FREIGHT TABLE

TOTAL CURRENT MONTH

TOTAL CURRENT YEAR

ADDS 0000 ADDS 0000

CHANGES 0000

CHANGES

DELETES 0000

DELETES 0000

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F10=

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7=

F8=

F9=

F11=PRINT

F12=DOWNLOAD

- a. Screen Explanation. This screen is displayed after the user enters a Date in CCYYMM format on Freight Data Inquiry screen (LOLFDI).
- b. Field Entry Requirements. There are no valid field entries for this screen. Other fields shown on the screen are display-only fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the Freight Master Statistics Inquiry screen. All standardized DLSC Modernized System functions are available. Refer to Section 16.3.2.e of this document.

F5 Cancel Cancels current search/inquiry and returns control to the previously

displayed screen.

F11 Print Sends the screen data to a printer

F12

Download

Transfers the screen data to a PC.

B.24 LOLFRT - Freight Data Screen.

SCRNCD: LOLFRT

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

FREIGHT DATA

TIME: 13:29

ITEM NAME: VENEER LATHE

NSN: 3220-00-000-0032

ACTY-CD NMFC SUB-ITEM-NUMBER UNIFORM-FREIGHT-CLASS HAZARDOUS-MATERIAL-IND

CX

009660

X

03640

LS-TRKLD

LS-CRLD RAIL-VARIATION WATER-COMMODITY

TYPE-OF-CARGO

M

W

1

732

7.

SPECIAL-HANDLING AIR-DIMENSION AIR-COMMODITY/SPECIAL-HAND

INTEGRITY-CODE 9

Α

BZ

FREIGHT-DESCRIPTION HARROWS SPRING TOOTH R PEG TOOTH

** END OF VIEW **

F1=HELP F7=PAGE UP F8=PAGE DOWN F9=

F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F11=

F12=

a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the Freight Data Segment View as an output option.

F10=

- b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the Freight Data screen. All standardized DLSC Modernized System Function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel Cancels current search and returns to the screen the search was

started.

F6 Prev NSN Displays the previous NSN if more than one NSN was selected.

F7 Page Up Displays the prior page of the current file being viewed.

F8 Page Down Displays the next page of the current file being viewed.

F9 Next NSN Displays the next NSN if more than one NSN was selected.

F10 Print

Sends the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility.

F11 Download to PC

Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

B.25 LOLFSC - FSC Description Screen.

SCRNCD: LOLFSC

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

FSC DESCRIPTION

TIME: 13:31

FSC: 5430 GROUP: 54 Prefabricated Structures and Scaffolding

TITLE: Storage Tanks

NOTE: Note-Tanks which are designed for integral use with other equipment within a common housing or on a common base are excluded from this class and should be classified with the equipment with which used.

INCL: Includes Assembled and Unassembled Tanks for storage only; Inclosures for Pressure and Vacuum Tanks; Petroleum Bulk Storage Tanks.

EXCL: Excludes Boiler Drums; Domestic Water Storage Tanks.

** END OF DATA **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=START SEARCH SCREEN F7=PAGE UP F8=PAGE DOWN F9=FSC DATA F10= F11= F12=

- a. Screen Explanation. This screen displays the description of an FSC. When multiple screens are needed to display information, MORE DATA or END OF DATA will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.
- b. Field Entry Requirements. There are no field entries for this screen. Other fields shown on the screen are display only fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the FSC Description screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Start Search Screen Transfers to a start search screen.

F7 Page Up Displays the prior page of the current file being viewed.

F8 Page Down Displays the next page of the current file being viewed.

F9 FSC Data Transfers to the FSC Data (LOLDES) screen.

B.26 LOLFSG - Federal Supply Group Titles (H2-1 Contents) Screen.

SCRNCD: LOLFSG LOGISTICS ON-LINE ACCESS DATE: 18-FEB-93

USERID: LSC1992 FEDERAL SUPPLY GROUP TITLES (H2-1 CONTENTS) TIME: 13:34

TAG GROUP

TITLE

- 53 Hardware and Abrasives
- _ 54 Prefabricated Structures and Scaffolding
- _ 55 Lumber, Millwork, Plywood, and Veneer
- _ 56 Construction and Building Materials
- 57 EFFECTIVE TEST
- _ 58 Communication, Detection, and Coherent Radiation Equipment
- _ 59 Electrical and Electronic Equipment Components
- _ 60 Fiber Optics Materials, Components, Assemblies, and Accessories
- _ 61 Electric Wire, and Power and Distribution Equipment
- _ 62 Lighting Fixtures and Lamps
- _ 63 Alarm, Signal and Security Detection Systems
- _ 64 FUSION AND ANTI-MASS
- _ 65 Medical, Dental, and Veterinary Equipment and Supplies
- _ 66 Instruments and Laboratory Equipment

** MORE **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=START SEARCH SCREEN F7=PAGE UP F8=PAGE DOWN F9=GROUP NOTES F10=FSC DATA F11= F12=

- a. Screen Explanation. This screen displays the titles for an FSG and allows the user to select a title and numerically sequential FSGs and titles to be displayed. When multiple screens are needed to display information, MORE DATA or END OF DATA will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.
- b. Field Entry Requirements. The valid field entries are described below. Other fields shown on the screen are display only fields and will display data based on the entries made.

(1) Field Name:

TAG

Entry Requirement:

Must be entered as a single entry.

Valid Entries:

Move to the desired Group and Title and press the appro-

priate function key.

Results:

See Section 16.9.B.20.c.

c. Available Function Keys. The following unique function keys may be used from the Federal Supply Group Titles (H2-1 Contents) screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Start Search Screen	Transfers to the FSG/FSC Item Name Screen Search (LOLSRC) screen.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F5	Group Notes	Transfers a selected FSG to the FSG Group Notes (LOLNOT) screen.
F10	FSC Data	Transfers a selected FSG title to the FSC Data (LOLDES) screen.

B.27 LOLIAS - I & S Data Screen.

SCRNCD: LOLIAS

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

I & S DATA

TIME: 13:44

ITEM NAME: CIRCUIT CARD ASSEMBLY

NSN: 5998-00-067-9287

NSN	MOE	ORDER-OF-USE	JUMP-TO-CODE	GENERIC-ITEM	PHRASE-CODE
5998000514163	DN	AAB			
5998000679287	DN	AAA			G

** END OF VIEW **

F1=HELP	F2=CLEAR SCR	F3=PREV MENU	F4=MAIN MENU	F5=CANCEL	F6=
F7=PAGE UP	F8=PAGE DOWN	F9=	F10=	F11=	F12=

- a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the I & S Data Segment View as an output option. When multiple screens are needed to display information, MORE DATA, END OF DATA, or END OF VIEW will appear at the bottom of the screen.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the I & S Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Prev NSN	Displays the previous NSN if more than one NSN was selected.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Next NSN	Displays the next NSN if more than one NSN was selected.

F10 Print

Sends the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility.

F11 Download to PC

Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

B.28 LOLICH - Item Name Change Data Screen.

SCRNCD: LOLICH

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

ITEM NAME CHANGE DATA

TIME: 13:05

ITEM NAME CODE: 00440

DATE RANGE: 93049 TO 93229

ITEM NAME:

DELAY CELL

DRN

CHANGED DATA FOR CANCELLED INC

EFF DATE

<MSG 0570> NO CHANGED DATA FOUND

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=PREV SCR F6= F7=PAGE UP F8=PAGE DOWN F9= F10= F11= F12=

- a. Screen Explanation. This screen will display the change data for an INC. When multiple screens are needed to display information, MORE DATA or END OF DATA will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.
- b. Field Entry Requirements. There are no field entries for this screen. Other fields shown on the screen are display only fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the Item Name Change Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Prev Scr Transfers back to the previous screen.

F7 Page Up Displays the prior page of the current file being viewed.

F8 Page Down Displays the next page of the current file being viewed.

B.29 LOLICN - Inquiry By Company Name.

SCRNCD: LOLICN LC	GIST	ICS ON	-LINE	ACCESS		DATE: 02-MAR-9	3
USERID: LSC1992 INC	QUIRY	Y BY CO	OMPAN	NY NAM	E	TIME: 12:38	
COMPANY NAME: FORD							
COMPANY NAME		CAGE	STAT	ASSOC	ZIP	CITY	ST
FORD-WERKE AG		D0055	Α			5000 KOELN 21 G	
FORD MOTOR CO LTD PARTS A	ND	K5557	Α			SOUTH OCKENDON	
SUPPLY							
FORD AEROSPACE CORP		0BKU3	Α	57526	22091	RESTON VA	VA
FREEWAY FORD TRUCK SALES	INC	0BY43	Α	57526	60534	LYONS IL	${ m IL}$
FORD AEROSPACE CORP		0CVG8	Α	57526	92675	SAN JUAN CAPIST	CA
FORD AEROSPACE CORP		0C5P4	Α	57526	48120	DEARBORN MI	MI
U S INSTRUMENT RENTALS INC		0C539	Α	57526	08852	MONMOUTH JUNCTI	NJ
FORD AEROSPACE CORP	(0DBV8	Α	57526	90045	LOS ANGELES CA	CA
FORD AEROSPACE CORP	(0DJH2	Α	57526	94303	PALO ALTO CA	CA
FORD AEROSPACE CORP	(0D8J0	Α	57526	80921	COLORADO SPRING	CO
FORD MOTOR CO	(0ED57	Α	57526	48096	WIXOM MI	MI
FORD AEROSPACE CORP	(0EW36	Α	57526	80910	COLORADO SPRING	CO
LORAL AEROSPACE CORP	(0F744	Α	57304	28577	SEA LEVEL NC	NC
		** M	ORE *	**			

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2= F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9= F10= F11=PRINT F12=DOWNLOAD

- a. Screen Explanation. This screen displays a list of CAGE Codes related to the company inquired by the search.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the Identification Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F11	Print	Sends the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility.

F12 Download to PC

Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

B.30 LOLIDC - Inquiry By Debarment Code.

SCRNCD: LOLIDC

LOGISTICS ON-LINE ACCESS

DATE: 26-MAR-93

USERID: LSC1734

INQUIRY BY DEBARMENT CODE

TIME: 15:40

CAGE-CODE: 0A295

DATE ESTAB: 06 - 08 - 87

COMPANY NAME: ELECTRONIC PRECISION ASSEMBLER

LAST INPUT BY: DLSCF81

STREET:

MEMORIAL DR

DATE:

P O BOX 1366

CITY:

LYNDONVILLE VT

STATE: VT

ZIP CODE: 05851

DEBARMENT STATUS CODE: D

ENDING DATE: 08 - 26 - 93 DEBARMENT STATUS VALUES

D = DEBARRED

P = PROPOSED

DEBARMENT INITIATOR AGENCY/SERVICE

DLA - DEFENSE LOGISTICS AGENCY

S = SUSPENDED

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7=PREV F8=NEXT F9=

F10=

F11=PRINT F12=DOWNLOAD

- a. Screen Explanation. This screen displays the information on a debarred CAGE Code that resulted from the search.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the Identification Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel Cancels current search and returns to the screen the search was	F5	Cancel	Cancels current search and returns to the screen the search was
---	----	--------	---

started.

F7 Prev Displays the previous CAGE if more than one CAGE was selected.

F8 Displays the next CAGE if more than one CAGE was selected. Next

Sends the information displayed to the printer associated with your F11 Print

terminal. Available only after special access has been granted by the

security administrator for your facility.

F12 Download to PC

Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

B. 31 LOLIDD - Identification Data Screen.

SCRNCD: LOLIDD

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

IDENTIFICATION DATA

TIME: 13:45

ITEM NAME: CIRCUIT CARD ASSEMBLY

NSN: 5998-00-067-9287

FIIG	INC	CR :	ITL-CD	II R	PDMRC	DMIL	NIIN-ASGMT	PMIC	ADPEC	ESD/EMI	HMIC
T0120	0 616	538	N	K	, .	В	67186	A	0	A	N

** END OF VIEW **

<MSG 0640> NO FUTURES DATA AVAILABLE

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7=PAGE UP F8=PAGE DOWN F9= F10= F11= F12=

a. Screen Explanation. This screen displays one or more inquiry results when the user chooses the CRT as the output media and the Identification Data Segment View as an output option.

When multiple screens are needed to display information, MORE DATA or END OF DATA will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.

- b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the Identification Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

Cancel	Cancels current search and returns to the screen the search was started.
Prev NSN	Displays the previous NSN if more than one NSN was selected.
Page Up	Displays the prior page of the current file being viewed.
Page Down	Displays the next page of the current file being viewed.
Next NSN	Displays the next NSN if more than one NSN was selected.
	Prev NSN Page Up Page Down

F10 Print

Sends the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility.

F11 Download to PC

Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

F12 Futures/Current

If presently displaying current data, F12 will display next available futures data. If presently displaying futures data and there is no more next futures data to be displayed, F12 will display

current data.

B.32 LOLINC - Item Name Definition Screen.

SCRNCD: LOLINC

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

ITEM NAME DEFINITION

TIME: 10:50

INC: 03197

CN:

FIIG: A085A0

NAME:

TRUCK,LIFT,FORK

DEFINITION: A self-propelled, wheeled vehicle, equipped with power driven front or side loading fork, type elevating unit(s). The elevating unit(s) may extend and retract to provide a reaching capability. It is primarily used for lifting, transporting, and stacking. For nonself-propelled, wheeled vehicles equipped with either manual or power driven elevating unit(s), see ELEVATOR, PORTABLE and TRUCK, LIFT, HAND. Excludes TRUCK, LIFT, PLATFORM.

** END OF DATA **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=START SEARCH SCREEN F7=PAGE UP F8=PAGE DOWN F9=INC DATA F10=START CHS F11= F12=

- a. Screen Explanation. This screen displays the definition of an item name. When multiple screens are needed to display information, MORE DATA or END OF DATA will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.
- b. Field Entry Requirements. There are no field entries for this screen. Other fields shown on the screen are display only fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the Item Name Definition screen. All standardized DLSC Modernized System function keys are available. Refers to Section 16.3.2.e of this document.

F5	Start Search Screen	Transfers back to the screen the Screen search was started.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	INC Data	Transfers to the Item Name Data (LOLIND) screen.
F10	Start CHS	Transfers selected item to the Characteristics Search Subsystem.

B.33 LOLIND - Item Name Data Screen.

SCRNCD: LOLIND

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

ITEM NAME DATA

TIME: 10:45

INC: 06668 ITEM NAME: BOLT, TEE HEAD

FIIG: A003B0

FSC CONDITION CODE: 1

TAG FSC

MODIFIER

APP-KEY: CC

5306

** END OF DATA **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=START SEARCH SCREEN F7=PAGE UP F8=PAGE DOWN F9=INC DEF F10=START CHS F11=FSC DESC F12=

a. Screen Explanation. This screen displays the reference data for an INC. If the requested INC has been cancelled, the message "INC WAS CANCELLED" will appear at the bottom of the screen. When multiple screens are needed to display information, MORE DATA or END OF DATA will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.

b. Field Entry Requirements. The valid field entries are described below. Other fields shown on the screen are display only fields and will display data based on the entries made. based on the entries made.

(1) Field Name:

TAG

Entry Requirement:

Must be entered as a single entry.

Valid Entries:

Move to the desired FSC and press F11 (FSC Desc)

Results:

Transfers to the FSC Description (LOLFSC) screen.

c. Available Function Keys. The following unique function keys may be used from the Item Name Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Start Search Screen

Transfers back to the screen at which the Screen search was started.

F7 Page Up

Displays the prior page of the current file being viewed.

F8 Page Down

Displays the next page of the current file being viewed.

F9 INC Def

Transfers to the Item Name Definition (LOLINC) screen.

F10 Start CHS

Transfers selected item to the Characteristics Search Subsystem.

F11 FSC Desc

Transfers to the FSC Description (LOLFSC) screen.

B.34 LOLINM - INC Pick List Screen.

SCRNCD: LOLINM

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

INC PICK LIST

TIME: 14:28

SEARCH ITEM NAME: CIRCUIT CARD

TAC	INC	ITEM NAME	APP-KEY	Y FIIG	FSC	COND
	61638 61638	CIRCUIT CARD ASSEMBLY CIRCUIT CARD ASSEMBLY	C	T01200 T01200	5998 5999	2 2

** END OF DATA **

<MSG 0624> PICK ONE INC AND PRESS APPROPRIATE PF KEY

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8= F10= F10= F11= F12=

- a. Screen Explanation. This screen displays a list of INCs based on the Item Name entered and allows the user select an INC to process.
 - b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name:

TAG

Entry Requirement:

Must be entered as a single entry.

Valid Entries:

Position the cursor on the desired INC and press F6 (Pro-

cess).

Results:

Transfers to the Item INC Pick List (LOLINP) screen.

c. Available Function Keys. The following unique function keys may be used from the INC Pick List screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel

Cancels current search and returns to the screen the search was

started.

F6 Process

Transfers a selected INC to the Item INC Pick List (LOLINP) screen.

F7 Page Up

Displays the prior page of the current file being viewed.

F8 Page Down

Displays the next page of the current file being viewed.

The system limits the number of matches (100) you will see on-line for ITEM NAME CODE SEARCH.

You may continue with the search by specifying more search conditions.

Or to obtain additional matches for this search, call or forward your request to DLSC's Customer Service Office (DSN 932-4725, FTS 552-4725, Comm'l (616) 961-4725, fax (DSN) 932-4715, e-mail vcs@dlsc.dla.mil). Please specify how you want the output.

B.35 LOLINP - Item INC Pick List Screen.

SCRNCD: LOLINP

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

ITEM INC PICK LIST

TIME: 14:30

INC: 26988 IT	EM NAM	E: BANDAGE,GAUZE,GELATIN-ZINC OXIDE IMPREGN
TAG NSN	CAGE	PART NUMBER
6510-00-016-8224	1 04488	103
_ 6510-00-559-317:	5 04488	100
_ 6510-00-559-317:	5 13521	D0MEPASTEBANDAGE
_ 6510-00-559-317:	5 13521	9160
_ 6510-00-559-317:	88009	2012400

** END OF DATA **

TOTAL NSNS: 2

<MSG 0521> PICK ONE OR MORE ITEMS AND PRESS APPROPRIATE PF KEY

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8= F9= F10=CHANGE OUTPUT OPTIONS F12=PROC ALL

a. Screen Explanation. This screen allows the user to pick the items(s) from the listed desired as the output of the inquiry is being processed. When multiple screens are needed to display information, MORE DATA or END OF DATA will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.

b. Field Entry Requirements. The valid field entries are described below. Other fields shown on the screen are display only fields and will display data based on the entries made. It will display only the first 108 lines.

(1) Field Name:

TAG

Entry Requirement:

To select a given NSN(s), place an X in the Tag field to

the left of the desired NSN(s). Press F6 (Process) when

all desired NSNs have been selected.

Valid Entries:

X

Results:

Sends output as defined on the Select Inquiry Output Op-

tions (LOLOUT) screen.

c. Available Function Keys. The following unique function keys may be used from the Item INC Pick List screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Process	Sends output as defined on the Select Inquiry Output Options (LOLOUT) screen.
F 7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Cage Only	Displays the related address information associated with the Cage Code inputed.
F10	Change Output	Transfers to the Select Inquiry Options Output Options (LOLOUT) screen.
F12	Proc All	Selects and processes all NSNs on the current list.

B.36 LOLINQ - Start Inquiry Screen.

SCRNCD: LOLINQ	LOGISTICS ON-LINE ACCESS	DATE: 17-FEB-93
USERID: LSC1992	START INQUIRY	TIME: 15:22
- Andrew - Address - Addre	NIIN INQUIRY:	
	OD INIQUIDY DV	
DADT NITIMDED.	OR INQUIRY BY	and the second
	OR CAGE NAME:	
	OR ITEM NAME:	
INC	OR ITEM NAME.	
	OR INQUIRY BY	
ASSOCIATED (CAGE:	
COM	PANY:	
REPLACEMENT	CODE:	
DEBARMENT (CODE: _	
DEBARMENT STATUS	S VALUES D=DEBARRED, P=PRO	OPOSED, S=SUSPENDED
MSG 0492> ENTER CRIT	ERIA AND PRESS <enter> KEY</enter>	
YOU HAVE PRPY ACCESS	S AND MAY ACCESS UNRESTRICTE	D DATA ONLY
THE PERCHAPAGE	E2 DDEX/MENT E4 MAIN MENT E6	ADDICAC EC MIII NIING
	F3=PREV MENU F4=MAIN MENU F5= F9=CAGE ONLY F10=SELECT OUTPUT	
a. Screen Explanation. Thi	s screen allows the user to enter search of	criteria for an inquiry.
b. Field Entry Requiremen	ts. The valid field entries are described b	pelow.
• •		
(1) Field Name:	NIIN INQUIRY	 .
Entry Requirement Valid Entries:	nt: May be entered only as a single en Any valid NIIN or PSCN and pres	
valid Elities.	acters and last four characters of N	
	Others may be alpha or numeric.	
Results:	Sends output as defined on the Sel	ect Inquiry Output Op-
	tions (LOLOUT) screen, or display	

celed.

(LOLCAN) screen if that NIIN or PSCN has been can-

DoD 4100.39-M

Volume 16

(2) Field Name:

PART NUMBER

Entry Requirement:

May be entered in combination with a valid CAGE Code

or CAGE Name, and/or a valid INC or Item Name.

Valid Entries:

Any valid part number or partial part number (delimited

by '?') and press Enter.

Results:

Transfers to the Item PN Pick List (LOLPNR) screen.

(3) Field Name:

CAGE CODE

Entry Requirement:

May be entered in combination with a valid part number or partial part number, and/or a valid INC or Item Name.

Valid Entries:

Any valid CAGE Code.

Results:

Transfers to the Item CAGE Pick List (LOLCCD) screen.

(4) Field Name:

CAGE NAME

Entry Requirement:

May be entered in combination with a valid part number

or partial part number, and/or a valid INC or Item Name.

Valid Entries:

Any valid keyword of a CAGE name.

Results:

Transfers to the CAGE Code Pick List (LOLCNM)

screen.

(5) Field Name:

INC

Entry Requirement:

May be entered in combination with a valid part number

or partial part number, and/or a valid CAGE Code or

CAGE Name.

Valid Entries:

Any valid INC (must be numeric).

Results:

Transfers to the Item INC Pick List (LOLINP) screen.

(6) Field Name:

ITEM NAME

Entry Requirement:

May be entered in combination with a valid part number

or partial part number, and/or a valid CAGE Code or

CAGE Name.

Valid Entries:

Any valid Item Name.

Results:

Transfers to the INC Code Pick List (LOLINM) screen.

c. Available Function Keys. The following unique function keys may be used from the Start Inquiry screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F10

Select Output Op-

Transfers to Select Inquiry Output Options Options (LOLOUT)

tions

screen.

F12 USER PROF

Displays user's profile. Allows user to change printer number associ-

ated to the terminal.

The system limits the number of matches you will see on-line for CAGE Code, INC, and Part Number keyword searches. You may continue with the search by specifying more search conditions.

Or to obtain additional matches for this search, call or forward your request to DLSC's Customer Service Office (DSN 932-4725, FTS 552-4725, Comm'l (616) 961-4725, fax (DSN) 932-4715, e-mail vcs@dlsc.dla.mil). Please specify how you want the output.

B.37 LOLINR - Item Name/Keyword Search Response Screen.

SCRNCD: LOLINR LOGISTICS ON-LINE ACCESS DATE: 18-FEB-93

USERID: LSC1992 ITEM NAME/KEYWORD SEARCH RESPONSE TIME: 10:28

SEARCH N	NAME: CANNULA	KEYWO	RD:							
TAG	ITEM NAME		INC	REL-INC	FSC	CC	CN	FIIG	A-	KEY
_ CANNUI	LA		BASIC							
_ CANNUI	LA,BRAIN		0 9673		6515	1	1	T133-	C	CA
_ CANNUI	LA,INTRAVENOUS		Ø 9674		6515	1	1	T133-	C	CB
_ CANNUI	LA,URETHRAL		0 9675		6515	1	1	T133-	C	CB
_ CANNUI	LA,BRONCHIAL		Ø 9676		6515	1	1	T133-	C	CF
_ CANNUI	LA, BRONCHIAL AND ESOF	PHAGEAL	0 9677		6515	1	1	T133-	C	CF
_ CANNUI	LA,LARYNGECTOMY		0 9678		6515	1	1	T133-	C	CC
_ CANNUI	LA,ANTRUM		Ø968Ø		6515	1	1	T133-	C	CD
_ CANNUI	LA,FRONTAL SINUS		Ø 9681		6515	1	1	T133-	C	CD
_ CANNUI	LA,SPHENOID		0 9682		6515	1	1	T133-	C	CD
_ CANNUI	LA,LARYNGEAL		Ø 9683		6515	1	1	T133-	C	CB
_ CANNUI	LA,TONSIL SNARE		Ø 9684		6515	1	1	T133-	C	CB
		** MO	RE **							

<MSG 0658> SELECT ONE ITEM AND PRESS PF KEY

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=NEW SEARCH F7=PAGE UP F8=PAGE DOWN F9=FSC DESC F10=START CHS F11=INC DEF F12=

- a. Screen Explanation. This screen displays a list of INCs that result from the search. This will then display screen LOLINP giving a list of NSN's to pick from.
 - b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name:

TAG

Entry Requirement:

Must be entered only as a single entry.

Valid Entries:

Tab the cursor to the Tag field of the desired Item Name and press the appropriate function key. Basic INCs can be

tagged only if F11 is pressed.

Results:

See Section 16.9.B.31.c, Available Function Keys.

c. Available Function Keys. The following unique function keys may be used from the Item Name/Keyword Search Response screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document, of this document.

F5 Cancel

Cancels current search and returns to the screen the search was

started.

F6	New Search	Performs a search for a valid item name entered in the Search Name field.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	FSC Desc	Transfers selected item name to the FSC Description (LOLFSC) screen.
F10	Start CHS	Transfers selected item to the Characteristics Search Subsystem.
F11	INC Def	Transfers selected item to the Item Name Definition (LOLINC) screen.

B.38 LOLMDC - NIIN Search Results Screen.

SCRNCD: LOLMDC			LOGISTICS ON	DATE: 18-FEB-93				
USERID: LSC1992			NIIN SEARC	CH RESUL	ТS		TIME: 15:50	
FIIG	INC		ИE	S	SOS	NSN		
T00600	26988	BANDAGE,GA	UZE,GELAT		J	DC	6510-00-016-8224	
UOI	AAC		UNIT-PRICE	,	TYPE	DMIL	RPDMC	
PG	L		22	50	4	Α	9	
MRC	RE	EQUIREMENT-S	TATEMENT		CLEAR-	TEXT-REI	PLY	
NAME	ITEM N	AME			AGE,GAUZ GNATED	ZE,GELAT	IN-ZINC OXIDE	
ARJR	DRESSI	NG PLY QUANT	TITY	1				
ARAB	FINAL F	FORM		ROLLE	ED			
HUES	COLOR			FLESH				
ABRY	LENGTH	ł		360.000	INCHES 1	NOMINAI	L .	
ABGL	WIDTH			3.000 I	NCHES NO	MINAL		
AKMX	STERILI	TY		STERII	LE			
ARMY	MATERI	AL THREAD CO	OUNT PER INCH	ANY A	CCEPTAB1	LE		
	** MORE **							

1 NSN(S) SELECTED FOR OUTPUT

F1=HELP	F2=CLEAR SCR	F3=LOLA MENU	F4=MAIN MENU	F5=CANCEL	F6=
F7=	F8=PAGE DOWN	F9=	F10=	F11=	F12=

- a. Screen Explanation. This screen displays the search results for each NIIN when the user chooses the CRT as the output media.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the NIIN Search Results screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Prev NSN	Displays the previous NSN if more than one NSN was selected.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Next NSN	Displays the next NSN if more than one NSN was selected.

€10 Print

Send a copy of the NIIN Search Results screen to the printer associated with your terminal.

B.39 LOLMFD - Management FSC Data Screen

SCRNCD: LOLMFD USERID: LSC1992

LOGISTICS ON-LINE ACCESS MANAGEMENT FSC DATA

DATE: 27-JUN-94

TIME: 12:24

FSG/FSG: 1130

STAT DTE-EST DTE-EFF IMM WIMM IM SIN STD AR AF CMDTY HD DIST Α 1978188 1992350 W XA XA BF N

HISTORY/FUTURE FSC DATA

S				I	W						C			
T	DTE-EST	DTE-EFF	DTE-CHG	MM	M	IM	SI	ST	AR	AF	M	HD	DIST	RCVR
	1978188	1991113	0000000		W		XA	XA	BA		N	0		
	1978188	1991338	1978188		W		XA	XA	BF		N	0		
	1978188	1992119	1978188		W		XA	XA	BF		N	0		
	1978188	1992209	1978188		W		XA	XA	\mathbf{BF}		N	O		

** END OF DATA **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6

F7= F8= F9=PREV

F10=NEXT

F11=PRINT F12=DOWNLOAD

- a. Screen Explanation. This screen is displayed when the user enters an FSC and/or DATE/DATE-RANGE on the Management FSC Inquiry screen (LOLMFS).
- b. Field Entry Requirements. There are no valid field entries for this screen. Other fields shown on the screen are display-only fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the Management FSC Detail screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel Cancels current search/inquiry and returns control to the previously

displayed screen.

F11 Print Sends the screen data to a printer.

F12 Download Transfers the screen data to a PC.

B.40 LOLMFP - Management FSC Pick List Screen.

SCRNCD: LOLMFP USERID: LSC1992		LOC MAI	DATE: 27-JUN-94 TIME: 12:23					
	FSC	DATE		FSC	DATE		FSC	DATE
-	1005	85 - 04 - 01	-	1010	85 - 04 - 01	_	1015	85 - 04 - 01
- -	1020	90 - 11 - 29	-	1025	85 - 04 - 01	-	1030	90 - 11 - 29
-	1035	90 - 11 - 29	-	1040	85 - 04 - 01	-	1045	90 - 11 - 29
*	1055	85 - 04 - 01	-	1070	85 - 05 - 19	-	1075	85 - 04 - 01
-	1080	85 - 04 - 01	-	1090	85 - 04 - 01	-	1095	85 - 04 - 01
-	1105	78 - 07 - 07	_	1110	78 - 07 - 07	-	1115	78 - 07 - 07
-	1120	78 - 07 - 07	-	1125	78 - 07 - 07	-	1127	78 - 07 - 07
-	1130	78 - 07 - 07	-	1135	78 - 07 - 07	· -	1140	78 - 07 - 07
-	1145	78 - 07 - 07	-	1190	78 - 07 - 07	<u>-</u>	1195	78 - 07 - 07
-	1210	89 - 06 - 16	-	1220	89 - 06 - 16		1230	90 - 11 - 29
- .	1240	87 - 02 - 26	-	1250	90 - 11 - 29	-	1260.	89 - 06 - 16
-	1265	89 - 06 - 16	-	1270	87 - 02 - 26	-	1280	87 - 02 - 26
-	1285	87 - 02 - 26	-	1287	90 - 11 - 29	-	1290	87 - 02 - 26
-	1305	78 -07 - 07	-	1310	78 - 07 - 07	-	1315	78 - 07 - 07
		•		** MC	RE **			

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8=PAGE DOWN F9= F10= F11= F12=

a. Screen Explanation. This screen is displayed when the user enters a DATE/DATE-RANGE on the Management FSC/Inquiry screen (LOLMFS).

When multiple screens are needed to display information, <MORE DATA> or <END OF DATA> will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.

b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name:

TAG

Entry Requirement:

Mandatory

Valid Entries:

X

Results:

Transfers to the LOLMFD (Management FSC Detail)

screen when the user tags one or more FSCs and presses

F6 (Process).

c. Available Function Keys. The following unique function keys may be used from the Management FSC Pick List screen. A standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel

Cancels current search/inquiry and returns control to the previously

displayed screen.

F6 Process

Transfers control to the LOLMFD (Management FSC Detail) screen.

B.41 LOLMFS - Management FSC Inquiry Screen.

2011 2021			
SCRNCD:		LOGISTICS ON-LINE ACCESS	DATE: 27-JUN-94
USERID: I	SC1992	MANAGEMENT FSC INQUIRY	TIME: 12:20
	ENTER FSC:		
	DATE ESTABLISH	ED: TO	
	DATE EFFECTIVE:	TO	
	DATE CHANGED:	TO	
	(ENTER A FSC OF	R A DATE (MMDDYY) OR DATE-RANGE (OP	TIONAL)
<msf 0493<="" td=""><td>3> ENTER NEW CR</td><td>TERIA AND PRESS <enter> KEY</enter></td><td></td></msf>	3> ENTER NEW CR	TERIA AND PRESS <enter> KEY</enter>	
	F2=CLEAR SCR F3= F8= F9=	PREV MENU F4=MAIN MENU F5=CANCEL F6 F10= F11= F1	5= 12=
	<u> </u>	een is displayed after the user chooses the MGMT G/FSC Item Name Search screen (LOLSRC).	VFSG Data Inquiry (F9)
b. Field E	Entry Requirements. T	he valid field entries are described below.	
()	Field Name: Entry Requirement: Valid Entries Results:	Enter FSC Optional Any valid numeric FSC Code When <enter> is pressed, the user will transfer LOLMFD (Management FSC Detail) screen if FSC is found or the LOLMFP (Management FSC List) screen is more than one FSC is found.</enter>	only one
	Field Name: Entry Requirement: Valid Entries:	Date Established Optional May be entered as a date range or the first field be entered. When ENTERs is pressed the year will be to	
	Results:	When <enter> is pressed, the user will be tr to the LOLMFD (Management FSC Detail) scr</enter>	

found for the data entered.

one date range is found for the FSC and date entered or the user will be transferred to the LOLMFP (Management FSC Pick List) screen if more than one FSC/date range is

(3) Field Name:

Date Effective

Entry Requirement:

Optional

Valid Entries:

Must be entered as a date range or the first field only

may be entered.

Results:

When <ENTER> is pressed, the user will be transferred to the LOLMFD (Management FSC Detail) screen if only one date range is found for the FSC and date entered or the user will be transferred to the LOLMFP (Management FSC Pick List) screen if more than one FSC/date range is

found for the data entered

(4) Field Name:

Date Changed

Entry Requirement:

Optional

Valid Entries:

Must be entered as a date range or the first field only

may be entered.

Results:

When <ENTER> is pressed, the user will be transferred to the LOLMFD (Management FSC Detail) screen if only one date range is found for the FSC and date entered or the user will be transferred to the LOLMFP (Management FSC Pick List) screen if more than one FSC/date range is

found for the data entered.

c. Available Function Keys. The following unique function keys may be used from the Management FSC Data Inquiry screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel

Cancels current search/inquiry and returns control to the previously

displayed screen.

B.42 LOLMGT - Management Data Screen.

SCRNCD: LOLMGT

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

MANAGEMENT DATA

TIME: 15:52

ITEM NAME: CIRCUIT CARD ASSEMBLY

NSN: 5998-00-067-9287

TAG	PHRSE	EFF-DT	MOE	AC	SOS	UI	U-PRICE	QUP	CIIC	SL	REP	MGT-CTL	USC
	X	89213	DN	V	N32	EA	1650.00	1	U	0			I
_	\mathbf{X}	89213	DN	V	N32	EA	1650.00	1	U	0	D	1RAY00	N

** END OF VIEW **

<MSG 0640> NO FUTURES DATA AVAILABLE

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7=PAGE UP F8=PAGE DOWN F9= F10=PHRASE F11 F12=

- a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the Management Data Segment View as an output media. When multiple screens are needed to display information MORE DATA, END OF DATA, or END OF VIEW will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.
- b. Field Entry Requirements. There are no field entries for this screen. Other fields shown on the screen are display only fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the Management Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Prev NSN	Displays the previous NSN if more than one NSN was selected.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Next NSN	Displays the next NSN if more than one NSN was selected.

F12 Futures /Current

F11

F10 Print Sends the information displayed to the associated printer with your terminal. Available only after special access has been granted by the security administrator for your facility.

Download to PC

Sends the information displayed on the screen to a PC disk file.

Available only after special access has been granted by the security administrator for your facility.

If presently displaying current data, F12 will display next available futures data. If presently displaying futures data and there is no no more futures data to be displayed, F12 will display current data.

DATE: 25-FEB-93

B.43 LOLMLT - MRC Reply Selection (Multiple Tables) Screen.

SCRNCD: LOLMLT LOGISTICS ON-LINE ACCESS USERID: LSC1949

MRC REPLY SELECTION (MULTIPLE TABLES) TIME: 11:27

INC: 37408 ITEM NAME: RESISTOR, VARIABLE, W

MRC: CRGM FUNCTION CONFORMITY PER SECTION

TAG CODE	REPLY-VALUE	REPLY-COUNT
_ CM	ALL SECTIONS	555
В	INDEPENDENT LINEARITY	
_ CM	ALL SECTIONS	12
C	ZERO BASED LINEARITY	
_ CM	ALL SECTIONS	41
D	TERMINAL BASE LINEARITY	
_ CM	ALL SECTIONS	64
E	ABSOLUTE LINEARITY	
_ CM	ALL SECTIONS	58
F	ABSOLUTE CONFORMITY	

** MORE **

OPTIONAL REPLY CODE :___

<msg 0600> Type an "X" on one or more reply values and press <pf6> or CONDITION IS CURRENTLY ACTIVE

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F8=PAGE DOWN F9=NEXT MRC F7= F10=AND F11=DETAIL F12=

a. Screen Explanation. This screen displays the composite reply value for a selected MRC using dimensions as the input characteristic. The Optional Reply Value will enable users to reduce number of reply values and to specify characteristics to be processed. The keywords which may be used to initiate a reply on the LOLMLT screen are MIN, MAX, DISPLAY, PROCESS, TO, ?. In the format entry example below, the criteria is a unit of measure.

ENTRY EXAMPLE:

KEYWORD	CRITERIA	EXPLANATION
DISPLAY	PC000532	to display the characteristics for Table PC000532.
DISPLAY	PC000532 TO ?	to display the characteristics for Table PC000532 to end of file

DISPLAY	PC000532 TO ST534	to display the characteristics for Tables PC000532 through ST534 inclusive.
PROCESS	PC000532	to process the characteristics for Table PC000532.
PROCESS	PC000532 TO ?	to process the characteristics for Table PC000532 to end of file.
PROCESS	PC000532 TO ST534	to process the characteristics for Tables PC000532 through ST534 inclusive.

Also see LOLDIM, LOLNUM, LOLTBL, LOLTXT, and LOLTOL for other characteristics.

b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name:

TAG

Entry Requirement:

May be entered as with multiple TAG fields.

Valid Entries:

X

Results:

Transfers to the Characteristics Search Results (LOLRES)

screen when F6 (Process) is pressed.

(2) Field Name:

OPTIONAL REPLY VALUE

Entry Requirement:

Must be valid keyword and criteria.

Valid Entries:

DISPLAY, PROCESS, TO

Results:

DISPLAY will reduce number of reply values available

with given criteria. PROCESS will transfer to the Charac-

teristics Search Results Screen.

c. Available Function Keys. The following unique function keys may be used from the MRC Reply Selection (Multiple Tables) screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Process	Transfers to the Characteristics Search Results (LOLRES) screen.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Next MRC	Displays the next MRC if more than one was selected.
F10	AND/OR	Toggles between 'AND' and 'OR' processing. If user presses F10 then F6, 'AND' processing will be active. Processing will default to 'OR'

'OR'.

F12 Text

Transfers to the MRC Reply Selection (Text) screen (LOLTXT) if available for this MRC.

B.44 LOLMOD - MOE Rule Data Decoded Screen.

SCRNCD: LOLMOD

LOGISTICS ON-LINE ACCESS

DATE: 19-FEB-93

USERID: LSC1992

MOE RULE DATA DECODED

TIME: 09:06

ITEM NAME: CIRCUIT CARD ASSEMBLY

NSN: 5998-00-067-9287

----NIIN MOE RULE DATA-----

MOE-RL AMC AMSC NIMSC

EFF-DT II

IMC IMCA AAC

N1R5

0 0

91091

G KE

DATA-COLLABORATORS

DATA-RECEIVERS

DSOR

-----MOE RULE SPECIFIC DATA-----

MOE-RL MOE PICA PICA-LOA SICA SICA-LOA IMC IMCA SUBMTR

N1R5 DN KE 06

G KE

KE

DATA-COLLABORATORS

DATA-RECEIVERS

KE KF

** MORE **

<MSG 0640> NO FUTURES DATA AVAILABLE

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7=PAGE UP F8=PAGE DOWN F9=

F10=

F11=

F12=

- a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the MOE Rule Data Decoded View as an output media.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the MOE Rule Data Decode screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel Cancels current search and returns to the screen the search was

started.

F6 Prev NSN Displays the previous NSN if more than one NSN was selected.

F7 Page Up Displays the prior page of the current file being viewed.

F8 Page Down Displays the next page of the current file being viewed.

F9 Next NSN Displays the next NSN if more than one NSN was selected.

F10	Print	Sends the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility.
F11	Download to PC	Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.
F12	Futures/Current	If presently displaying current data, F12 will display next available futures data. If presently displaying futures data and there is no more next futures data to be displayed, F12 will display current data.

B.45 LOLMOE - MOE Rule Data Coded Screen.

SCRNCD: LOLMOE

LOGISTICS ON-LINE ACCESS

DATE: 19-FEB-93

USERID: LSC1992

MOE RULE DATA CODED

TIME: 09:26

ITEM NAME: CIRCUIT CARD ASSEMBLY

NSN: 5998-00-067-9287

MOE-RL AMC AMSC NIMSC EFF-DT IMC IMCA DATA-COLLAB DATA-RECEIVERS AAC DSOR

N1R5 0

91091

G KE

ZK01

91091

** END OF VIEW **

<MSG 0640> NO FUTURES DATA AVAILABLE

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7=PAGE UP F8=PAGE DOWN F9= F10= F11= F12=

- a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the MOE Rule Data Coded Segment View as an output option. When multiple screens are needed to display information, MORE DATA, END OF DATA, or END OF VIEW will appear at the bottom of the screen.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the MOE Rule Data Coded screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the research was started.
F6	Prev NSN	Displays the previous NSN if more than one NSN was selected.
F 7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Next NSN	Displays the next NSN if more than one NSN was selected.

F10 Print

Sends the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility.

F11 Download to PC

Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

F12 Futures/Current

If presently displaying current data, F12 will display next available futures data. If presently displaying futures data and there is no more next futures data to be displayed, F12 will display current data.

B.46 LOLMOL - MOE Rule Inquiry Screen.

	D: LOLMOL :LSC1992	LOGISTICS ON-LINE ACCESS MOE RULE INQUIRY	DATE: 28-JUN-94 TIME: 13:38
IVI	OE RULE MASTER I	NQUIRY	
	MOE RULE NUMBE	R:	
	EFFECTIVE DATE	:	
M	OE RULE STATISTIC	S INQUIRY	
	EFFECTIVE DATE	: THRU	
MSG 0	193> ENTER NEW CF	RITERIA AND PRESS <enter> KEY</enter>	
71=HELP 77=	F2=CLEAR SCR F3= F8= F9=	FPREV MENU F4=MAIN MENU F5= F6= F10= F11= F12=	
	en Explanation. This scr LOLA Main Menu scr	reen is displayed after the user chooses the MOE Reen (LOLA).	ule Data Inquiry option
b. Field	Entry Requirements.	The valid field entries are described below.	
(1)	Field Name:	MOE Rule Number	
	Entry Requirement:	Optional	
	Valid Entries:	Valid MOE Rule Code	D)
	Results:	The MOE Rule EFF-DATE Pick List (LOLMO) if a MOE Rule was entered without an Effective	
		the MOE Master Inquiry screen (LOLXMR) wh	
. 1.		MOE Rule Code and an Effective Date are ente	
(2)	Field Name:	Effective Date	
	Entry Requirement:	Optional (Must be entered in combination with Rule Number)	the MOE
	Valid Entries:	Any valid date in DD-MM-YY format up to and	d includ-
Maria de España de La Caracteria de La Car La Caracteria de La Caracteria		ing today's date.	
	Results:	When entered in combination with a MOE Rule	•
		the MOE Master Inquiry screen (LOLXMR) is	displayed.
(3)	Field Name:	Effective Date Range	
	Field Requirement:	Optional (Can only be entered by itself)	

screen.

Valid Entries:

Results:

c. Available Function Keys. There are no unique function keys available for the MOE Rule Data Inquiry

Any valid date range in DD-MM-YY format.

The MOE Rule Statistics screen (LOLXMS) is displayed.

B.47 LOLMRC - MRC Pick List Screen.

SCRNCD: L USERID: LS		DATE: 18-FEB-93 TIME: 10:38
INC: 00199	ITEM NAME: ADHESIVE TAPE,SUR	RGI
TAG MRC	DESCRIPTION	REPLY-COUNT
- FEAT - HUES - PKTY - AKGF - AKGG - CQNS - MATT - CRZG - CRRH - SUCB - SUWT - AJQE	SPECIAL FEATURES COLOR UNIT PACKAGE TYPE NOMINAL WIDTH NOMINAL LENGTH CUT TYPE AND QUANTITY MATERIAL NOMINAL OVERALL THICKNESS CUT NOMINAL WIDTH UNIT OF ISSUE CUBE UNIT OF ISSUE WEIGHT MATERIAL TRANSPARENCY	6 6 6 6 6 5 5 1 1 1

** END OF DATA **

<MSG 0523> PICK ONE OR MORE MRC'S AND PRESS APPROPRIATE FUNCTION KEY

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8= F9= F10= F11= F12=

a. Screen Explanation. This screen displays a list of MRCs related to the INC or Item Name inquired by the user. The user may select one or more MRC for further processing. When multiple screens are needed to display information, MORE DATA or END OF DATA will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.

b. Field Entry Requirements. The valid field entries are described below. Other fields shown on the screen are display only fields and will display data based on the entries made.

(1) Field Name:

TAG

Entry Requirement:

May be entered as multiple entries with other selected

TAG.

Valid Entries:

X

Results:

Transfers to the appropriate MRC Reply Selection screen.

c. Available Function Keys. The following unique function keys may be used from the MRC Pick List screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e

of this document.

F5 Cancel Cancels current search and returns to the screen the search was

started.

F6 Process Transfers to the appropriate MRC Reply Selection screen for selected

MRCs.

F7 Page Up Displays the prior page of the current file being viewed.

F8 Page Down Displays the next page of the current file being viewed.

B.48 LOLMUL - Multiple NIIN Inquiry.

			CS ON-LINE ACCESS ULTIPLE NIIN INQUIRY	DATE: 09-MAR-93 TIME: 12:02
SUBMIT	TERS MEMO ID: _			<u> </u>
	NIIN(S) INQUIRY:	:		
	ENTER 1 OR MOR			PROPRIATE PF KEY ***
	F2=CLEAR SCR		F4=MAIN MENU F5=CAN F10=SELECT OUTPUT OPT	
Screen (Le	a. Screen Explanation. This screen is displayed when a user presses the PF6 key from the Start Inquiry Screen (LOLINQ). It allows the user to enter NIINs from 1 to 24, a Submitters-ID, the option to go to Select Output Options (LOLOUT) and the output media desired.			
b. Field	Entry Requirement	s. The valid field	entries are described below.	
(1) Field Name: SUBMITTERS MEMO ID Entry Requirement: Any ID the user wants. If the user does it outputs the users usercode. Valid Entries: Any ID or leave blank. Results: Enters the ID or users usercode.			not submit an ID,	

(2) Field Name:

NIIN(S) INQUIRY

Entry Requirement:

Enter NIINs from 1 to 24

Valid Entries:

Any valid NIIN or PSCN. First two characters and last

four characters of NIIN must be numeric. Others may be

alpha or numeric.

Results:

Sends output as defines on the Select Inquiry Output Option (LOLOUT) screen for the first NIIN requested. After all data is seen for the first NIIN the second NIINs data

will appear.

c. Available Function Keys. The following unique function keys may be used from the Start Inquiry screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F10 Select Output Op-

Transfers to Select Inquiry Output Options (LOLOUT) screen.

tions

F12 USER PROF

Displays user's profile. Allows user to change printer number associ-

ated to the terminal.

B.49 LOLNOT - FSG Group Notes Screen.

SCRNCD: LOLNOT

LOGISTICS ON-LINE ACCESS

DATE: 19-FEB-93

USERID: LSC1992

FSG GROUP NOTES

TIME: 09:28

FSG: 53 Hardware and Abrasives

<MSG 0589> NO FSG NOTES FOUND

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=START SEARCH SCREEN F7=PAGE UP F8=PAGE DOWN F9=FSG TITLES F10=FSC DATA F11= F12=

- a. Screen Explanation. This screen displays the notes for a selected FSG. When multiple screens are needed to display information, MORE DATA or END OF DATA will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.
- b. Field Entry Requirements. There are no field entries for this screen. Other fields shown on the screen are display only fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the FSG Group Notes screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Start Search Screen	Transfers to the FSG/FSC Item Name Screen Search (LOLSRC) screen.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	FSG Titles	Transfers to the Federal Supply Group Titles (H2-1 Contents) (LOLFSG) screen.
F10	FSC Data	Transfers a selected FSG title to the FSC Data (LOLDES) screen.

B.50 LOLNUM - MRC Reply Selection (Numbers) Screen.

SCRNCD: LOLNUM

LOGISTICS ON-LINE ACCESS

DATE: 19-FEB-93

USERID: LSC1992

MRC REPLY SELECTION (NUMBERS)

TIME: 09:20

INC: 26988

ITEM NAME: BANDAGE, GAUZE, GELAT

MRC: AGUC UNIT PACKAGE QUANTITY

TAG	NUMBER	REPLY-COU	NT
	12.0000000		2

	** END OF DATA **					
OPTIONA	L CODED VALU	JE:	· · · · · · · · · · · · · · · · · · ·			
	00> TYPE AN ON IS CURRENT		OR MORE REPLY	Y VALUES A	AND PRESS <pf< td=""><td>5> OR</td></pf<>	5> OR
F1=HELP	F2=CLEAR SCR	F3=LOLA MENU	F4=MAIN MENU	F5=CANCEL	F6=PROCESS	
F7=	F8=	F9=	F10=AND	F11=	F12=	

a. Screen Explanation. This screen displays the reply value for a selected MRC using dimensions as the input characteristic. The Optional Reply Value will enable user to reduce number of reply values and to specify characteristics to be processed. The keywords which may be used to initiate a reply on the LOLNUM screen are MIN, MAX, DISPLAY, PROCESS, TO, ?. In the format entry example below, the criteria is a unit of measure.

ENTRY EXAMPLE:

KEYWORD	CRITERIA	EXPLANATION
DISPLAY	5	to display the characteristics for the number 5.
DISPLAY	5 TO ?	to display the characteristics for the number 5 to end of file.

DISPLAY	5 TO 25	to display the characteristics for the numbers 5 through 25 inclusive.
PROCESS	5	to process the characteristics for the number 5.
PROCESS	5 TO ?	to process the characteristics for the number 5 to end of file.
PROCESS	5 TO 25	to process the characteristics for the numbers 5 through 25 inclusive.

Also see LOLDIM, LOLMLT, LOLTBL, LOLTXT, and LOLTOL for other characteristics.

b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name: TAG

Entry Requirement: May be entered as with multiple TAG fields.

Valid Entries:

Χ

Results:

Transfers to the Characteristics Search Results (LOLRES)

screen when F6 (Process) is pressed.

(2) Field Name: O

OPTIONAL REPLY VALUE

Entry Requirement:

Must be valid keyword and criteria.

Valid Entries:

DISPLAY, PROCESS, TO, ?

Results:

DISPLAY will reduce number of reply values available

with given criteria. PROCESS will transfer to the Charac-

teristics Search Results Screen.

c. Available Function Keys. The following unique function keys may be used from the MRC Reply Selection (Numbers) screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Process	Transfers to the Characteristics Search Results (LOLRES) screen.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Next MRC	Displays the next MRC if more than one was selected.
F10	And/Or	Toggles between 'AND' and 'OR' processing. If user presses F10 and F6, 'AND' processing will be active. Processing will default to 'OR'.

F12 Text

Transfers to the MRC Reply Selection (Text) screen.

B.51 LOLOUT - Select Inquiry Output Options Screen.

SCRNCD: LOLOUT	LOGISTICS ON-LINE ACCESS	DATE: 17-FEB-93
USERID: LSC1992	SELECT INQUIRY OUTPUT OPTIO	NS TIME: 15:33
OUTPUT MEDIA: ENTER (C (CRT) OR O (OVERNIGHT)======	=====>
_ IDENTIFICATION DATA	_ MOE RULE DATA CODED	_ *MOE RULE DATA DECO
_ REF/PART NUMBER DAT	ΓA _ STANDARDIZATION DATA	_ FREIGHT DATA
_ MANAGEMENT/PHRASE	E DATA _ PACKAGING DATA	_ I & S DATA
_ *CODED CHARACTERIS	STICS _ DECODED CHARACTERIS	TICS X *BASIC REFERENCE DAT
_ *REQUISITIO	N DATA _ *CAGE/SUPPLIER	DATA
DESKCO	DDE:	

<MSG 0530> ENTER CHANGES - PRESS APPROPRIATE PF KEY TO CONTINUE

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=PREV SCR F6=PROCESS F9=AD-HOC F10=CANCEL AD-HOC F11=TAG ALL EXCEPT VIEWS WITH * F12=TAG ALL

- a. Screen Explanation. This screen allows the user to select how the results of an inquiry will be output.
- b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name:

Output Media

Entry Requirement:

Must be entered in combination with at least one other

option.

Valid Entries:

C, P, or D

Results:

Will sent Inquiry Results to the CRT, the printer associ-

ated with your workstation, or download to a PC file.

(2) Field Name:

IDENTIFICATION DATA

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

X

Results:

Will display the Identification Data (LOLIDD) screen at

the end of the inquiry search.

(3) Field Name:

REF/PART NUMBER DATA

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

X

Results:

Will display the Reference/Part Number Data (LOLXRF)

screen at the end of the inquiry search.

(4) Field Name:

MANAGEMENT DATA

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

X

Results:

Will display the Management Data (LOLMGT) screen at

the end of the inquiry search.

(5) Field Name:

CODED CHARACTERISTICS

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

 \mathbf{X}

Results:

Will display the Coded Characteristics at the end of the

inquiry search.

(6) Field Name:

MOE RULE DATA CODED

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

X

Results:

Will display the MOE Rule Data Coded (LOLMOE)

screen at the end of the inquiry search.

(7) Field Name:

STANDARDIZATION DATA

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

X

Results:

Will display the Standardization Data (LOLSTD) screen

at the end of the inquiry search.

(8) Field Name:

PHRASE DATA

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

X

Results:

Will display the Phrase Data (LOLPHR) screen at the end

of the inquiry search.

(9) Field Name:

DECODED CHARACTERISTICS

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

X

Results:

Will display the decoded characteristics at the end of the

inquiry search.

(10) Field Name:

MOE RULE DATA DECODED

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

X

Results:

Will display the MOE Rule Data Decode (LOLMOD)

screen at the end of the inquiry search.

(11) Field Name:

FREIGHT DATA

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

X

Results:

Will display the Freight Data (LOLFRT) screen at the end

of the inquiry search.

(12) Field Name:

I & S DATA

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

X

Results:

Will display the I & S Data (LOLIAS) screen at the end

of the inquiry search.

(13) Field Name:

BASIC REFERENCE DATA

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

X

Results:

Will display the Basic Reference Data (LOLBAS) screen

at the end of the inquiry search screen.

(14) Field Name:

REOUISITION DATA

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

X

Results:

Will display the Requisition Data (LOLREQ) screen at

the end of the inquiry search.

(15) Field Name:

CAGE/SUPPLIER DATA

Entry Requirement:

May be entered in combination with any option.

Valid Entries:

X

Results:

Will display the CAGE/Supplier Data (LOLSUP) screen

at the end of the inquiry search.

c. Available Function Keys. The following unique function keys may be used from the Select Inquiry Output Options screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Prev Scr	Returns to the previous screen.
F6	Process	Continues the current search process or returns to the Start Inquiry (LOLINQ) screen if no search is in progress.
F9	AD HOC	Transfers to the Select Specific Data Elements (LOLSEL) screen.
F10	Cancel AD-HOC	Cancels AD-HOC processing.
F11	Tag All But Coded	Selects all output options except Characteristics Coded Characteristics and Decoded MOE Rule.
F12	Tag All	Selects all output options.

B.52 LOLPHR - Phrase Data.

SCRNCD: LOLPHR

LOGISTICS ON-LINE ACCESS

DATE: 19-FEB-93

USERID: LSC1992

INTEGRATED MATERIEL MANAGER

TIME: 09:31

ITEM NAME: CIRCUIT CARD ASSEMBLY

NSN: 5998-00-067-9287

MOE: DN PHRS-CD PHRASE-CODE-DATA ORDER-OF-USE JUMP-TO-CODE GIIC QPA UM

Ε

5998000514163

X

1430000679287

** END OF VIEW **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED 1 NSN(S) SELECTED FOR OUTPUT

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8= F9= F10= F11= F12=

- a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the Phrase Data Segment View as an output option. When multiple screens are needed to display information, MORE DATA, END OF DATA, or END OF VIEW will appear at the bottom of the screen.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the Phrase Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Prev NSN	Displays the previous NSN if more than one NSN was selected.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.

F9 **Next NSN** Displays the next NSN if more than one NSN was selected. F10 Print Sends the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility. F11 Download to PC Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility. F12 Futures/Current If presently displaying current data, F12 will display next available futures data. If presently displaying futures data and there is no more next futures data to be displayed, F12 will display current current data.

B.53 LOLPNR - Item PN Pick List Screen.

SCRNCD: LOLPNR	LOGISTICS ON-LINE ACCESS	DATE: 25-FEB-93
USERID: LSC1992	ITEM PN PICK LIST	TIME: 0 8:58

TAG	PART NUMBER	CAC	GE ITEM NAME	NSN
5111-16B		Ø 1276	COUPLING ASSEMBLY,S	4730-00-000-2317
_ 51117		24930	DELAY CELL	5840-00-000-2143

** END OF DATA **

<MSG Ø521> PICK ONE OR MORE ITEMS AND PRESS APPROPRIATE PF KEY

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8= F10=CHANGE OUTPUT OPTIONS F12=PROC ALL

- a. Screen Explanation. This screen displays a list of part numbers based on the part number or partial part number entered. It will display only the first 112 lines, if partial part number was entered.
 - b. Field Entry Requirements. The valid field entries are described below.
 - (1) Field Name: TAG
 - Entry Requirement: To select given Part Numbers, place an X in the Tag field

to the left of the desired PN(s). Press F6 (Process) when

all desired PN(s) are selected.

Valid Entries: X

Results: Sends output as defined on the Select Inquiry Output Op-

tions (LOLOUT) screen.

c. Available Function Keys. The following unique function keys may be used from the Item PN Pick List screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel Cancels current search and returns to the screen the search was

started.

F6	Process	Sends output as defined on the Select Inquiry Output Options (LOLOUT) screen.
F 7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F10	Change Output Options	Transfers to Select Specific Data Options Elements (LOLSEL) screen.
F12	Proc All	Selects and processes all Part Numbers on the current list.

The system limits the number of matches you will see on-line for PART NUMBER SEARCH.

You may continue with the search by specifying more search conditions.

Or to obtain additional matches for this search, call or forward your request to DLSC's Customer Service Office (DSN 932-4725, FTS 552-4725, Comm'l (616) 961-4725, fax (DSN) 932-4715, e-mail vcs@dlsc.dla.mil). Please specify how you want the output.

B.54 LOLRCC - Replacement CAGE Code Inquiry.

SCRNCD: LOLRCC

LOGISTICS ON-LINE ACCESS

DATE: 02-MAR-93

USERID: LSC1992

REPLACEMENT CAGE CODE INQUIRY

TIME: 12:34

REPLACEMENT CODE: A3512

CAGE CODES REPLACED BY THE CODE ENTERED

A0480

** MORE **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7= F8=PAGE DOWN F9=

F10=

F11=PRINT F1

F12=DOWNLOAD

- b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the Identification Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

a. Screen Explanation. This screen displays a list of replacement CAGE Codes resulting from the search.

F5	Cancel
	Culloci

Cancels current search and returns to the screen the search was

started.

F7 Page Up

Displays the prior page of the current file being viewed.

F8 Page Down

Displays the next page of the current file being viewed.

F11 Print

Sends the information displayed to the printer associated with your

terminal. Available only after special access has been granted by the

security administrator for your facility.

F12 Download to PC

Sends the information displayed on the screen to a PC disk file.

Available only after special access has been granted by the security

administrator for your facility.

B.55 LOLREQ - Requisition Data Screen.

): LOLRI : LSC199		ICS ON-LINE ACCESS EQUISITION DATA		DATE: TIME:	25-FEB-93 09:01
FIIG	INC		M-NAME	SOS		SN
T263-F	00440	DELAY CELL		S9E	5840-0	00-000-2143
UI	AAC	U	NIT-PRICE	TYPE	DMIL	RPDMRC
EA	D		975.15	K	Α	
MRC	REQUI	REMENT-STATEMENT	CLEAR-TEXT-F	REPLY		
NAME I'	TEM NA	ME	DELAY CELL			
			UNABLE TO PROC	CESS (12	2-1)	

** END OF DATA **

INC CANCELLED REPLACED BY INC (06373)

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7=PAGE UP F8=PAGE DOWN F9= F10=F11=DOWNLOAD TO PC

- a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the Requisition Data Segment View as an output option. When multiple screens are needed to display information, MORE DATA, END OF DATA, or END OF VIEW will appear at the bottom of the screen.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the Requisition Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Prev NIIN	Displays the previous NIIN if more than one NIIN was selected.
F7	Page Up	Displays the prior page of the current file being viewed.

F8	Page Down	Displays the next page of the current file being viewed.
F9	Next NIIN	Displays the next NIIN if more than one NIIN was selected.
F10	Print	Sends the information displayed to printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility.
F11	Download to PC	Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

B.56 LOLRES - Characteristics Search Results Screen.

SCRNCD: LOI	LRES	LOGISTICS O	N-LINE AC	CESS	DATE: 18-FEB-93
USERID: LSC	992 CHA	ARACTERISTIC	S SEARCH	RESULTS	TIME: 15:49
INC: 26988	ITEM NAME: B	ANDAGE,GAU	ZE,GELAT		TOTAL NIINS: 2
TAG NIIN	TAG	NIIN	TAG	NIIN	TAG NIIN

00-016-8224

00-559-3175

** END OF DATA **

SECONDARY SEARCH BY CAGE CODE: ____ NUMBER OF SELECTED NIINS: 0
ENTER OUTPUT MEDIA - YOU MAY OUTPUT DATA TO THE CRT ONLY : C

<MSG 0621> PRESS <ENTER> TO SEARCH BY CAGE CODE, <PF6> TO PROCESS

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8= F10=REDO SEARCH F11=ROUTE TO INQUIRY F12=TAG ALL

- a. Screen Explanation. This screen displays the results of the search being processed and allows the user to select the method of output. It also allows the user to limit the scope of the search to a specific CAGE Code or to redo the MRC criteria for the current search prior to selecting output options.
 - b. Field Entry Requirements. The valid field entries are described below.
 - (1) Field Name:

SECONDARY SEARCH BY CAGE CODE

Entry Requirement:

Any valid CAGE Code

Valid Entries:

Enter a valid CAGE Code and press Enter.

Results:

Returns to the Characteristics Search Results screen.

(2) Field Name:

TAG

Entry Requirement:

May be entered as multiple entries with other selected

TAG.

Valid Entry:

X

Results:

Transfers to the NIIN Search Results (LOLMDC) screen

when F6 (Process) is pressed.

(3) Field Name:

ENTER OUTPUT MEDIA

Entry Requirement:

As defined on the screen.

Valid Entries:

As defined on the screen.

Results:

Sends each NIIN to the selected location.

c. Available Function Keys. The following unique function keys may be used from the Characteristics Search Results screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel

Cancels current search and returns to the screen the search was

started.

F6 Process

Displays the search results as defined in the Enter Output Media field.

F7 Page Up

Displays the prior page of the search result NIINs.

F8 Page Down

Displays the next page of the search result NIINs.

F10 Redo Search

Transfers to the MRC Pick List (LOLMRC) screen.

F11 Route to Inquiry

Transfers to the Select Inquiry Output Options screen for inquiry pro-

cessing.

F12 Tag All

Selects and processes all NIIN's on the current list.

B.57 LOLSAC - MRC SAC Selection Screen.			
SCRNCD: LOLSAC	LOGISTICS ON-LINE ACCESS	DATE: 25-FEB-93 TIME: 11:18	
USERID: LSC1949	MRC SAC SELECTION SCREEN		
INC: 37408 RESISTOR, VAR	RIABLE,W		
MRC: CQCC ELECTRICAL	RESISTANCE PER SECTION		
TAG SAC	DESCRIPTION		
N/A NO SAC VALUE			
_ A			
_ B			
_ C			
_ · D			
_ E			
_ F			
_ G			
_ H			
_ J			

<MSG 0599> SELECT ONE SAC AND PRESS <PF6>

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8= F9= F10= F11= F12=

a. Screen Explanation. This screen displays the Secondary Address Code (SAC) and description for a selected MRC. The user may select one of the SAC listed to process the appropriate reply selection screen. The screen will only appear if the selected MRC has at least one associated SAC. When multiple screens are needed to display information, MORE DATA or END OF DATA will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.

** END OF DATA **

b. Field Entry Requirements. The valid field entries are described below. Other fields shown on the screen are display only fields and will display data based on the entries made.

(1) Field Name:

TAG

Entry Requirement:

None.

Valid Entries:

Tab to the desired SAC and press F6 (Process).

Results:

Transfers to the selected reply selection screen.

c. Available Function Keys. The following unique function keys may be used from the MRC SAC Selection Screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Process	Transfers to the selected reply screen.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.

B.58 LOLSRC - Start FSG/FSC Item Name Search Screen.

SCRNCD: LOLSRC	LOGISTICS ON-LINE ACCESS	DATE: 19-FEB-93	
USERID: LSC1992	START FSG/FSC ITEM NAME SEARCH	TIME: 09:48	
	SEARCH BY		
ITEM 1	NAME:		
	OR		
KEYW	ORD:		
	OR		
FIIG:			
	OR GET		
	INC DATA:		
	OR GET		
	FSG/FSC DATA:	(

<MSG 0531> ENTER ONE CRITERIA AND PRESS <ENTER> KEY YOU HAVE PRPY ACCESS AND MAY ACCESS UNRESTRICTED DATA ONLY

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=INC/FSC EFF/CHGS F6=AMMO F9=MGMT/FSG F10=FSC DATA(CAN-INC'S) F11=INC/FSC DESC/FSG NOTES F12=USER

- a. Screen Explanation. This screen allows the user to enter the criteria to initiate an FSG/FSC or item name search.
 - b. Field Entry Requirements. The valid field entries are described below.
 - (1) Field Name:

ITEM NAME

Entry Requirement:

Must be a single entry only.

Valid Entries:

Any valid Item Name and press Enter.

Results:

Transfers to either the Item Name/Keyword Search Re-

sponse (LOLINR) screen.

(2) Field Name:

KEYWORD

Entry Requirement:

Must be a single entry only (can enter 1-3 keywords).

Valid Entries:

Any valid Keyword and press Enter.

Results:

Transfers to either the Item Name/Keyword Search Re-

sponse (LOLINR) screen.

(3) Field Name:

FIIG

Entry Requirement:

Must be a single entry only.

Valid Entries:

Any valid FIIG and press Enter.

Results:

Transfers to the FIIG Search Response (LOLFGR) screen.

(4) Field Name:

INC DATA

Entry Requirement:

Must be a single entry only.

Valid Entries:

Any valid INC and press Enter (must be numeric or alpha

G-Z on position 1, numeric on all others.

Results:

Transfers to the Item Name Data (LOLIND) screen.

(5) Field Name:

FSG/FSC DATA

Entry Requirement:

Must be a single entry only.

Valid Entries:

Any valid FSG or FSC.

Results:

Transfers to the FSG Titles (LOLFSG) screen if an FSG

is entered. Transfers to the FSC Data (LOLDES) if an

FSC is entered.

c. Available Function Keys. The following unique function keys may be used from the Start FSG/FSC Item Name Search screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 INC/FSC EFF DTD

Changes

Transfers to the Item Name Change Dated (LOLICH) screen with a

valid Item Name, or to the FSC Change Dated (LOLFCH) Screen

with a valid FSC.

F10 FSC DATA

(Canceled INCs)

Transfers to FSC Data Cancelled INC (LOLDES) screen which dis-

plays all cancelled INC's for this FSC.

F11 Item Name

Definition/FSC

Transfers to the Item Name Definition (LOLINC) screen with a valid

INC, or to the FSC Description (LOLFSC) screen with a valid FSC

Description/FSG or to FSG Group Notes (FSGNOT) with valid FSG.

Notes

F12 USER PROFILE

Displays profile of user. Allows user to change printer associated to

terminal.

B.59 LOLSTD - Standardization Data Screen.

SCRNCD: LOLSTD

LOGISTICS ON-LINE ACCESS

DATE: 19-FEB-93

USERID: LSC1992

STANDARDIZATION DATA

TIME: 09:13

ITEM NAME: CIRCUIT CARD ASSEMBLY

NSN: 5998-00-067-9287

RELATED-NSN	ISC	ORG-STDZN-DEC	DT-STDZN-DEC	NIIN-STAT-CODE
	6	BD	67303	0

** END OF VIEW **

F1=HELP	F2=CLEAR SCR	F3=LOLA MENU	F4=MAIN MENU	F5=CANCEL	F6=
F7=PAGE UP	F8=PAGE DOWN	F9=	F10=	F11=	F12=

- a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the Standardization Data Segment View as an output option. When multiple screens are needed to display information, MORE DATA, END OF DATA, or END OF VIEW will appear at the bottom of the screen.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the Standardization Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Prev NSN	Displays the previous NSN if more than one NIIN was selected.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Next NSN	Displays the next NSN if more than one NSN was selected.

F10 Print

Sends the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility.

F11 Download to PC

Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

B.60 LOLSUP - CAGE/Supplier Data Screen.

SCRNCD: LOLSUP

LOGISTICS ON-LINE ACCESS

DATE: 19-FEB-93

USERID: LSC1992

CAGE/SUPPLIER DATA

TIME: 09:59

CAGE CODE: 11083

AFFILIATED CAGE CODE:

11083

PHONE NUMBER =======> 309-675-6922

COMPANY NAME AND CATERPILLAR INC

ADDRESS: 100 NE ADAMS ST

PEORIA, IL

61629

TYPE =====> A U.S./CANADA MANUFACTURERS STATUS ====> A CAGE/NSCM ACTIVE RECORD. COMPANY CURRENTLY IN OP

** END OF VIEW **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7= F8= F9=

F10=EXP-CAGE F11=DOWNLOAD TO PC

- a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the CAGE/Supplier Data Segment View as the output option.
 - b. Field Entry Requirements. There are no field entries for this screen.
- c. Available Function Keys. The following unique function keys may be used from the CAGE/Supplier Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Prev NSN	Displays the previous NSN if more than one NSN was selected.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Next NSN	Displays the next NSN if more than one NSN was selected. Returns to Item Cage Pick List if user came from there.

F10 Print

Sends the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility.

F11 Download to PC

Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

(ENTER) Display

Replacement Cage Data Displays data on replacement cage.

B.61 LOLTBL - MRC Reply Selection (Tables) Screen.

SCRNCD: LOLTBL

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

MRC REPLY SELECTION (TABLES)

TIME: 10:40

INC: 00199

ITEM NAME: ADHESIVE TAPE, SURGI

MRC: HUES COLOR

TA	G CODE		REPLY-VALUE	REPL	Y-COUNT
_	MS0013				1
	NA0000	NATURAL			1
	WH0000	WHITE			3

** END OF DATA **

OPTIONAL REPLY CODE :___

<MSG 0655> PRESS PF12 TO DISPLAY TEXT REPLY

OR CONDITION IS CURRENTLY ACTIVE

F7= F8=

F9=

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F10=AND

F11=

F12=TEXT

a. Screen Explanation. This screen displays the reply value for a selected MRC that has a single table as the characteristic. There is only one keyword which may be entered to initiate a reply on the LOLTBL screen. The keyword is TO, DISPLAY, PROCESS, ?. The format is the reply table in the example below.

ENTRY EXAMPLE:

KEYWORD	CRITERIA	EXPLANATION
DISPLAY	AD0001	to display the characteristics for Table AD0001.
DISPLAY	AD0001 TO ?	to display the characteristics for Table AD0001 to end of file.
DISPLAY	AD0001 TO AG0500	to display the characteristics for Table AD0001 through AG0500 inclusive.

PROCESS AD0001 to process the characteristics for Table AD0001.

PROCESS AD0001 TO? to process the characteristics for Table AD0001 to end of

file.

PROCESS AD0001 TO AG0500 to process the characteristics for Table AD0001 through

AG0500 inclusive.

Also see LOLDIM, LOLMLT, LOLNUM, LOLTXT, and LOLTOL for other characteristics.

b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name: TAG
Entry Requirement: May be entered as with multiple TAG fields.

Valid Entries: X

Results: Transfers to the Characteristics Search Results (LOLRES)

screen when F6 (Process) is pressed.

(2) Field Name: OPTIONAL REPLY VALUE

Entry Requirement: Must be valid keyword and criteria.

Valid Entries: DISPLAY, PROCESS, TO, ?

Results: DISPLAY will reduce number of reply values available

with given criteria. PROCESS will transfer to the Charac-

teristics Search Results Screen.

c. Available Function Keys. The following unique function keys may be used from the MRC Reply Selection (Tables) screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Process	Transfers to the Characteristics Search Results (LOLRES) screen.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
EO	NI. AMDC	

F9 Next MRC Displays the next MRC if more than one was selected.

F10 AND/OR A toggle to allow either 'AND' or 'OR' selections from the Reply-

Value screen. 'OR' will allow for MRC to contain either of the replys

picked. 'AND' - MRC will contain all of the replys picked.

NOTE: Selection shows in the message field as to current toggle.

F12 Text

Transfers to the MRC Reply Selection (Text) screen (LOLTXT) if available for this MRC.

B.62 LOLTOL - MRC Reply Selection (Tolerances) Screen.

SCRNCD: LOLTOL

LOGISTICS ON-LINE ACCESS

DATE: 25-FEB-93

USERID: LSC1949

MRC REPLY SELECTION (TOLERANCES)

TIME: 11:14

INC: 00009

ITEM NAME: RESISTOR, ADJUSTABLE

MRC: AAPQ RESISTANCE TOLERANCE IN PERCENT

TAG	MINIMUM	MAXIMUM	REPLY-COUNT		
	-20.000000	20.0000000	3		
_	-15.0000000	10.000000	1		
_	-15.0000000	15.0000000	6		
_	-10.0000000	5.0000000	1		
_	-10.000000	10.0000000	1283		
	-10.000000	20.000000	1		
	-5.0000000	5.0000000	629		
	-5.000000	10.0000000	163		
	-5.000000	50.0000000	1		
	-2.000000	2.0000000	4		
		** MORE **			

OPTIONAL CODED VALUE:

<MSG 0600> TYPE AN "X" ON ONE OR MORE REPLY VALUES AND PRESS <PF6> OR CONDITION IS CURRENTLY ACTIVE

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8=PAGE DOWN F9=NEXT MRC F10=AND F11= F12=

a. Screen Explanation. This screen displays the reply value for a selected MRC using dimensions as the input characteristic. The Optional Reply Value will enable users to reduce number of reply values and to specify characteristics to be processed. The keywords which may be used to intiate a reply on the LOLTOL screen are MIN, MAX, DISPLAY, PROCESS, TO, ?. In the format entry example below, the criteria is a unit of measure.

ENTRY EXAMPLE:

KEYWORD	CRITERIA	EXPLANATION
DISPLAY	100	to display the characteristics for the item displayed having a tolerance of 100.
DISPLAY	100 TO ?	to display the characteristics for the item displayed having a tolerance of 100 to the end of file.

DISPLAY	100 TO 500	to display the characteristics for the item displayed having tolerances of 100 through 500 inclusive.
DISPLAY	100 WITHIN 5%	to display the characteristics for the item displayed having a tolerance within the range of 5% of 100.
PROCESS	100	to process the characteristics for the item displayed having a tolerance of 100.
PROCESS	100 TO ?	to process the characteristics for the item displayed having a tolerance of 100 to end of file.
PROCESS	100 TO 500	to process the characteristics for the items displayed having tolerances of 100 through 500 inclusive.
PROCESS	100 WITHIN 5%	to display the characteristics for the items displayed having a tolerance within the range of 5% of 100.

Also see LOLDIM, LOLMLT, LOLNUM, LOLTBL, and LOLTXT for other characteristics.

b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name:

TAG

Entry Requirement:

May be entered as with multiple TAG fields.

Valid Entries:

X

Results:

Transfers to the Characteristics Search Results (LOLRES)

screen when F6 (Process) is pressed.

(2) Field Name:

OPTIONAL REPLY VALUE

Entry Requirement:

Must be valid keyword and criteria.

Valid Entries:

DISPLAY, PROCESS, TO, WITHIN, %, ?

Results:

DISPLAY will reduce number of reply values available

with given criteria. PROCESS will transfer to the Charac-

teristics Search Results Screen.

c. Available Function Keys. The following unique function keys may be used from the MRC Reply Selection (Tolerances) screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Process	Transfers to the Characteristics Search Results (LOLRES) screen.
F 7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Next MRC	Displays the next MRC if more than one was selected.
F10	AND/OR	Toggles between 'AND' and 'OR' processing. If user presses F10 and F6, 'AND' processing will be active. Processing will default to 'OR'.
F12	Text	Transfers to the MRC Reply Selection (Text) screen (LOLTXT) if available for this MRC.

B.63 LOLTXT - MRC Reply Selection (Text) Screen.

SCRNCD: LOLTXT

LOGISTICS ON-LINE ACCESS

DATE: 18-FEB-93

USERID: LSC1992

MRC REPLY SELECTION (TEXT)

TIME: 16:02

INC: 61638

ITEM NAME: CIRCUIT CARD ASSEMB

MRC: AEAS MAJOR COMPONENTS

TAG

REPLY-VALUE

- AMPLIFIER 3; CAPACITOR 18; PRINTED WIRING BOARD 1; RESISTOR 33; TRANSISTOR 3
- BINDING POST 3, BUSHING 1, CAP 22, KNOB 1, PRINTED WIRING BOARD 1, RECEPTACLE 90, REINFORCEMENT MOJO 6, RESISTOR 45, STAND-OFF 5, SWITCH 2
- **BOARD PRINTED WIRING 1, RESISTOR 4**
- CAPACITOR 1, CONNECTOR 1, PRINTED WIRING BOARD 1
- CAPACITOR 11, DIODE 1, PRINTED WIRING BOARD 1, RESISTOR 50, TRANSISTOR 22
- CAPACITOR 13, PRINTED WIRING BOARD 1, RELAY 2, RESISTOR 25
- CAPACITOR 15: RESISTOR 25: MICROCIRCUIT 5: PRINTED WIRING BOARD 1: CONNEC-TOR 1

** MORE **

SEARCH:__

<MSG 0600> TYPE AN "X" ON ONE OR MORE REPLY VALUES AND PRESS <PF6> OR CONDITION IS CURRENTLY ACTIVE

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7= F8=PAGE DOWN F9=

F10=AND

F11=

F12≈

a. Screen Explanation. This screen displays the reply value for a selected MRC using dimensions as the input characteristic. The Optional Reply Value will enable users to reduce number of reply values and to specify characteristics to be processed. The keywords which may be used to initiate a reply on the LOLTXT screen are MIN, MAX, DISPLAY, PROCESS, TO, ?. In the format entry example below, the criteria is a unit of measure.

ENTRY EXAMPLES:

CRITERIA KEYWORD

DISPLAY

Bolt? Engine? Screw?

PROCESS

Bolt? Engine? Screw?

Also see LOLDIM, LOLMLT, LOLNUM, LOLTBL, and LOLTOL for other characteristics.

b. Field Entry Requirements. The valid field entries are described below.

Field Name: (1)

TAG

Entry Requirement:

May be entered with multiple TAG fields.

Valid Entries:

Results:

Transfers to the Characteristics Search Results (LOLRES)

screen when F6 (Process) is pressed.

(2) Field Name: **OPTIONAL REPLY VALUE**

Entry Requirement:

Must be valid keyword and criteria. One to three key-

words, at least two characters per keyword. Keywords

must end with ?.

Valid Entries:

DISPLAY, PROCESS

Results:

DISPLAY will reduce number of reply values available

with given criteria. PROCESS will transfer to the Charac-

teristics Search Results Screen.

c. Available Function Keys. The following unique function keys may be caused from the MRC Reply Selection (Text) screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel

Cancels current search and returns to the screen the search was

started.

F6 **Process** Transfers to the Characteristics Search Results (LOLRES) screen.

F7 Page Up Displays the prior page of the current file being viewed.

F8 Page Down Displays the next page of the current file being viewed.

F9 Next MRC Displays the next MRC if more than one was selected.

B.64 LOLXCC - Expanded CAGE Code Inquiry.

SCRNCD: LOLXCC

LOGISTICS ON-LINE ACCESS

DATE: 02-MAR-93

USERID: LSC1992

EXPANDED CAGE CODE INQUIRY

TIME: 11:13

CAGE-CD: 53469

TYPE-CD: A

STATUS: Α DATE ESTAB: 11/04/74

FOR/DOM: 1

DESI-CD:

MIN-ADRS:

RPLM-CAGE:

ASSOC-CD: 50587

AFFIL-CD: D CNSI: U

DEBRD-CD: DTA-PRT-CD:

COMPANY NAME:

STR: 1500 GREEN HILLS RD

PLESSEY SEMICONDUCTORS CORP

BOX: P O BOX 660017

CITY: SCOTTS VALLEY CA

STATE: CA

CTRY: UNITED STATES

ZIP: 95067-0017

EXCP:

CAO:

ADP:

STD-IND-CLASS-CODES:

SIZE: E

PRIMARY BUSINESS: J TYPE: N

WOMAN OWNED: N TEL-NBR: 408-438-

2900

FIPS-CODES

COUNTY-CODE: 087

CITY-CODE: 70588

STATE-CODE: 06

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7=PREV F8=NEXT F9=CLR-TEXT

F10=CHG-DATA F11=PRINT F12=DOWNLOAD

- a. Screen Explanation. This screen displays the Expanded CAGE Code Inquiry when an user enters an Associated CAGE Code.
- b. Field Entry Requirements. There are no field entries for this screen. Other fields shown on the screen are display only fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the Expanded CAGE Code Inquiry screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel Cancels current search and returns to the screen the search was

started.

F9 Clr-Text Displays the clear text data (LOLCLT) screen.

F10

Chg-Data

Displays the change text (LOLCGC) data screen.

F11 Print

Sends the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility.

F12 Download to PC

Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

B.65 LOLXME - MOE Master Exclusive FSG/FSC Screen.

SCRNCD: LOLXME	LOGISTICS ON-LINE ACCESS	DATE: 01-JUL-94
USERID: LSC1992	MOE MASTER EXCLUSIVE FSG/FSC	TIME: 10:00

MOE RULE NUMBER: A182

EXCLUSIVE FSG/FSC

1040	1045	1055	1070	1075	1080	1090	1670
1680	1820	1830	1840	1850	1860	2020	2030
2050	2060	2090	32	3610	3655	3690	3940
4120	4130	4920	4921	4923	4925	4927	4933
5355	6105	6110	6115	6116	6120	6150	62
6320	6340	6350	6605	6610	6615	6620	6635
6655	6670	6675	6680	68	7610	7630	7640
7660	7670	7690	8120	9110	9150	9160	

^{**} END OF DATA **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2= F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8= F9= F10= F11= F12=

a. Screen Explanations. This screen is displayed after the user presses F10 (Exclusion) from the MOE Master Inquiry screen (LOLXMR).

When multiple screens are needed to display the information, <MORE DATA> or <END OF DATE> will appear at the bottom of the screen. The last screen in the series will also display the Total for all fields.

- b. Field Entry Requirements. There are no valid field entries for this screen. Other fields shown on the screen are display-on fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the Exclusion FSG/FSC Data screen. All Standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e. of this document.
- F5 Cancel Cancels current search/inquiry and returns control to the previously displayed screen.

B.66 LOLXMI - MOE Master Inclusive FSG/FSC Screen.

SCRNCD: LOLXMI

LOGISTICS ON-LINE ACCESS

DATE: 01-JUL-94

USERID: LSC1992

MOE MASTER INCLUSIVE FSG/FSC

TIME: 09:49

MOE RULE NUMBER: N9LY

INCLUSIVE FSG/FSC

7210	83	8405	8410	8415	8420	8425	8430
8435	8440	8445	8450	8455	8460	8465	8470

** END OF DATA **

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7=

F8=

F9=

F19 =

F11=

F12=

a. Screen Explanations: This screen is displayed after the user presses F9 (Inclusion) from the MOE Master Inquiry screen (LOLXMR).

When multiple screens are needed to display information, <MORE DATA> or <END of DATA> will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.

- b. Field Entry Requirements. Therre are no valid field entries for this screen. Other fields shown on the screen are display-only fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the Inclusion FSG/FSC Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel

Cancels current search/inquiry and returns control to the previously displayed screen.

B.67 LOLXMN - MOE Master Management Inquiry Screen.

SCRNCD: LOLXMN

LOGISTICS ON-LINE ACCESS

DATE: 28-JUN-94

USERID: LSC1992

MOE MASTER MANAGEMENT INQUIRY

TIME: 15:09

MOE RULE NUMBER: A506

TYPE LAST ACT:

EFFECTIVE DATE: 31-AUG-79

DATE LAST CHG: 31-AUG-79

** MANAGEMENT EXCEPTION NOTES **

COMSEC ITEMS

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7=

F8=

F9=

F10=

F11=

F12=

- a. Screen Explanations. This screen is displayed when the user presses F6 from the MOE Master Inquiry screen (LOLXMR).
- b. Field Entry Requirements. There are no valid entries for this screen. Other fields shown on the screen are display-only fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the MOE Master Management Inquiry screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel Cancels current search/inquiry and returns control to the previously

displayed screen.

B.68 LOLXMR - MOE Master Inquiry Screen.

SCRNCD: LOLXMR

LOGISTICS ON-LINE ACCESS

DATE: 28-JUN-94

USERID: LSC1992

MOE MASTER INQUIRY

TIME: 13:40

MOE RULE NUMBER: NIR5

EFFECTIVE DATE: 27-JUN-91

DATE LAST CHG: 27-JUN-91

REPLACE MOE RULE NUMBER(S):

STATUS CODE: 0

NIIN COUNT: 0000000000

MOE CD: DN

PICA: KE PICA LOA: 06

SICA: SICA LOA:

SUBMITTERS: KE

COLLABORATOR: KE

RECEIVERS: KE KF

MGMT CODE ==> NAVY:

1

DOD:

CRYPTOLOGICAL:

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=MGMT EXCP

F7= F8=

F9=INCLUSION F10=EXCLUSION F11=PRINT F12=DOWNLOAD

a. Screen Explanations. This screen is displayed when a user enters a MOE Rule and an Effective Date on the MOE Rule Data Inquiry screen (LOLMOL) or when a MOE Rule was tagged on the MOE Rule EFF-DATE Pick List screen (LOLMOP).

When multiple screens are needed to display information, <MORE DATE> or <END OF DATA> will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.

- b. Field Entry Requirements. There are no valid field entries for this screen. Other fields shown on the screen are display-only fields and will display data based on the entries made.
- c. Available Function Keys. the following unique function keys may be used from the MOE Rule Data screen. All Standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of the document.

F5 Cancel

Cancels current search/inquiry and returns control to the previously

displayed screen.

F6 Mgmt Excp

Transfers control to the MOE Master Management Inquiry screen

(LOLXMN).

F9 Inclusion

Transfers control to the Moe Master Inclusive screen (LOLXMI).

F10 Exclusive

Transfers control to the MOE Master Exclusive screen

(LOLXME).

F11 Print

Sends the screen data to a printer.

F12 Download

Transfers the screen data to a PC.

B.69 LOLXMS - STAT MOE Master Inquiry Screen.

SCRNCD: LOLXMS

LOGISTICS ONLINE ACCESS

DATE: 28-JUN-94

USERID: LSC1992

STAT MOE MASTER INQUIRY

TIME: 13:50

TOTALS REQUESTED FOR PERIOD: 31-AUG-79

THRU 18-FEB-94

TOTALS

EFFECTIVE DATED INCLUDED IN TOTALS

ADDED:

0000012

ADDED:

0000000

CHANGE:

0000002

CHANGE:

0000000

CANCELLED:

0000013

CANCELLED:

0000000

INQUIRIES:

0000043

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7= F8= F9= F10=F11=PRINT F12=DOWNLOAD

a. Screen Explanations. This screen is displayed after a user enters a Data Range on screen LOLMOL and presses <ENTER>.

When multiple screens are needed to display information, <MORE DATA> or <END OF DATA> will appear at the bottom of the screen. The last screen in the series will also display the Totals for all fields.

- b. Field Entry Requirements. There are no valid field entries for this screen. Other fields shown on the screen are display-only fields and will display data based on the entries made.
- c. Available Function Keys. The following unique function keys may be used from the MOE Rule Statistics screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5 Cancel Cancels current search/inquiry and returns control to the previously

displayed screen.

F11 Print Sends the screen data to a printer.

F12 Download Transfers the screen data to a PC

B.70 - LOLXRF - Reference/Part Number Data Screen.

SCRNCD: LOLXRF

LOGISTICS ON-LINE ACCESS

DATE: 19-FEB-93

USERID: LSC1992

REFERENCE/PART NUMBER DATA

TIME: 09:07

ITEM NAME: CIRCUIT CARD ASSEMBLY

NSN: 5998-00-067-9287

REFERENCE/PART NUMBER	CAGE R	NCC	RNVC	DAC	RNAAC	RNFC	RNSC	RNJC SADC
610R334G01	97942	3	2	1	KE	3	D	

** END OF VIEW **

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6= F7=PAGE UP F8=PAGE DOWN F9= F10= F11= F12=

- a. Screen Explanation. This screen displays the inquiry results when the user chooses the CRT as the output media and the Reference/Part Number Data Segment View as an output option.
- b. Field Entry Requirements. There are no valid field entries for this screen not covered by Section 16.9.B.55.c, Available Function Keys. When multiple screens are needed to display information, MORE DATA, END OF DATA, or END OF VIEW will appear at the bottom of the screen.
- c. Available Function Keys. The following unique function keys may be used from the Reference/Part Number Data screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	Prev NSN	Displays the previous NSN if more than one NSN was selected.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	Next NSN	Displays the next NSN if more than one NSN was selected.

F10 Print

Sends the information displayed to the printer associated with your terminal. Available only after special access has been granted by the security administrator for your facility.

F11 Download to PC

Sends the information displayed on the screen to a PC disk file. Available only after special access has been granted by the security administrator for your facility.

APPENDIX B - PART 2 SCREEN LAYOUTS

This appendix contains the Screen Layouts and how to use the screens.

The following are the only LOLA screens that may be directly invoked using Expert Navigation:

- 1. LOLINQ Start Inquiry Screen
- 2. LOLCHS Start Characteristics Search Screen
- 3. LOLSRC Start FSG/FSC Item Name Search Screen
- 4. LOLUPD LOLA On-Line Update

Within any LOLA Subsystem screen, you may jump to any of the screens available to your group. This is defined in the Table REC_MENU3.

B.71 LOLUPD - LOLA Update Main Menu Screen.

N400S

SCRNCD: LOLUPD USERID: XXXXXXXX LOLA UPDATE MAIN MENU

DATE: XXXXXXXXX

TIME: XXXXX

NIIN ASSIGNMENT

NIIN REINSTATEMENT

MAINTAIN DATA ELEMENT

MAINTAIN DATA GROUP

CHANGE PSCN TO NIIN

REVIEW UPDATE RESULTS

POSITION CURSOR NEXT TO DESIRED OPTION AND PRESS <ENTER> KEY

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=

F6=

F7=

F8=

F9=

F10=

F12=

Figure B.48-01 LOLA UPDATE MAIN MENU

a. Screen Explanation. This screen allows the user to select the type of update to be performed. After making a selection, the TRANSACTION HEADER screen will be displayed. After entering all required data, the appropriate input screen/menu will be displayed dependant on the selection made on this screen.

b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

NIIN ASSIGNMENT

Entry Requirement:

Position the cursor next to this option and press enter.

Valid Entries:

No entry is required.

Results:

Sends the user to the TRANSACTION HEADER screen,

then to the NIIN Assignment selection menu DICs LNC,

LNK, LNP, LNR, LNW.

(2) Field Name:

NIIN REINSTATEMENT

Entry Requirement:

Position the cursor next to this option and press enter.

Valid Entries:

No entry is required.

Results:

Sends the user to the TRANSACTION HEADER screen,

then to the NIIN Reinstatement selection menu DICs

LBC, LBK, LBR, LBW.

(3) Field Name:

MAINTAIN DATA ELEMENT

Entry Requirement:

Place the cursor next to this option and press enter.

Valid Entries:

No entry is required.

Results:

Sends the user to the TRANSACTION HEADER screen then to the DATA ELEMENT MAINTENANCE menu

DICs LAD, LCD, LDD, LCG.

(4) Field Name:

MAINTAIN DATA GROUP

Entry Requirement:

Position the cursor next to this option and press enter.

Valid Entries:

No entry is required.

Results:

Sends the user to the TRANSACTION HEADER screen, then to the DATA GROUP MAINTENANCE menu DICs

LAU, LAM, LAR, etc.

(5) Field Name:

CHANGE PSCN TO NIIN

Entry Requirement:

Position the cursor next to this option and press enter.

Valid Entries:

No entry is required.

Results:

Sends the user to the TRANSACTION HEADER screen

then to the CHANGE PSCN TO NIIN screen (DIC LCP).

(6) Field Name:

REVIEW UPDATE RESULTS

Entry Requirement:

Position the cursor next to this option and press enter.

Valid Entries:

No entry is required.

Results:

Sends the user to the TRANSACTIONS COMPLETED

LIST screen.

c. Available Function Keys. No unique function keys are used from the LOLA UPDATE MAIN MENU screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

B.72 LOLHDR - Transaction Header Screen.

N401S

SCRNCD: LOLHDR

LOLA UPDATE

DATE: XXXXXXXX

USERID: XXXXXXXX

TRANSACTION HEADER

TIME: XXXXX

NATIONAL STOCK NUMBER:

XXXX-XX-XXXX

DOCUMENT CONTROL NUMBER:

XXXXXXX

ORIGINATING ACTIVITY:

XX

SUBMITTING ACTIVITY:

XX

TRANSACTION DATE:

XXXXX

<MSG 1682> ENTER REQUIRED DATA AND PRESS <ENTER>

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=

F7=

F8=

F9=

F10=

F12=

a. Screen Explanation. This screen allows the user to enter update Header criteria. All of the fields on this screen are MANDATORY. When all of the fields have been filled press ENTER. At this time each field is checked to see if the values entered are valid. If an invalid or missing value is entered a message will be displayed on the screen. It is important to note that the checks that are being made are valid entry or "basic edits". For example ORIGINATING ACTIVITY is checked to see if a valid Activity Code was entered, not that the Activity entered can originate this transaction. SUBMITTING ACTIVITY is automatically loaded from your 'USER PROFILE' and cannot be changed.

b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

NATIONAL STOCK NUMBER

Entry Requirement:

For maintenance transactions enter the NIIN only. The cursor will be located at the first position of the NIIN field. The appropriate FSC will be loaded for you. For new NSN assignment enter the appropriate FSC only, a

new NIIN will be assigned for you at DLSC.

Valid Entries:

The 9 position NIIN, for maintenance transactions or the

4 position FSC, for new NIIN assignments.

Results:

Be moved to the Document Control Number field.

(2) Field Name: DOCUMENT CONTROL NUMBER

Entry Requirement:

The 7 position Document Control Number.

Valid Entries:

Any Alpha-Numeric characters.

Results:

Be moved to the Originating Activity field.

(3) Field Name: **ORIGINATING ACTIVITY**

Entry Requirement:

A valid Activity Code.

Valid Entries:

A two position alpha-numeric Activity Code.

Results:

Be moved to the Submitting Activity field.

Field Name: (4)

TRANSACTION DATE

Entry Requirement:

The Julian Date that the transaction is to be processed on. Today's date will be displayed by default, for EFFEC-

TIVE DATED transactions enter the appropriate Effective

Date.

Valid Entries:

The Julian Date is a 5 position Numeric field that is structured as follows: YYDDD. Where the first 2 positions are the Year and the last 3 positions are the Day,

i.e., 91234.

Results:

This Header portion of the transaction is now ready for

Submittal. Press ENTER to process the Header and to

start building the transaction.

c. Available Function Keys. The following unique function keys may be used from the TRANSACTION HEADER screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 **CANCEL** Cancels the current transaction and returns to the LOLA Update Main

Menu.

B.73 LOLSSM - Type of NIIN Assignment.

N402S

SCRNCD: LOLSSM

LOLA UPDATE

DATE: XXXXXXXX

USERID: XXXXXXXX

TYPE OF NIIN ASSIGNMENT

TIME: XXXXX

- NIIN ASSIGNMENT PARTIAL DESCRIPTION W/REFERENCE NUMBERS
- NIIN ASSIGNMENT REFERENCE METHOD
- PSCN ASSIGNMENT FULL DESCRIPTION W/REFERENCE NUMBERS
- NIIN ASSIGNMENT FULL DESCRIPTION W/REFERENCE NUMBERS
- NIIN ASSIGNMENT FULL DESCRIPTION W/O REFERENCE NUMBERS

<MSG 2287> POSITION CURSOR TO SELECTION AND PRESS <ENTER>

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=

F7= F8= F9= F10=

- a. Screen Explanation. This screen allows the user to select the type of Item Identification that is to be applied to the NIIN assignment transaction.
 - b. Field Entry Requirements. The valid entries are described below.
 - (1) Field Name: (LNC) NIIN ASSIGNMENT PARTIAL DESCRIPTION

W/REFERENCE NUMBERS

Entry Requirement:

Position the cursor next to this option and press ENTER.

Valid Entries:

No entries are required.

Results:

The following Data Group input screens will be displayed: ITEM IDENTIFICATION, MOE RULE, REFER-ENCE NUMBER, STANDARDIZATION, CATALOG

MANAGEMENT, and CHARACTERISTICS.

Field Name: (2)

(LNK) NIIN ASSIGNMENT REFERENCE METHOD

Entry Requirement:

Position the cursor next to this option and press ENTER.

Valid Entries:

No entries are required.

Results:

The following Data Group input screens will be displayed: ITEM IDENTIFICATION, MOE RULE, REFER-ENCE NUMBER, STANDARDIZATION, and CATA-

LOG MANAGEMENT.

(3) Field Name:

(LNP) PSCN ASSIGNMENT FULL DESCRIPTION

W/REFERENCE NUMBERS

Entry Requirement:

Position the cursor next to this option and press ENTER.

Valid Entries:

No entries are required.

Results:

The following Data Group input screens will be displayed: ITEM IDENTIFICATION, REFERENCE NUMBER, STANDARDIZATION, and CHARACTERISTICS.

(4) Field Name:

(LNR) NIIN ASSIGNMENT FULL DESCRIPTION

W/REFERENCE NUMBERS

Entry Requirement:

Position the cursor next to this option and press ENTER.

Valid Entries:

No entries are required.

Results:

The following Data Group input screens will be dis-

played: ITEM IDENTIFICATION, MOE RULE, REFERENCE NUMBER, STANDARDIZATION, CATALOG

MANAGEMENT, and CHARACTERISTICS.

(5) Field Name:

(LNW) NIIN ASSIGNMENT FULL DESCRIPTION W/O

REFERENCE NUMBERS

Entry Requirement:

Position the cursor next to this option and press ENTER.

Valid Entries:

No entries are required.

Results:

The following Data Group input screens will be displayed: ITEM IDENTIFICATION, MOE RULE, STAN-

DARDIZATION, CATALOG MANAGEMENT, and

CHARACTERISTICS.

c. Available Function Keys. The following unique function keys may be used from the TYPE OF NIIN ASSIGNMENT screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

B.74 REINST - Type of Reinstatement Screen.

N403S

SCRNCD: REINST

USERID: XXXXXXXX

LOLA UPDATE

DATE: XXXXXXXX

TYPE OF NIIN REINSTATEMENT

TIME: XXXXX

- REINSTATE NIIN PARTIAL DESCRIPTION W/REFERENCE NUMBERS
- _ REINSTATE NIIN REFERENCE METHOD
- REINSTATE NIIN FULL DESCRIPTION W/REFERENCE NUMBERS
- _ REINSTATE NIIN FULL DESCRIPTION W/O REFERENCE NUMBERS

<MSG 2287> POSITION CURSOR TO SELECTION AND PRESS <ENTER>

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6= F7= F8= F10= F12=

- a. Screen Explanation. This screen allows the user to select the type of Item Identification that is to be applied to the NIIN Reinstatement transaction.
 - b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

(LBC) REINSTATE NIIN PARTIAL DESCRIPTION

W/REFERENCE NUMBERS

Entry Requirement:

Position the cursor next to this option and press ENTER.

Valid Entries:

No entries are required.

Results:

The following Data Group input screens will be dis-

played: ITEM IDENTIFICATION, MOE RULE, REFERENCE NUMBER, CATALOG MANAGEMENT, and

CHARACTERISTICS.

(2) Field Name:

(LBK) REINSTATE NIIN REFERENCE METHOD

Entry Requirement:

Position the cursor next to this option and press ENTER.

Valid Entries:

No entries are required.

Results:

The following Data Group input screens will be dis-

played: ITEM IDENTIFICATION, MOE RULE, REFERENCE NUMBER, and CATALOG MANAGEMENT.

(3) Field Name:

(LBR) REINSTATE NIIN FULL DESCRIPTION

W/REFERENCE NUMBERS

Entry Requirement:

Position the cursor next to this option and press ENTER.

Valid Entries:

No entries are required.

Results:

The following Data Group input screens will be dis-

played: ITEM IDENTIFICATION, MOE RULE, REFERENCE NUMBER, CATALOG MANAGEMENT, and

CHARACTERISTICS.

(4) Field Name:

(LBW) REINSTATE NIIN FULL DESCRIPTION W/O

REFERENCE NUMBERS

Entry Requirement:

Position the cursor next to this option and press ENTER.

Valid Entries:

No entries are required.

Results:

The following Data Group input screens will be displayed: ITEM IDENTIFICATION, MOE RULE, CATA-

LOG MANAGEMENT, and CHARACTERISTICS.

c. Available Function Keys. The following unique function keys may be used from the TYPE OF NIIN REINSTATEMENT screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

B.75 LOLGRP - Data Group Maintenance Screen.

N404S

SCRNCD: LOLGRP

USERID: XXXXXXXX

LOLA UPDATE

DATE: XXXXXXXXX

DATA GROUP MAINTENANCE

TIME: XXXXX

- MOE RULE DATA
- REFERENCE NUMBER DATA
- _ ADD NIIN AS REFERENCE NUMBER (LAB)
- STANDARDIZATION DATA
- FREIGHT DATA
- _ CATALOG MANAGEMENT DATA
- CHARACTERISTICS DATA

ENTER ONE CRITERIA AND PRESS THE <ENTER> KEY ENTER "A"(ADD), "C"(CHANGE), or "D"(DELETE)

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6= F7= F8= F9= F10= F12=

- a. Screen Explanation. This screen allows the user to enter their update criteria. This screen is for the Data Group maintenance, see the "RESULTS" portion of the Field Entry Requirements (below), for the specific DIC that will be generated from your choice.
 - b. Field Entry Requirements. The valid field entries are described below.

(1) Field Name:

MOE RULE DATA

Entry Requirement:

Position the cursor next to this option and enter the ap-

propriate code.

Valid Entries:

(A) to add to the MOE RULE Data Group, (D) to delete

from the MOE RULE Data Group or (C) to change a

MOE RULE Data Group.

Results:

Selecting this option creates an LAU, LDU or LCU trans-

action.

(2) Field Name:

REFERENCE NUMBER DATA

Entry Requirement:

Position the cursor next to this option and enter the ap-

propriate code.

Valid Entries:

(A) to add, (C) to change, or (D) to delete from the REF-

ERENCE NUMBER Data Group.

Results:

Selecting this option creates an LAR, LCR, or LDR trans-

action.

(3) Field Name:

ADD NIIN AS REFERENCE NUMBER (LAB)

Entry Requirement:

Position the cursor next to this option and enter the ap-

propriate code.

Valid Entries:

(A) to add is the only valid option.

Results:

Selecting this option creates an LAB transaction.

(4) Field Name:

STANDARDIZATION DATA

Entry Requirement:

Position the cursor next to this option and enter the ap-

propriate code.

Valid Entries:

(C) to change the STANDARDIZATION DATA.

Results:

Selecting this option creates an LCS to change RE-

PLACED NIIN, or an LCZ to change a REPLACEMENT NIIN. The appropriate DIC will be determined program-

matically.

(5) Field Name:

STANDARDIZATION RELATIONSHIP

Entry Requirement:

Position the cursor next to this option and enter the ap-

propriate code.

Valid Entries:

(A) to add, or (D) to delete from the STANDARDIZA-

TION Data Group.

Results:

Selecting this option creates an LAS to add REPLACED

NSN's, or LDS to delete REPLACED NSNs.

(6) Field Name:

FREIGHT DATA

Entry Requirement:

Position the cursor next to this option and enter the ap-

propriate code.

Valid Entries:

(A) to add, (C) to change, or (D) to delete from the

FREIGHT Data Group.

Results:

Selecting this option creates an LAF, LCF or LDF trans-

action.

(7) Field Name:

CATALOG MANAGEMENT DATA

Entry Requirement:

Position the cursor next to this option and enter the ap-

propriate code.

Valid Entries:

(A) to add, (C) to change, or (D) to delete from the

FREIGHT Data Group.

Results:

Selecting this option will create a LAF, LCF, of LDF

transaction.

(8) Field

Field Name:

CHARACTERISTICS DATA

Entry Requirement:

Position the cursor next to this option and enter the ap-

propriate code.

Valid Entries:

(A) to add, (C) to change, or (D) to delete from the

CHARACTERISTICS DATA Group.

Results:

Selecting this option will create an LCC transaction.

c. Available Function Keys. The following unique function keys may be used from the DATA GROUP MAINTENANCE screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

B.76 LOLELE - Data Element Maintenance Screen.

N405S

SCRNCD: LOLELE

LOLA UPDATE

DATE: XXXXXXXXX

USERID: XXXXXXXX

DATA ELEMENT MAINTENANCE

TIME: XXXXX

ITEM IDENTIFICATION DATA

_ MOE RULE DATA

_ FREIGHT DATA

CATALOG MANAGEMENT DATA

ADD (LAD) -A CHANGE (LCD) - C DELETE (LDD) - D CHANGE (LCG) - F ENTER ONE CRITERIA AND PRESS <ENTER> KEY

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=

F7= F8=

F9=

F10 =

F12=

- a. Screen Explanation. This screen allows the user to select the type of Data Element maintenance transaction to be performed. One of the codes displayed on the bottom of the screen must be entered next to one of the selections.
 - b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

ITEM IDENTIFICATION DATA

Entry Requirement:

Position the cursor next to this selection and enter the

appropriate code.

Valid Entries:

An A, C, D, or F.

Results:

Entering a 'A' will create an LAD transaction. Entering a 'C' will create an LCD transaction.

Entering a 'D' will create an LCD transaction. Entering a 'F' will create an LCG transaction.

(2) Field Name:

MOE RULE DATA

Entry Requirement:

Position the cursor next to this selection and enter the

appropriate code.

Valid Entries:

An A, C, or D.

Results:

Entering a 'A' will create an LAD transaction.

Entering a 'C' will create an LCD transaction.

Entering a 'D' will create an LDD transaction.

(3) Field Name:

FREIGHT DATA

Entry Requirement:

Position the cursor next to this selection and enter the

appropriate code.

Valid Entries:

An A, C, or D.

Results:

Entering a 'A' will create an LAD transaction. Entering a 'C' will create an LCD transaction. Entering a 'D' will create an LDD transaction

(4) Field Name:

CATALOG MANAGEMENT DATA

Entry Requirement:

Position the cursor next to this selection and enter the

appropriate code.

Valid Entries:

An A, C, or D.

Results:

Entering a 'A' will create an LAD transaction. Entering a 'C' will create an LCD transaction. Entering a 'D' will create an LDD transaction

c. Available Function Keys. The following unique function keys may be used from the DATA ELEMENT MAINTENANCE screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

B.77 LOLADA - Add Item Identification Data Screen.

N406S

SCRNCD: LOLADA

LOLA UPDATE

DATE: XXXXXXXXX

USERID: XXXXXXXX

ADD ITEM IDENTIFICATION DATA

TIME: XXXXX

NSN XXXX XXXXXXXX

DEMIL-CD

REF-PTL-DSCR-MTHD-RSN-CD

PMIC

ESDC

ADPE

HMIC

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS

F7=

F8=

F9=

F10=

F12=

a. Screen Explanation. This screen will create an LAD transaction(s) for the Item Identification (A segment) Data Group. If all fields have values entered, 6 (six) LAD transactions will be created for you. Once the appropriate field entries have been made press PF6.

b. Field Entry Requirements. The field entries are described below.

(1) Field Name:

DEMILITARIZATION CODE

Entry Requirement:

Enter the appropriate Demilitarization Code and press

PF6

Valid Entries:

Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LAD transaction will be sent to update the selected

NIIN.

(2)Field Name: REFERENCE/PARTIAL DESCRIPTIVE METHOD

REASON CODE

Enter the appropriate RPDMRC Code and press PF6. Entry Requirement: Valid Entries:

Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results: A LAD transaction will be sent to update the selected

NIIN.

(3) Field Name: PRECIOUS METALS INDICATOR CODE

Entry Requirement: Enter the appropriate PMIC and press PF6.

Valid Entries: Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear.

Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results: A LAD transaction will be sent to update the selected

NIIN.

(4) Field Name: ELECTRO STATIC DISCHARGE CODE

Entry Requirement: Enter the appropriate ESDC and press PF6.

Valid Entries: Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results: A LAD transaction will be sent to update the selected

NIIN.

(5) Field Name: AUTOMATIC DATA PROCESSING EQUIPMENT

CODE

Entry Requirement:

Enter the appropriate ADPEC and press PF6.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results: A LAD transaction will be sent to update the selected

NIIN.

(6) Field Name:

HAZARDOUS MATERIAL INDICATOR CODE

Entry Requirement:

Enter the appropriate HMIC and press PF6.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LAD transaction will be sent to update the selected

NIIN.

c. Available Function Keys. The following unique function keys may be used from the ADD ITEM IDENTIFICATION DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and sends the transaction to be

processed.

B.78 LOLSGG - Freight Data.

N407S	\$ 1.00 m				
SCRNCD:	LOLSGG	LOL	A UPDATE		DATE: XXXXXXXXX
USERID:	XXXXXXX	I	FREIGHT DATA		TIME: XXXXX
NSN:	XXXX XXXXXX	XX			*
		GRITY CODE			
	NMF				
		C SUB ITEM N	UMBER	_	
		CODE (MODIFI			
	HAZ	ARDOÙS MATE	RIEL CODE		
	LESS	THAN TRUCK	LOAD RATING CODE	_	
	LESS	THAN CARLO	AD RATING CODE	_	
	RAIL	VARIATION CO	ODE	_	
		ER COMMODIT			
		E OF CARGO C			
		CIAL HANDLING			
			PECIAL HANDLING		
	AIR	DIMENSION CO	DDE		
XXXXXX	XXXXXXXXXX	XXXXXXXXX	XXXXXXXXXXXXXXX	XXXXX	XXXXXXXXXXXXXXXX
F1=HELP		F3=LOLA MENU F9=	F4=MAIN MENU F5=C F10=	ANCEL	F6=PROC SCREEN F12=PROC TRANS
	n Explanation. Thing the fields and pre-		ate an LAF, LCF, or LDF	transac	tion. Enter the appropriat
b. Field	Entry Requiremen	ts. The valid field	d entries are described be	low.	
(1)	Field Name: Entry Requirement Valid Entries:	Valid entries the input find HELP and de Position the "sticky tered into the state of the state	ppropriate INTEGRITY Ces can be obtained by poseld and pressing PF1 for finition and a list of Valide cursor next to the approcursor option. The select he field automatically.	itioning HELP. ' I Values priate v ted valu	While in will appear. alue and use will be en-
	Results:	ine cursor	will be placed on the nex	a input	neid.

(2) Field Name:

NMFC

Entry Requirement:

Enter the appropriate NATIONAL MOTOR FREIGHT

CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be placed on the next input field.

(3) Field Name:

NMFC SUB ITEM NUMBER.

Entry Requirement:

Enter the appropriate NATIONAL MOTOR FREIGHT

CODE SUB ITEM NUMBER.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be placed on the next input field.

(4) Field Name:

UFC CODE (MODIFIED).

Entry Requirement:

Enter the appropriate UNIFORM FREIGHT CLASSIFI-

CATION (UFC) CODE (MODIFIED).

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be placed on the next input field.

(5) Field Name:

HAZARDOUS MATERIEL CODE (HMC)

Entry Requirement:

Enter the appropriate HMC.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be placed on the next input field.

(6) Field Name:

LESS THAN TRUCKLOAD RATING CODE

Entry Requirement:

Enter appropriate LESS THAN TRUCKLOAD RATING

CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be placed on the next input field.

(7) Field Name:

LESS THAN CARLOAD RATING CODE

Entry Requirement:

Enter the LESS THAN CARLOAD RATING CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use

Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be placed on the next input field.

(8) Field Name:

RAIL VARIATION CODE

Entry Requirement:

Enter the appropriate RAIL VARIATION CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP.

Results:

The cursor will be positioned on the next input field.

(9) Field Name:

WATER COMMODITY CODE

Entry Requirement: Valid Entries:

Enter the appropriate WATER COMMODITY CODE. The Data Element definition can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. The Format for this Element is as follows: the first position must be numeric 1-9, the second position must be numeric 0-9, and the third position can be alpha or numeric.

Results:

The cursor will be positioned on the next input field.

(10) Field Name:

TYPE OF CARGO CODE

Entry Requirement: Valid Entries:

Enter the appropriate TYPE OF CARGO CODE.

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear.

HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be positioned on the next input field.

(11) Field Name:

SPECIAL HANDLING CODE

Entry Requirement: Valid Entries:

Enter the appropriate SPECIAL HANDLING CODE.

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be positioned on the next input field.

(12) Field Name:

AIR COMMODITY/SPECIAL HANDLING

Entry Requirement: Valid Entries:

Enter the AIR COMMODITY/SPECIAL HANDLING.

The Data element definition can be obtained by position-

ing the cursor on the input field and pressing PF1 for

HELP.

Results:

The cursor will be positioned on the next input field.

(13) Field Name:

AIR DIMENSION CODE

Entry Requirement:

Enter the appropriate AIR DIMENSION CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use

the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

Press PF6 to process screen, then PF12 to process trans-

action.

c. Available Function Keys. The following unique function keys may be used from the FREIGHT DATA screen. All standardized DLSC System function keys are available. Refer to Section 16.3.2.e of this document.

F5 **CANCEL** Cancels the current transaction and returns to the LOLA Update Main

Menu.

PROC SCREEN F6

Validate the data input on the screen. This key must be used prior to

submitting the transaction.

F12 **PROC TRANS** This will create the transaction and send the user to the next input

screen/menu.

B.79 LOLADB - Add MOE Rule Data.

N408S				
SCRNCD): LOLADB	LOLA UPDAT	E	DATE: XXXXXXXXX
USERID:	XXXXXXX	ADD MOE RULE DA	TA	TIME: XXXXX
N.	SN: XXXX XXXXX	XXXX	MOE RULE	
110	IC		IMCA	
Cl	IC _		DSOR	
SU	JPPL-RCVR		•	
SU	JPPL-COLLBR			
XXXXXX	XXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXX
F1=HELP		=LOLA MENU F4=MAIN ME	NU F5=CANCEL	
F7=	F8= F9	= F10=		F12=
Data Grou		creen will create an LAD tran values entered, 4 LAD tran een made press PF6.		
b. Field	Entry Requirements.	The valid entries are describe	ed below.	
(1)	Field Name:	CIC		
()	Entry Requirement:	Enter the appropriate CAR press PF6.	D INDICATOR (CODE and
	Valid Entries:	Valid entries can be obtain	ed by positioning	the cursor on
	• • •	the input field and pressing	g PF1 for HELP.	While in
		HELP a definition and a li		
		Position the cursor next to		
		the "sticky cursor" option.		e will be en-
	Dogultor	tered into the field automa		a calcated
	Results:	A LAD transaction will be NIIN.	sent to update th	e selected

(2) Field Name:

IMC

Entry Requirement:

Enter the appropriate INTEGRATED MATERIAL CODE

and press PF6.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LAD transaction will be sent to update the selected

NIIN.

(3) Field Name:

IMCA

Entry Requirement:

Enter the appropriate INTEGRATED MATERIAL CODE

ACTIVITY and press PF6.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LAD transaction will be sent to update the selected

NIIN.

(4) Field Name:

DSOR

Entry Requirement:

Enter the appropriate DEPOT SOURCE OF REPAIR

CODES (up to 4) and press PF6.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in

HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LAD transaction(s) will be sent to update the selected

NIIN.

(5) Field Name:

SUPPL-RCVR

Entry Requirement:

Enter the appropriate SUPPLEMENTAL RECEIVER

CODES (up to 9) and press PF6.

Valid Entries:

Valid Activity Codes can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will

be entered into the field automatically.

Results:

A LAD transaction(s) will be sent to update the selected

NIIN.

(6) Field Name:

SUPPL-COLLBR

Entry Requirement:

Enter the appropriate SUPPLEMENTAL COLLABORA-

TOR CODES (up to 9) and press PF6.

Valid Entries:

Valid Activity Codes can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will

be entered into the field automatically.

Results:

A LAD transaction(s) will be sent to update the selected

NIIN.

c. Available Function Keys. The following unique function keys may be used from the ADD MOE RULE DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and forward the transaction for

processing.

B.80 LOLCGA - Change FSC and/or FSC Related Data (LCG) Screen.

N410S					
	LOLCGA XXXXXXXX	L O L A CHANGE FSC ANI	UPDA	- -	DATE: XXXXXXXXX TIME: XXXXX
NSN:	XXXX-XX-XX	X-XXXX			
	FSC LAST (CHANGED DATE: 2	XXXXX		
	FEDER. ITEM N NON A REF-PT	TIVE DATE AL SUPPLY CLASS NAME CODE PPROVED ITEM N. TL-DESCR-MTHD-R OF ITEM IDENTIFIC	AME SN		
	ENTER REQU	TRED VALUE(S)			
====	> AN ASTERISI	X (*) INDICATES T	HAT FILE	DATA IS NOT PRE	SENT<===
		F3=LOLA MENU			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
exists on the	he input NIIN, the *). In either case	at data will be displa	yed. If data	does not exist the fi	r FSC related data. If data eld will be displayed with d, then Process (PF6) the
b. Field	Entry Requireme	nts. The valid entries	are descri	bed below.	
(1)	Field Name: Entry Requireme Valid Entries: Results:	NONE.		DATE pate of the last FSC	Change.

(2) Field Name:

EFFECTIVE DATE

Entry Requirement:

Enter the Julian Date that the transaction will be pro-

cessed

Valid Entries:

The field will default to todays date. If a different date is

required enter the desired Effective Date for the input

transaction.

Results:

The cursor will be positioned on the Federal Supply Class

field.

(3) Field Name:

FEDERAL SUPPLY CLASS

Entry Requirement:

Enter the appropriate FEDERAL SUPPLY CLASS and

either press PF6 to process the update or continue to add

values to this screen.

Valid Entries:

A valid ASSIGNED FSC is required.

Results:

A LCG transaction will be sent to update the selected NIIN, if PF6 is entered. The other fields can also be en-

tered if required.

(4) Field Name:

ITEM NAME CODE

Entry Requirement:

Enter the appropriate ITEM NAME CODE and either

press PF6 to process the update or continue to add values

to this screen.

Valid Entries:

A valid ITEM NAME CODE is required.

Results:

A LCG transaction will be sent to update the selected

NIIN, if PF6 is entered.

(5) Field Name:

NON APPROVED ITEM NAME

Entry Requirement:

Enter the 19 character NON APPROVED ITEM NAME

and press PF6 to process the update.

Valid Entries:

Valid entries may be an Item Identifying Name that ade-

quately describes the NIIN on the input field.

Results:

A LCG transaction will be sent to update the selected

NIIN, if PF6 is entered. The other fields can also be entered if desired. If other fields are entered, then separate

transactions will be created.

(6) Field Name:

REF-PTL-DESCR-MTHD-RSN

Entry Requirement:

Enter the appropriate RPDMRC and press PF6 to process

the update.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LCG transaction will be sent to update the selected NIIN, if PF6 is entered. The other fields can also be entered if desired. If other fields are entered, then separate

transactions will be created.

(7) Field Name:

TYPE OF ITEM IDENTIFICATION

Entry Requirement:

Enter the appropriate TYPE OF ITEM IDENTIFICA-

TION CODE and press PF6 to process the update.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LCG transaction will be sent to update the selected NIIN, if PF6 is entered. The other fields can also be entered if desired. If other fields are entered, then separate

transactions will be created.

c. Available Function Keys. The following unique function keys may be used from the CHANGE FSC OR FSC RELATED DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and forward the transaction for

processing.

B.81 LOLCDA - Change Data Element (LCD) for Item Identfication Data Group Screen.

	9	•	,		-	
N411S						
SCRNCD:	: LOLCDA	LOLA	UPDA	TE	DATE: XXXXX	XXXXX
USERID:	XXXXXXX CHA	ANGE DATA ELF	EMENT(S) I	FOR ITEM IDEN	TIFICATION TIME:	XXXXX
NSN:	: XXXX-XX-XXX	X-XXXX				
	CURRENT EFI	FECTIVE DATE:	XXXXX			
	FIIG NON AF TYPE O REF-PTI DEMIL- CRIT-CI PMIC ESDC ADPE HMIC	_	FICATION -RSN	- - - - - - - - - - - -	 PRESENT===>	
XXXXXX					XXXXXXXXXXXXX	XXX
F1=HELP F7=	F2=CLEAR SCR F8=	F3=LOLA MENU F9=	F4=MAIN F10=	MENU F5=CANO	CEL F6=PROCESS F12=	
If all field	s have values ente	ered, 11 LCD trans	sactions will	be created for ye	tem Identification Data ou. Once the appropri d the transaction for u	ate field
b. Field	Entry Requiremen	nts. The valid entri	es are desci	ribed below.		
(1)	Field Name: Entry Requireme	-	opropriate IT oprocess th	ΓΕΜ NAME COI e update or contin	OE and either nue to add values	
	Valid Entries: Results:	A valid ITE A LCD tran	M NAME (saction will	CODE must be ended be sent to update. Other fields can	e the selected	

actions will be created.

if desired. If other fields are entered, then separate trans-

(2) Field Name:

FIIG

Entry Requirement:

Enter the appropriate FEDERAL ITEM IDENTIFICA-

TION GUIDE number, and press PF6 to process.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LCD transaction will be sent to update the selected NIIN, if PF6 is entered. Other fields can also be entered. If other fields are entered, then separate transactions will

be created.

(3) Field Name:

NON APPROVED ITEM NAME

Entry Requirement:

Enter the 19 character NON APPROVED ITEM NAME

and press PF6 to process the update.

Valid Entries:

An Item Identifying Name.

Results:

A LCD transaction will be sent to update the selected NIIN, if PF6 is entered. Other fields can also be entered. If other fields are entered, then separate transactions will

be created.

(4) Field Name:

TYPE OF ITEM IDENTIFICATION

Entry Requirement:

Enter the appropriate TYPE OF ITEM IDENTIFICA-

TION CODE, and press PF6 to process the update.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LCD transaction will be sent to update the selected NIIN, if PF6 is entered. Other fields can also be entered. If other fields are entered, then separate transactions will

be created.

(5) Field Name:

REF-PTL-DESC-MTHD-RSN

Entry Requirement:

Enter the appropriate RPDMRC and press PF6 to process

the update.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LCD transaction will be sent to update the selected NIIN, if PF6 is entered. Other fields can also be entered. If other fields are entered, then separate transactions will

be created.

(6) Field Name:

DEMIL-CD

Entry Requirement:

Enter the appropriate DEMILITARIZATION CODE and

press PF6 to process the update.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LCD transaction will be sent to update the selected NIIN, if PF6 is entered. Other fields can also be entered. If other fields are entered, then separate transactions will

be created.

(7) Field Name:

CRIT-CD

Entry Requirement:

Enter the appropriate CRITICALLY CODE, FIIG and

press PF6 to process the update.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LCD transaction will be sent to update the selected NIIN, if PF6 is entered. Other fields can also be entered. If other fields are entered, then separate transactions will

be created.

(8) Field Name:

PRECIOUS METALS INDICATOR CODE

Entry Requirement:

Enter the PMIC and press PF6 to process.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LCD transaction will be sent to update the selected

NIIN.

(9) Field Name:

ELECTRO STATIC DISCHARGE CODE

Entry Requirement:

Enter the appropriate ESDC and press PF6 to process the

update.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LCD transaction will be sent to update the selected

NIIN.

(10) Field Name:

AUTOMATIC DATA PROCESSING EQUIPMENT

CODE

Entry Requirement:

Enter the ADPEC and press PF6 to process.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LCD transaction will be sent to update the selected

NIIN.

(11) Field Name:

HAZARDOUS MATERIAL INDICATOR CODE

Entry Requirement:

Enter the HMIC and press PF6 to process.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the

"sticky cursor" option. The selected value will be entered

into the field automatically.

Results:

A LCD transaction will be sent to update the selected

NIIN.

c. Available Function Keys. The following unique function keys may be used from the CHANGE DATA ELEMENT(S) FOR ITEM IDENTIFICATION screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and forward the transaction for

processing.

B.82 LOLADG - Add Data Element Screen.

N412S

SCRNCD: LOLADG

LOLA UPDATE

DATE: XXXXXXXXX

USERID: XXXXXXXX

ADD DATA ELEMENT

TIME: XXXXX

ENTER REQUIRED VALUE(S):

NSN: XXXX XXXXXXXX

HAZARDOUS MATERIAL CODE

INTEGRITY CODE

LESS THAN CARLOAD RATING CD

RAIL VARIATION CODE

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS

F7= F8= F9= F10= F12=

a. Screen Explanation. This screen will be used to Add data to the FREIGHT DATA Group (LAD).

b. Field Entry Requirements. The valid entries are described below.

(1) Field Name: HAZARDOUS MATERIAL CODE

Entry Requirement: Enter the HAZARDOUS MATERIAL CODE and press

PF6.

Valid Entries: Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results: A LAD transaction will be sent to update the selected

NIIN, if PF6 is entered. Other fields can also be entered. If other fields are entered, separate transactions will be

created.

(2) Field Name:

INTEGRITY CODE

Entry Requirement: Valid Entries:

Enter the INTEGRITY CODE and press PF6 to process. Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LAD transaction will be sent to update the selected NIIN, if PF6 is entered. Other fields can also be entered. If other fields are entered, separate transactions will be

created.

(3) Field Name:

LESS THAN CARLOAD RATING CD

Entry Requirement:

Enter the appropriate LESS THAN CARLOAD RATING

CODE and press PF6 to process the update.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LAD transaction will be sent to update the selected NIIN, if PF6 is entered. Other fields can also be entered. If other fields are entered, separate transactions will be

created.

(4) Field Name:

RAIL VARIATION CODE

Entry Requirement:

Enter the appropriate RAIL VARIATION CODE and

press PF6 to process the update.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LAD transaction will be sent to update the selected NIIN, if PF6 is entered. Other fields can also be entered. If other fields are entered, separate transactions will be

created.

c. Available Function Keys. The following unique function keys may be used from the ADD DATA ELEMENT screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and forward the transaction for

processing.

B.83 LOLSGA - Identification Data Group Screen.

N413S				
	: LOLSGA	LOLA U	PDATE	DATE: XXXXXXXXX
USERID:	XXXXXXXX	IDENTIFICATION	N DATA GROUP	TIME: XXXXX
NSN	: XXXX XXXXXX	XX		
<msg 30<="" td=""><td>TYP FIIG DEM RPD CRIT PMI</td><td>IIL MRC TICALITY CODE C E CODE C</td><td></td><td></td></msg>	TYP FIIG DEM RPD CRIT PMI	IIL MRC TICALITY CODE C E CODE C		
XXXXXX	XXXXXXXXXXXX	XXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXX
F1=HELP F7=	F2=CLEAR SCR F3= F8= F9=		IAIN MENU F5=CANCEL	F6=PROC SCREEN F12=PROC TRANS
Reinstaten	-			ignments (LN_) or NIIN required for input, to create
b. Field	Entry Requirements.	The valid entries are	described below.	
(1)	Field Name: Entry Requirement: Valid Entries: Results:	An ITEM NAME	AME CODE and press P. CODE. ove to the next input field	
(2)	Field Name: Entry Requirement:		an INC is not entered, this VED ITEM NAMES only.	
	Valid Entries: Results:	An Item Identifyin	-	

(3) Field Name: TYPE OF II

Entry Requirement: Valid Entries:

Enter the TYPE OF ITEM IDENTIFICATION CODE. Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(4) Field Name: **FIIG**

Entry Requirement:

Enter the appropriate Guide Number FIIG.

Valid Entries:

A valid FIIG Number must be entered.

Results:

The cursor will move to the next input field.

Field Name: (5)

DEMIL

Entry Requirement:

Enter the appropriate DEMILITARIZATION CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear.

Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(6) Field Name: **RPDMRC**

Entry Requirement:

Enter the appropriate RPDMRC

Valid Entries:

Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(7) Field Name:

CRITICALITY CODE

Entry Requirement:

Enter the appropriate CRITICALITY CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(8) Field Name:

PMIC

Entry Requirement:

Enter the appropriate PMIC.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(9) Field Name:

ADPE CODE

Entry Requirement:

Enter the appropriate ADPEC.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field

(10) Field Name:

ESDC

Entry Requirement:

Enter the appropriate ESDC.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(11) Field Name:

HMIC

Entry Requirement:

Enter the appropriate HMIC.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The MOE RULE DATA GROUP screen will be dis-

played.

c. Available Function Keys. The following unique function keys may be used from the IDENTIFICATION DATA GROUP screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROC SCREEN

Validate the data input on the screen. This key must be used prior to

submitting the transaction.

F12 PROC TRANS

This will create the transaction and send the user to the next input

screen/menu.

B.84 LOLCH1 - Change Catalog Management Data Screen

B.84 LOLCH1 - Cha	B.84 LOLCH1 - Change Catalog Management Data Screen.						
N414S SCRNCD: LOLCH1 USERID: XXXXXXX		A UPDATE TALOG MANAGEMENT D	DATE: XXXXXXXXX ATA TIME: XXXXX				
NSN: XXX-XX-	XXX-XXXX	MOE/MAC	EFFECTIVE DATE				
	PICK	ANY COMBINATION					
_	CHANGE SERV	ICE RELATED CMD DATA	L				
<u>-</u>	CHANGE BASIC	C MANAGEMENT DATA					
_	CHANGE UNIT	OF ISSUE DATA					
_	CHANGE FORM	IER PHRASE RELATIONS	HIP GROUP				
_	CHANGE QUAN	TITATIVE EXPRESSION					
<msg 2592=""> ENTER</msg>	R MOE/MAC, EFF D	ATE AND PLACE A "X" N	EXT TO REQUIRED OPTION				
xxxxxxxxxxx	XXXXXXXXXXX	xxxxxxxxxxxxx	xxxxxxxxxxxx				
F1=HELP F2=CLEAR F7= F8=	SCR F3=LOLA MEN F9=	U F4=MAIN MENU F5=CA F10=	NCEL F6=PROCESS F12=				
a. Screen Explanation Management Data Gro		used to create a LCD transac	cion to change data in the Catalog				
b. Field Entry Requi	rements. The valid en	tries are described below.					
(1) Field Name Entry Requ	irement: The MOE of CMD I is used with for the Use	Code is used when there is Data recorded for the Users hen multiple "lines" of CMI sers Service.	Service. The MAC Data are recorded				
Valid Entric Results:		for help on the MOE Code r will be moved to the next					
(2) Field Name Entry Requ	irement: A valid Ju	VE DATE Ilian date for an Effective D you want the transaction to					
Valid Entrie Results:	es: The 5 pos	ition Julian date or 5 '0s'. r will be moved to the next					

(3) Field Name:

CHANGE SERVICE RELATED CMD DATA

Entry Requirement:

Enter an 'X' to select this option and press PF6.

Valid Entries:

Valid entry is 'X'.

Results:

The user will be sent to their Service Related data screen. The following data can be updated dependent on the Ser-

vice of the user.

ARMY:

MANAGEMENT CONTROL

DATA, ARMY

RECOVERABILITY CODE,

ARMY

AIR FORCE:

MANAGEMENT CONTROL

DATA, AIR FORCE

ERRC CODE, AIR FORCE

COAST GUARD:

MANAGEMENT CONTROL

DATA, COAST GUARD

REPARABILITY CODE, COAST

GUARD

MARINE CORPS:

MANAGEMENT CONTROL

DATA, MARINE CORPS RECOVERABILITY CODE,

MARINE CORPS

NAVY:

MANAGEMENT CONTROL

DATA, NAVY

MATERIAL CONTROL CODE,

NAVY

(4) Field Name:

CHANGE BASIC MANAGEMENT DATA

Entry Requirement:

Enter an 'X' next to this option and press PF6.

Valid Entries:

An 'X' is required to select this option.

Results:

The cursor will move to the next input field, or you can press PF6 to create a transaction for this option. If other fields are selected, then separate LCD transactions will be

created.

(5) Field Name:

CHANGE UNIT OF ISSUE DATA

Entry Requirement:

Enter an 'X' next to this option and press PF6.

Valid Entries:

An 'X' is required to select this option.

Results:

The cursor will move to the next input field, or you can press PF6 to create a transaction for this option. If other fields are selected, then separate LCD transactions will be

created.

(6) Field Name:

CHANGE FORMER PHRASE RELATIONSHIP GROUP

Entry Requirement:

Enter an 'X' next to this option and press PF6.

Valid Entries:

An 'X' is required to select this option.

Results:

The cursor will move to the next input field, or you can press PF6 to create a transaction for this option. If other fields are selected, then separate LCD transactions will be

created.

(7) Field Name:

CHANGE QUANTITATIVE EXPRESSION

Entry Requirement:

Enter an 'X' next to this option and press PF6.

Valid Entries:

An 'X' is required to select this option.

Results:

Press PF6 to create a transaction for this option. If other fields have been selected, then separate LCD transactions

will be created.

c. Available Function Keys. The following unique function keys may be used from the CHANGE CATALOG MANAGEMENT DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and forward transaction for pro-

cessing.

B.85 LOLSGB - MOE Rule Data Group Screen.

Results:

N415S			
SCRNCD: LOLSGB	LOLA UPDATE	DATE: 1	XXXXXXXX
USERID: XXXXXXXX	MOE RULE DATA GROUP	TIME: 2	XXXXX
NSN: XXX XXXXX	XXXX	EFFECTIVE DATE	
MOE RULE		FMR-MOE RULE	
AMC _		AMSC	_
IMC _		IMCA	
AAC _		DSOR	
NIMSC _		CIC	
SUPPL-RCVR		_	
SUPPL-COLLBR			
<msg 3032=""> ENTER NEW I</msg>	DATA AND PRESS PF6 TO PROC	ESS	
xxxxxxxxxxxxxxx	xxxxxxxxxxxxxxxxxx	xxxxxxxxxxx	XXXXXXX
F1=HELP F2=CLEAR SC F7=PREV MOE F8=NEXT MO	CR F3=LOLA MENU F4=MAIN ME E F9=DLT SCRN F10=		PROC SCREEN PROC TRANS
use of this screen is determine LN_, LB_, LAU, LCU, and L transaction. If more MOE Rule want to delete a MOE rule a transaction), PF7 or PF8 to that	screen will be used to create or mained by prior MENU selections. The to DU transactions. Use PF6 to process transactions are required, use PF8 and associated data that was previous to MOE Rule and press PF9. (NOTE: ction, you must use PF9-DLT SCRI	ransactions that use the street that use the screen, then PF1 after PF6. Repeat as usly input (during the PF2 onlys clears the street that the	is screen are the 2 to process the necessary. If you creation of this
b. Field Entry Requirements	. The valid entries are described bel	ow.	
(1) Field Name: Entry Requirement	EFFECTIVE DATE Enter the Julian Date that the trive. The default value will be to		c-
Valid Entries:	Numeric values representing the	•	e

the cursor will move to next field.

transaction is to be effective i.e, YYDDD.

The Effective Date will be loaded into the transaction and

(2) Field Name:

MOE RULE

Entry Requirement:

The appropriate MOE RULE Number.

Valid Entries:

A valid MOE RULE Number.

Results:

The cursor will move to the next field.

(3) Field Name:

FMR MOE RULE

Entry Requirement:

This field is required when changing a MOE RULE

(LCU) transaction.

Valid Entries:

A VALID MOE RULE.

Results:

The cursor will move to the next field.

(4) Field Name:

AMC

Entry Requirement:

Enter the appropriate ACQUISITION METHOD CODE

and press PF6 to process the screen or continue to

add/modify the other fields.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(5) Field Name:

AMSC

Entry Requirement:

Enter the appropriate ACQUISITION METHOD SUFFIX

CODE and press PF6 to process the screen or continue to

add/modify the other fields.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(6) Field Name:

IMC

Entry Requirement:

Enter the appropriate ITEM MANAGEMENT CODE and

press PF6 to process the screen or continue to add/modify

the other fields.

Valid Entries:

Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(7) Field Name:

IMCA

Entry Requirement:

Enter the appropriate ITEM MANAGEMENT CODING

ACTIVITY and press PF6 to process the screen or con-

tinue to add/modify the other fields.

Valid Entries:

A valid Activity Code can be found by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will

be entered into the field automatically.

Results:

The cursor will move to the next input field.

(8) Field Name:

DSOR

Entry Requirement:

Enter the appropriate DEPOT SOURCE OF REPAIR

CODE and press PF6 to process the screen or continue to

add/modify the other fields.

Valid Entries:

A valid Activity Code can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will

be entered into the field automatically.

Results:

The cursor will move to the next input field.

(9) Field Name: NIMSC

Entry Requirement: Enter the appropriate NIMSC and press PF6 to process

the screen or continue to add/modify the other fields.

Valid Entries: Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results: The cursor will move to the next input field.

(10) Field Name: CIC

Entry Requirement: Enter the appropriate CARD IDENTIFICATION CODE

and press PF6 to process the screen or continue to

add/modify the other fields.

Valid Entries: Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results: The cursor will move to the next input field.

(11) Field Name: SUPPL-RCVR

Entry Requirement: Enter the appropriate SUPPLEMENTAL RECEIVER

CODE and press PF6 to process the update or continue to

add/modify the other fields.

Valid Entries: A Valid Activity Code can be obtained by positioning the

cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will

be entered into the field automatically.

Results: The cursor will move to the next input field.

(12) Field Name:

SUPPL-COLLBR

Entry Requirement:

Enter the appropriate SUPPLEMENTAL COLLABORA-

TOR CODE(S) and press PF6 to process the screen.

Valid Entries:

A valid Activity Code can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will

be entered into the field automatically.

Results:

Press PF6 to process the screen, then PF12 to process the

transaction.

c. Available Function Keys. The following unique function keys may be used from the MOE RULE DATA GROUP screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5	CANCEL	Cancels the current transaction and returns to the LOLA Update Main Menu.
F6	PROC SCREEN	Validate the data input on the screen. This key must be used prior to submitting the transaction.
F7	PREV MOE	Displays the first MOE Rule transaction for this session if the screen is blank. If data has been entered, the previous input MOE Rule will be displayed.
F8	NEXT MOE	Clears the input fields and allows another MOE Rule to be entered unless you were paging up (PF7) in which case it takes you to the next record.
F9	DLT SCRN	Deletes the specific MOE Rule displayed on the screen and displays the next MOE Rule entered for this session, unless it was the last record, in which case it will display a blank screen.
F12	PROC TRANS	This will create the transaction and send the user to the next input screen/menu.

B.86 LOLDDB - Delete MOE Rule Data Screen.

N416S		
SCRNCD: LOLDDB	LOLA UPDATE	DATE: XXXXXXXXX
USERID: XXXXXXXX	DELETE MOE RULE DATA	TIME: XXXXX
NSN XXXX XXXXXXXX		
MOE RULE		
EFFECTIVE DATE SUPPL-RCVR _ XX _ XX	x _xx _xx _xx _xx _xx	_ XX _ XX
EFFECTIVE DATE SUPPL-COLL _ XX _ XX	_ xx	_ XX _ XX
EFFECTIVE DATE DEPOT SOURCE OF REPAIR	_ XX	
<msg 1692=""> ENTER MOE RUL</msg>	E OF DATA TO BE DELETED	
xxxxxxxxxxxxxxxxx	xxxxxxxxxxxxxxxxxxxxxxxxx	XXXXXXXXXXXX
F1=HELP F2=CLEAR SCR F3=L0 F7= F8= F9=	OLA MENU F4=MAIN MENU F5=CANCEL F10=	F6=PROCESS F12=
a. Screen Explanation. The scree not delete the MOE RULE from the	n is used to delete Element(s) from the MOE ne NIIN.	RULE Data Group. It will
b. Field Entry Requirements. Th	e valid entries are described below.	
Entry Requirement: Valid Entries: Results:	NSN No entry requirements, the value is defaulted Not applicable. The NSN is the stock number that the transa processed against.	
Entry Requirement: Valid Entries: Results:	MOE RULE Enter Valid MOE RULE and Press PF6. A MOE RULE registered on the displayed N Data for the requested MOE RULE will be r the screen.	

(3) Field Name:

EFFECTIVE DATE

Entry Requirement:

The Julian Date the transaction is to be effective.

Valid Entries:

A numeric date 0-9.

Results:

The cursor will move to the next input field

(4) Field Name:

SUPPL-RCVR

Entry Requirement:

Place an 'X' next to one or more SUPPLEMENTAL RE-

CEIVERS.

Valid Entries:

'Χ'.

Results:

The tagged SUPPLEMENTAL RECEIVER(S) will be

deleted if F6 is pressed or other Data Elements can be

deleted as well.

(5) Field Name:

SUPPL-COLL

Entry Requirement:

Place an 'X' next to one or more SUPPLEMENTAL

COLLABORATORS.

Valid Entries:

'Χ'.

Results:

The tagged SUPPLEMENTAL COLLABORATOR(S) will

be deleted if F6 is pressed or other Data Elements can be

deleted as well.

(6) Field Name:

DEPOT SOURCE OF REPAIR

Entry Requirement:

Place an 'X' next to one or more DEPOT SOURCE OF

REPAIR.

Valid Entries:

'Χ'.

Results:

The tagged DEPOT SOURCE OF REPAIR(S) will be

deleted if F6 is pressed as well as the other tagged Data

Elements.

c. Available Function Keys. The following unique function keys may be used from the DELETE MOE RULE DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and process the transaction.

B.87 LOLSGC - Reference Number Data Screen.

N417S SCRNCD: LOLS USERID: XXXX			A UPDA	DATE: XXX	
NSN: XX	xx xxxxxxx	X			
	CAGE CODE REFERENCE I RNCC RNVC DAC RNAAC RNFC RNSC RNJC SADC	NUMBER			

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROC SCREEN F7=PREV REF F8=NEXT REF F9=DLT SCRN F10= F12=PROC TRANS

a. Screen Explanation. This screen is used to Add, Change, or Delete Reference Number Data. To view Reference Data that is assigned to the submitted NIIN use the F7 and F8 keys to page through Reference Numbers. After entering data use F6 to process screen, then press the appropriate F key for the processing desired. If more Reference Numbers are required press F8 and repeat this process as necessary. Once all the reference number transactions have been entered press F12. If you want to delete a Reference Number and associated data that was previously entered on this transaction use F7/F8 until the desired data is displayed on the screen then press F9. (NOTE: PF2 onlys clears the screen, it will not delete the data from the transaction, you must use PF9-DLT SCRN.)

b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

CAGE CODE

Entry Requirement:

Enter the appropriate CAGE CODE.

Valid Entries:

A valid CAGE CODE must be entered.

Results:

The cursor will move to next input field.

(2) Field Name:

REFERENCE NUMBER

Entry Requirement:

Enter the appropriate REFERENCE NUMBER.

Valid Entries:

A valid Reference Number (the first position cannot be

blank).

Results:

The cursor will be positioned on the next field or TAB to

next field.

(3) Field Name:

RNCC

Entry Requirement:

Valid Entries:

Enter the appropriate RNCC.

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use

the "sticky cursor" option. The selected value will be entered into the field automatically.

Results:

The cursor will move to next field.

(4) Field Name:

RNVC

Entry Requirement:

Enter the appropriate RNVC.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(5) Field Name:

DAC

Entry Requirement:

Enter the appropriate DAC.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to next input field.

(6) Field Name:

RNAAC

Entry Requirement:

Enter the appropriate RNAAC.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to next input field.

(7) Field Name:

RNFC

Entry Requirement:

Enter the appropriate RNFC.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(8) Field Name:

RNSC

Entry Requirement:

Enter the appropriate RNSC.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(9) Field Name:

RNJC

Entry Requirement:

Enter the appropriate RNJC.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PE1 for HELP While in

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(10) Field Name:

SADC

Entry Requirement:

Enter the appropriate SADC

Valid Entries:

Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

c. Available Function Keys. The following unique function keys may be used from the REFERENCE NUMBER DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5	CANCEL	Cancels the current transaction and returns to the LOLA Update Main Menu.
F6	PROC SCREEN	Validate the data input on the screen. This key must be used prior to submitting the transaction.
F7	PREV REF	Displays the first Reference Number input for this transaction if the screen is blank. If data has been entered and F6 pressed, the previous input will be displayed.
F8	NEXT REF	Clears the input fields and allows another reference number to be input. If you were paging up (F7), it will take you to the next record.
F9	DLT SCRN	Deletes the data displayed on the screen and displays the next record, unless it was the last record in which case it will display a blank screen.
F12	PROC TRANS	This will create the transaction and send the user to the next input screen/menu.

B.88 LOLSGE - Standardization Relationship Data Screen.

N418S

SCRNCD: LOLSGE L O G R U N U P D A T E DATE: XXXXXXXXX USERID: XXXXXXXX STANDARDIZATION RELATIONSHIP DATA TIME: XXXXXX

	REPLACEMENT NSN/PSCN XXXXXXXXXXXX	ISC X	ORIG STDZN DEC XX	STDZN DEC DATE XXXXX
TAG	REPLACED NSN/PSCN	ISC	ORIG STDZN DEC	STDZN DEC DATE
_		_		
		_		
_		_		
_		_	_	
_		_		
_	<u>.</u>	_		
_		_		
_				
-	 	_	_	 _

<MSG 2527> ENTER DATA INTO REPLACEMENT AND REPLACED DATA FIELDS
<MSG 2532> PF6 (PROCESS SCREEN), PF12(PROCESS TRANSACTION), PF5 (CANCEL)

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROC SCREEN F7=PAGE UP F8=PAGE DOWN F9= F10= F10= F12=PROC TRANS

a. Screen Explanation. Only REPLACEMENT NSN's are allowed to utilize this screen to create an LAS or LDS transaction. If you entered a REPLACED NSN on the Build Header Screen and wanted to create an LDS transaction, the NSN that was entered has been overlaid with the proper REPLACEMENT NSN. If this is not a valid situation press F5 to exit and try the STANDARDIZATION DATA option. If a LAS is required, input required data into the fields. If an LDS is required place an 'X' in the TAG Field corresponding to the NSN that is to be deleted from this relationship. Use PF7/PF8 to view additional screens. You must use PF6 prior to paging up or down or processing the transaction.

b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

TAG

Entry Requirement:

For LDS transactions only. Used to indicate which NSN

is to be deleted for LDS transactions.

Valid Entries:

'Χ'.

Results:

The cursor is moved to the next input field.

(2) Field Name:

REPLACED NSN

Entry Requirement:

A valid NSN.

Valid Entries:

An NSN.

Results:

The cursor will be moved to the next input field.

(3) Field Name:

ISC

Entry Requirement:

A valid ITEM STANDARDIZATION CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be moved to the next input field.

(4) Field Name:

ORIG STDZN DEC

Entry Requirement:

A valid ORIGINATOR STANDARDIZATION DECI-

SION CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be moved to the next input field.

(5) Field Name:

STDZN DEC DATE

Entry Requirement:

A valid STANDARDIZATION DECISION DATE.

Valid Entries:

The Julian date that the Standardization decision was

made.

Results:

The cursor will be move to the next input field, or press

PF6 to save the data that has been input on the screen.

c. Available Function Keys. The following unique function keys may be used from the STANDARD-IZATION RELATIONSHIP DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROC SCREEN

Validate the data input on the screen. This key must be used prior to submitting the transaction or paging up/down if data has been input-

ted on screen.

F7 PAGE UP

To view the previous screens data.

F8 PAGE DOWN

To view/input the next screens data.

F12 PROC TRANS

This will create the transaction and send the user to the next input

screen/menu.

B.89 LOLDDA - Delete Item Identification Data Screen.

N419S

SCRNCD: LOLDDA

LOLA UPDATE

DATE: XXXXXXXXX

USERID: XXXXXXXX

DELETE ITEM IDENTIFICATION DATA

TIME: XXXXX

NSN XXXX XXXXXXXX

EFFECTIVE DATE _

ADPEC

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6= PROCESS F7= F8= F9= F10= F12=

- a. Screen Explanation. This screen will create an LDD transaction against the Item Identification Data Group.
 - b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

ADPEC

Entry Requirement:

Enter the appropriate ADPEC.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in

HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The LDD transaction is now ready to be submitted.

c. Available Function Keys. The following unique function keys may be used from the DELETE ITEM IDENTIFICAITON DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS Validate the data input on the screen and forward the transaction for

processing.

B.90 LOLAH1 - Add Catalog Management Data Screen.

N	423S	

SCRNCD: LOLAH1

LOLA UPDATE

DATE: XXXXXXXXX

USERID: XXXXXXXX

ADD CATALOG MANAGEMENT DATA

TIME: XXXXX

NSN XXXX XXXXXXXX

MOE/MAC

EFFECTIVE DATE

PICK ANY COMBINATION

- ADD SERVICE RELATED CMD DATA
- ADD PHRASE RELATIONSHIP GROUP
- _ ADD PHRASE (TECHNICAL DOCUMENT NUMBER) ONLY

OR

ADD JTC RELATIONSHIP GROUP

<MSG 2592> ENTER MOE/MAC, EFF DATE AND PLACE A "X" NEXT TO REQUIRED OPTION

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS

F7= F8= F9= F10= F12=

b. Field Entry Requirements. The valid entries are described below.

(1) Field Name: MOE/MAC

Entry Requirement: User may leave the MOE/MAC displayed or change to

another valid MOE/MAC. If no change Tab to next field.

Valid Entries: A list of valid MOE Codes can be viewed by pos- ition-

ing the cursor on the input field and pressing PF1 for Help. A definition and valid values will display. Position cursor next to required value and use "sticky cursor". The

selected value will be placed in the field automatically.

Results: Cursor will move to next input field or use Tab key.

a. Screen Explanation. This screen allows the user to select the appropriate Catalog Management Data for their LAD Transaction. If Service Related CMD Data is selected the user will be automatically transferred to their Service Management Control Data.

(2) Field Name:

EFFECTIVE DATE

Entry Requirement:

Enter the Julian Date the transaction is to process.

Valid Entries:

A valid Julian Date: all numerics (0-9).

Results:

Cursor will be moved to next field on the screen.

(3) Field Name:

ADD SERVICE RELATED CMD DATA

Entry Requirement:

Place the cursor next to option and press PF6.

Valid Entries:

No entry is required.

Results:

The appropriate ADD SERVICE MANAGEMENT DATA

ELEMENT screen will be displayed.

(4) Field Name:

ADD PHRASE RELATIONSHIP GROUP

Entry Requirement:

Place cursor next to this option and press PF6.

Valid Entries:

No entry is required.

Results:

Receive 'ADD PHRASE RELATIONSHIP' screen.

(5) Field Name:

ADD PHRASE (TECHNICAL DOCUMENT NUMBER)

ONLY

Entry Requirement:

Place cursor next to this option and press PF6.

Valid Entries:

No entry is required.

Results:

Receive 'ADD TECHNICAL DOCUMENT NUMBER'

screen.

(6) Field Name:

ADD JTC RELATIONSHIP GROUP

Entry Requirement:

Place cursor next to this option and press PF6.

Valid Entries:

No entry is required.

Results:

Receive 'ADD JTC RELATIONSHIP' screen.

c. Available Function Keys. The following unique function keys may be used from the ADD CATALOG MANAGEMENT DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu

F6 PROCESS

Displays the screens for the selected options.

B.91 LOLCH2 - Change Management Data Screen.

N424S					
SCRNCD:	LOLCH2	LOLA	A UPDATE		DATE: XXXXXXXXX
USERID:	XXXXXXX	CHANGE M	IANAGEMENT DAT	Ά	TIME: XXXXX
NSN:	: XXXX XXXXX	XX			
	SOURCE UNIT OF QUANTIT CONTRO	C CODE TION ADVICE C OF SUPPLY/SOS ISSUE CD TY UNIT PACK LLED INVENTO IFE CODE CODE	SM CD	- - - - - - -	
<msg 243<="" td=""><td>36> ENTER CHA</td><td>NGE DATA AND</td><td>PF6 TO PROCESS</td><td></td><td></td></msg>	36> ENTER CHA	NGE DATA AND	PF6 TO PROCESS		
XXXXXX	XXXXXXXXXX	XXXXXXXXX	xxxxxxxxxxx	XXXXXX	XXXXXXXXXXX
F1=HELP F7=		F3=LOLA MENU F9=	F4=MAIN MENU F5	5=CANCEL	F6=PROC SCREEN F12=PROC TRANS
in the field					g the LCD transaction. Fill on will be created for each
b. Field	Entry Requiremen	its. The valid entri	es are described belo	w.	
(1).	Field Name: Entry Requireme Valid Entries: Results:	EFFECTIV nt: Automatica N/A N/A	E DATE lly entered from previ	ous screen.	
(2)	Field Name: Entry Requireme Valid Entries: Results:	MOE/MAC nt: Automatica N/A N/A	CODE lly entered from previ	ous screen.	

(3) Field Name:

ACQUISITION ADVICE CODE

Entry Requirement: Valid Entries:

Enter the appropriate ACQUISITION ADVICE CODE. Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results: A LCD transaction will be sent to update the selected

NIIN. The other fields can also be entered if desired. If other fields are entered, then separate transactions will be

created.

(4) Field Name:

SOURCE OF SUPPLY/SOSM CD

Entry Requirement:

Enter the appropriate SOURCE OF SUPPLY or SOURCE

OF SUPPLY MODIFIER CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be entered into the field automatically. There will be no valid values available for the Source of Supply Modifier.

Results:

A LCD transaction will be sent to update the selected NIIN. The other fields can also be entered if desired. If other fields are entered, then separate transactions will be

created.

(5) Field Name:

UNIT OF ISSUE CD

Entry Requirement: Valid Entries:

Enter the appropriate UNIT OF ISSUE CODE.

Valid Entries: Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use

the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LCD transaction will be sent to update the selected NIIN. The other fields can also be entered if desired. If other fields are entered, then separate transactions will be

created.

(6) Field Name:

QUANTITY UNIT PACK CODE

Entry Requirement: Valid Entries:

Enter the appropriate QUANTITY UNIT PACK CODE. Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results: A LCD transaction will be sent to update the selected

NIIN. The other fields can also be entered if desired. If other fields are entered, then separate transactions will be

created.

(7) Field Name:

CONTROLLED INVENTORY ITEM CODE

Entry Requirement: Valid Entries:

Enter the CONTROLLED INVENTORY ITEM CODE. Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 HELP. While in HELP a definition and a list of values will appear. Place cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be entered into the field

automatically.

Results:

A LCD transaction will be sent to update the selected NIIN. The other fields can also be entered if desired. If other fields are entered, then separate transactions will be

created.

(8) Field Name:

SHELF LIFE CODE

Entry Requirement:

Enter the appropriate SHELF LIFE CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LCD transaction will be sent to update the selected NIIN. The other fields can also be entered if desired. If other fields are entered, then separate transactions will be

created.

(9) Field Name:

PHRASE CODE

Entry Requirement:

Enter the appropriate PHRASE CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A LCD transaction will be sent to update the selected NIIN. The other fields can also be entered if desired. If other fields are entered, then separate transactions will be

created.

(10) Field Name:

Results:

UNIT PRICE

Entry Requirement:

Enter the appropriate UNIT PRICE.

Valid Entries:

A LCD transaction will be sent to update the selected NIIN. The other fields can also be entered if desired. If

A valid NUMERIC (0-9) Unit Price must be entered.

other fields are entered, then separate transactions will be

created.

c. Available Function Keys. The following unique function keys may be used from the CHANGE MANAGEMENT DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROC SCREEN

Validate the data input on the screen.

F12 PROC TRANS

Forwards the transaction for processing.

B.92 LOLCDB - Change MOE Rule Data Group Screen.

N433S SCRNCD: LOLCDB USERID: XXXXXXXX		LOLA UI CHÂNGE MOE	DATE: XXXXXXXXX TIME: XXXXX	
NS	SN: XXXX	xxxxxxxx	MOE RULE	
CI	C	_	AMC	_
Al	MSC	_	IMC	_
IM	ICA	_	DSOR	
SU	JPPL-COLLBR			
SU	JPPL-RCVR	<u> </u>		
A	AC		NIMSC	
<msg 23<="" td=""><td>55> ENTER M</td><td>OE RULE OF DATA TO BI</td><td>E CHANGED</td><td></td></msg>	55> ENTER M	OE RULE OF DATA TO BI	E CHANGED	
XXXXXX	XXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXX
F1=HELP F7=	F2=CLEAR SO F8=PAGE DOV	CR F3=LOLA MENU F4=M WN F9= F10=	IAIN MENU F5=CANCEL	F6=PROCESS F12=
a. Scree NIIN.	n Explanation.	This screen will be used to cl	nange the MOE RULE Dat	a assigned to a particular
b. Field	Entry Requirer	nents. The valid entries are o	described below.	
(1)	Field Name: Entry Require Valid Entries: Results:	A valid MOE RUL	te MOE RULE and press lE is required. I with the input MOE will	
(2)	Field Name: Entry Require	EFF DATE ment: Enter the Julian Da cessed, required wi	te that the transaction will the NIMSC only.	be pro-
	Valid Entries:	The field will not b	e displayed until the NIMS	SC is
	Results:		s processed. nsaction will be created if lds can also be entered if r	

(3) Field Name:

CIC

Entry Requirement:

Enter the appropriate CARD IDENTIFICATION CODE,

ITEM MANAGEMENT CODING and press PF6 to pro-

cess.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A transaction will be sent to update the selected NIIN, if PF6 is entered. The other fields may be changed prior to

pressing PF6.

(4) Field Name:

AMC

Entry Requirement:

Enter the appropriate ACQUISITION METHOD CODE

and press PF6 to process the update.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A transaction will be sent to update the selected NIIN, if

PF6 is entered. The other fields may be changed.

(5) Field Name:

AMC SUF

Entry Requirement:

Enter the appropriate ACQUISITION METHOD SUFFIX

CODE and press PF6 to process the update.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

Transaction will be sent to update the selected NIIN, if

PF6 is entered: The other fields may be changed.

Field Name: (6)

IMC

Entry Requirement:

Enter the appropriate ITEM MANAGEMENT CODE and

press PF6 to process the update.

Valid Entries:

Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

A transaction will be sent to update the selected NIIN, if

PF6 is entered. The other fields may be changed.

(7)Field Name: **IMCA**

Entry Requirement:

Enter the appropriate ITEM MANAGEMENT CODING

ACTIVITY and press PF6 to process the update.

Valid Entries:

A listing of valid Activity Codes can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be entered into the field automatically.

Results:

A transaction will be sent to update the selected NIIN, if

PF6 is entered. The other fields may be changed.

(8)Field Name: **DSOR**

Entry Requirement:

Enter the appropriate DEPOT SOURCE OF REPAIR and

press PF6 to process the update.

Valid Entries:

A listing of valid Activity Codes can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be entered into the field automatically.

Results:

A transaction will be sent to update the selected NIIN, if

PF6 is entered. The other fields may be changed.

(9) Field Name:

SUPPL-COLLBR

Entry Requirement:

Enter the appropriate SUPPLEMENTAL COLLABORA-

TOR and press PF6 to process the update.

Valid Entries:

A listing of valid Activity Codes can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be entered into the field automatically.

Results:

A transaction will be sent to update the selected NIIN, if

PF6 is entered. The other fields may be changed.

(10) Field Name:

SUPPL-RCVR

Entry Requirement:

Enter the appropriate SUPPLEMENTAL RECEIVER and

press PF6 to process the update.

Valid Entries:

A listing of valid Activity Codes can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be entered into the field automatically. A transaction will be sent to update the selected NIIN, if

Results:

PF6 is entered. The other fields may be changed.

c. Available Function Keys. The following unique function keys may be used from the CHANGE MOE RULE DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and forward the transaction for

processing.

B.93 LOLCDG - Change Freight Data Screen.

Results:

N434S					
SCRNCD	: LOLCDG	LOL	A UPDATE	DATE	: XXXXXXXXX
USERID:	XXXXXXX	CHANG	E FREIGHT DATA	TIME	: XXXXX
	NSN: XXXX	xxxxxxxx			
	HZRD MTL	<u> </u>		LCL	- .
	RAIL VAR	_		WATER CMDTY	
	TYPE CGO	_		SPCL HDLG	_
	AIR DIM	_		AIR CMDTY	
	INTGTY CD	_			
XXXXXX	«XXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXX	xxxxxxxxxxx	XXXXXXX
F1=HELP F7=	F2=CLEAR SCR F8=	F3=LOLA MENU F9=	F4=MAIN MENU F10=	F5=CANCEL F6=PRO F12=	CESS
	n Explanation. The ransaction.	is screen is used to	change Freight data	on a NIIN. The scree	n can be used for
b. Field	Entry Requirement	nts. The valid entr	ies are described bel	ow.	
(1)	Field Name:	HZRD MT	L .		
	Entry Requireme			OUS MATERIAL CO	DDE,
	Valid Entries:	Valid entrie	•	to making changes. The positioning the curso for HELP. While in	or on

tered into the field automatically.

be entered if required.

HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

The appropriate transaction will be sent to update the selected NIIN, if PF6 is entered. The other fields can also

(2) Field Name:

LCL

Entry Requirement:

Enter the appropriate LESS THAN CARLOAD CODE,

press PF6 to process, or continue making changes.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The appropriate transaction will be sent to update the selected NIIN, if PF6 is entered. The other fields can also

be entered if required.

(3) Field Name:

RAIL VAR

Entry Requirement:

Enter the appropriate RAIL VARIATION CODE, press

PF6 to process or continue making changes.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The appropriate transaction will be sent to update the selected NIIN, if PF6 is entered. The other fields can also

be entered if required.

(4) Field Name:

WATER CMDTY

Entry Requirement:

Enter the appropriate WATER COMMODITY CODE,

press PF6 to process or continue making changes.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The appropriate transaction will be sent to update the se-

lected NIIN, if PF6 is entered. The other fields can also

be entered if required.

(5) Field Name: TYPE CGO

Entry Requirement:

Enter the appropriate TYPE OF CARGO CODE, press

PF6 to process or continue making changes.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The appropriate transaction will be sent to update the selected NIIN, if PF6 is entered. The other fields can also

be entered if required.

Field Name: (6)

SPCL HDLG

Entry Requirement:

Enter the appropriate SPECIAL HANDLING CODE,

press PF6 to process or continue making changes.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The appropriate transaction will be sent to update the selected NIIN, if PF6 is entered. The other fields can also

be entered if required.

(7) Field Name: AIR DIM

Entry Requirement:

Enter the appropriate AIR DIMENSION CODE, press

PF6 to process or continue making changes.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The appropriate transaction will be sent to update the selected NIIN, if PF6 is entered. The other fields can also

be entered if required.

(8) Field Name:

AIR CMDTY

Entry Requirement:

Enter the appropriate AIR COMMODITY CODE, press

PF6 to process or continue making changes.

Valid Entries:

To obtain a definition of this field press PF1. No table

values are available for this field.

Results:

The transaction will be sent to update the selected NIIN, if PF6 is entered. The other fields can also be entered if

required.

(9)

Field Name:

INTGTY CD

Entry Requirement:

Enter the appropriate INTEGRITY CODE, press PF6 to

process or continue making changes.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The appropriate transaction will be sent to update the selected NIIN, if PF6 is entered. The other fields can also

be entered if required.

c. Available Function Keys. The following unique function keys may be used from the CHANGE FREIGHT DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and forward the transaction for

processing.

B.94 LOLDDG - Delete Freight Data Screen.

N435S

SCRNCD: LOLDDG

LOLA UPDATE

DATE: XXXXXXXXX

USERID: XXXXXXXX

DELETE FREIGHT DATA

TIME: XXXXX

NSN: XXXX XXXXXXXX

HAZARDOUS MATERIAL CODE

XX

LESS THAN CAR LOAD

_ X

RAIL VARIATION CODE

_ X

INTEGRITY CODE

 \mathbf{X}

F12=

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS

F7= F8= F10=

a. Screen Explanation. This screen is used to delete Freight data on a particular NIIN.

b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

HAZARDOUS MATERIAL CODE

Entry Requirement:

Enter an 'X' if you wish to delete this data; if not Tab to

next field or PF5.

Valid Entries:

'X'.

Results:

The cursor will be positioned on the next field.

(2) Field Name:

LESS THAN CARLOAD

Entry Requirement:

Enter an 'X' if you wish to delete this data; if not, Tab to

next field or PF5.

Valid Entries:

'X'.

Results:

The cursor will be placed on the next input field.

(3) Field Name:

RAIL VARIATION CODE

Entry Requirement:

Enter an 'X' if you wish to delete this data; if not, Tab to

next field or PF5.

Valid Entries:

'Χ'.

Results:

The cursor will be placed on the next input field.

(4) Field Name:

INTEGRITY CODE

Entry Requirement:

Enter an 'X' if you wish to delete this data; if not, Tab to

next field, PF5, or PF6.

Valid Entries:

'X'.

Results:

The cursor will be positioned on the next input field, or

press PF6 to process the transaction.

c. Available Function Keys. The following unique function keys may be used from the DELETE FREIGHT DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and forward the transaction for

processing.

B.95 LOLDUB - Change Management Data Screen.

N437S					
SCRNCD:	LOLDUB	LOL	A UPDATI	Ξ	DATE: XXXXXXXXX
USERID:	XXXXXXX	MOE RU	JLE DATA GRO	UP	TIME: XXXXX
NSN	XXXX XXXXXX	XXXX		EFFECTIVE DA	ATE
	DE	LETION REASON	N CODE:	MOE RULE:	
			_		•
			_		
			-		
					
			_		
			_		
<msg 229<="" td=""><td>91> ENTER CRIT</td><td>TERIA AND PRES</td><td>SS PF6 TO COM</td><td>IMIT</td><td></td></msg>	91> ENTER CRIT	TERIA AND PRES	SS PF6 TO COM	IMIT	
XXXXXX	xxxxxxxxx	XXXXXXXXX	XXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXX
F1=HELP	F2=CLEAR SCR	F3=LOLA MENU	F4=MAIN MEN	U F5=CANCEL I	F6=PROCESS
F7=	F8=	F9=	F10=		F12=
	late, the Deletion I				up. The User inputs the ish to delete and presses
b. Field	Entry Requirement	nts. Valid entries a	re described belo	ow.	
(1)	Field Name: Entry Requireme Valid Entries: Results:	A valid Juli field may be	propriate EFFEC an date (numeric e obtained by pro	0-9). A definition	

(2) Field Name:

DELETION REASON CODE

Entry Requirement:

Enter a valid DELETION REASON CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be placed on the next input field.

(3) Field Name:

MOE RULE

Entry Requirement:

Enter a valid MOE RULE on the input NIIN.

Valid Entries:

Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

Transaction is ready for processing, Press PF6.

c. Available Function Keys. The following unique function keys may be used from the DELETE MOE RULE DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and send the transaction for pro-

cessing.

B.96 LOLCH4 - Change CMD Data Chain (LCD) Screen.

N438S					
	: LOLCH4 XXXXXXXX	L O L A CHANGE CM	UPDAT		DATE: XXXXXXXXX TIME: XXXXX
					
N	SN: XXXX XXX	XXXXXX			
	FO	RMER PHRASE R	ELATIONSHI	P GROUP:	
		EFFECTIVE D	ATE		
		MOE/MAC CO	DDE		
		PHRASE CD	_		
		RELATED NS	N		
		FORMER NSN	1		
<msg 24<="" td=""><td>61> ENTER CHA</td><td>ANGE DATA INTO</td><td>BLANK OR</td><td>UNPROTECTED</td><td>FIELDS.</td></msg>	61> ENTER CHA	ANGE DATA INTO	BLANK OR	UNPROTECTED	FIELDS.
XXXXXX	XXXXXXXXXX	XXXXXXXXXXX	XXXXXXXX	XXXXXXXXX	XXXXXXXXXXXX
F1=HELP F7=	F2=CLEAR SCR F8=	F3=LOLA MENU F9=	F4=MAIN MEI F10=	NU F5=CANCEL	F6=PROCESS F12=
		This screen will creat are to be changed			Phrase Relationship Data ansaction.
b. Field	Entry Requireme	ents. The valid entrie	s are describe	d below.	
(1)	Field Name: Entry Requirement	ent: No entry is a screen.		is forwarded from	ı previous
	Valid Entries: Results:	N/A N/A			
(2)	Field Name: Entry Requireme Valid Entries: Results:	ent: MOE/MAC Entry not rec No Entry is	quired. User's	MOE/MAC will	be displayed.

(3) Field Name:

PHRASE CD

Entry Requirement:

Enter the appropriate PHRASE CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be placed on the next input field.

(4) Field Name:

RELATED NSN

Entry Requirement:

Enter the appropriate RELATED NSN.

Valid Entries:

The appropriate RELATED NSN. The definition of this

field can be obtained by pressing PF1.

Results:

The cursor will be placed on the next input field or press

PF6 to process the transaction.

(5) Field Name:

FORMER NSN

Entry Requirement:

Enter the appropriate FORMER NSN.

Valid Entries:

The appropriate FORMER NSN. The definition of this

field can be obtained by pressing PF1.

Results:

The cursor will be placed on the next input field or press

PF6 to process the transaction.

c. Available Function Keys. The following unique function keys may be used from the CHANGE CMD DATA CHAIN (LCD) screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and forward the transaction for

processing.

B.97 LOLCH5 - Change CMD Data Chain (LCD) Screen.

N439S					
SCRNCD: LOLCE	1 5	LOLA	UPDA	ΤE	DATE: XXXXXXXXX
USERID: XXXXX	XXXX	CHANGE CM	d data ci	HAIN (LCD)	TIME: XXXXX
NSN: XXXX XXX	XXXXXX				
	UNIT O	F ISSUE CHA	NGE DATA	\:	
	EFF	ECTIVE DAT	Ξ		
	MO	E/MAC CODE	•		
	UNI	T OF ISSUE			
	FOR	MER UNIT O	F ISSUE	_	
	UNI	T PRICE			
	QTY	PER UNIT P	ACK	_	
	UI (CONV-FACTO	R		
<msg 2462=""> ADI</msg>	O VALUES A	ND PRESS PF	6 TO PROC	EESS	
XXXXXXXXXX	XXXXXXXX	XXXXXXXX	xxxxxx	XXXXXXXXXXX	XXXXXXXXXXXXX
F1=HELP F2=CLI F7= F8=	EAR SCR F3=1 F9=		F4=MAIN M F10=	IENU F5=CANCEL	F6=PROCESS F12=
a. Screen Explan values to be change			LCD transa	ctions for the Mana	gement Data Group. Ente
b. Field Entry R	equirements. T	he valid entrie	s are describ	ped below.	
(1) Field N Entry F Valid E Results	Requirement: Intries:	EFFECTIVE No entry req N/A N/A		yed from previous	screen.
(2) Field N Entry F Valid E Results	Requirement: Intries:	MOE/MAC (Entry not req No Entry is n N/A	uired. User'	's MOE/MAC is dis	splayed.

(3) Field Name: UNIT OF ISSUE

Entry Requirement:

Enter the appropriate UNIT OF ISSUE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be placed on the next input field.

Field Name: (4)

FORMER UNIT OF ISSUE

Entry Requirement:

Enter the appropriate FORMER UNIT OF ISSUE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use

the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be placed in the next input field.

(5) Field Name: **UNIT PRICE**

Entry Requirement:

Enter the appropriate UNIT PRICE.

Valid Entries:

A valid UNIT PRICE. A definition of this field can be

obtained by pressing PF1.

Results:

The cursor will be placed on the next input field.

Field Name: (6)

QTY PER UNIT PACK

Entry Requirement:

Enter the appropriate QUANTITY PER UNIT PACK.

Valid Entries:

A valid QUANTITY PER UNIT PACK. A definition of

this field can be obtained by pressing PF1.

Results:

The cursor will be placed on the next input field.

(7)Field Name: UNIT OF ISSUE CONVERSION FACTOR

Entry Requirement: Valid Entries:

Enter the UNIT OF ISSUE CONVERSION FACTOR. A valid UNIT OF ISSUE CONVERSION FACTOR. A

definition of this field can be obtained by pressing PF1.

Results:

The cursor will be placed on the next input field.

c. Available Function Keys. The following unique function keys may be used from the CHANGE CMD DATA CHAIN (LCD) screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and process transaction.

B.98 LOLDH1 - Delete Catalog Management Data Screen.

N441S

SCRNCD: LOLDH1

LOLA UPDATE

DATE: XXXXXXXXX

USERID: XXXXXXXX

DELETE CATALOG MANAGEMENT DATA

TIME: XXXXX

NSN XXXX XXXXXXXX

MOE/MAC XX

EFFECTIVE DATE ____

PICK ANY COMBINATION

- DELETE SERVICE RELATED CMD DATA
- DELETE PHRASE RELATIONSHIP GROUP
- DELETE TECH DOC NUM OR DLA REPAIR CD

OR

DELETE I&S JUMP TO RELATIONSHIP GRP

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS

F7= F8=

F9=

F10≈

F12=

a. Screen Explanation. This screen generates Data Element Deletion (LDD) transaction(s) for the selected sub groupings of the Management Data Group. If Service Related CMD Data is selected the appropriate Service Peculiar Data Screen will be displayed. The Delete I&S Jump To Relationship Grp can only be selected by itself, no other option will be available. Otherwise any or all of the remaining choices may be selected.

b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

MOE/MAC

Entry Requirement:

The MOE Code is used when there is only one (1) "line" of CMD Data recorded for the Users Service. The MAC is used when multiple "lines" of CMD Data are recorded

for the Users Service.

Valid Entries:

Press PF1 for help on the MOE Code; MS,SS.

Results:

The cursor will move to the next input field.

(2) Field Name:

EFFECTIVE DATE

Entry Requirement:

A valid Julian date for an Effective Dated Transaction or

'00000' if you want the transaction to process now.

Valid Entries:

The 5 position Julian date or 5 '0s'.

Results:

The cursor will move to the next input field.

(3) Field Name:

DELETE SERVICE RELATED CMD DATA

Entry Requirement:

Input an 'X' in the field and press PF6 or continue mak-

ing selections.

Valid Entries:

'X'.

Results:

The cursor will move to the next input field.

(4) Field Name:

DELETE PHRASE RELATIONSHIP GROUP

Entry Requirement:

Input an 'X' in the field and press PF6 or continue mak-

ing selections.

Valid Entries:

Υ'.

Results:

The cursor will move to the next input field.

(5) Field Name:

DELETE TECH DOC NUM OR DLA REPAIR CD

Entry Requirement:

Input an 'X' in the field and press PF6.

Valid Entries:

'X'.

Results:

The cursor will move to the next input field.

(6) Field Name:

DELETE I&S JUMP TO RELATIONSHIP

Entry Requirement:

Input an 'X' in the field and press PF6 to process.

Valid Entries:

'X'.

Results:

The cursor will move to the next input field

c. Available Function Keys. The following unique function keys may be used from the DELETE CATALOG MANAGEMENT DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F2 CLEAR SCR

Clears all input fields.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Displays the next input screen or it will send the selected transaction

to be processed by the Update Programs.

B.99 LOESEG - Standardization Data Screen.

N442S

SCRNCD: LOESEG

LOLA UPDATE

DATE: XXXXXXXXX

USERID: XXXXXXXX

STANDARDIZATION DATA

TIME: XXXXX

NSN: XXXX XXXXXXX

ITEM STANDARDIZATION CODE

ORIGINATOR STANDARDIZATION DECISION

STANDARDIZATION DECISION DATE

<MSG 2436> ENTER CHANGE DATA AND PRESS PF6 TO PROCESS

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROC SCREEN F7=PAGE UP F8=PAGE DOWN F9= F10= F10= F12=PROC TRANS

a. Screen Explanation. This screen creates an LCS or LCZ Standardization Data Change. If the Input NIIN was a REPLACED NIIN an LCS will be created. If the input NIIN is a REPLACEMENT NIIN an LCZ will be created.

b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

ITEM STANDARDIZATION CODE

Entry Requirement:

Enter the appropriate ITEM STANDARDIZATION

CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be placed on the next input field.

(2) Field Name: ORIGINATOR STANDARDIZATION DECISION

Entry Requirement: Enter the appropriate ACTIVITY CODE.

Valid Entries: Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results: The cursor will be placed on the next input field.

(3) Field Name: STANDARDIZATION DECISION DATE

Entry Requirement: The Julian Date that the STANDARDIZATION DECI-

SION was made.

Valid Entries: A valid Julian Date.

Results: The transaction is ready to be processed once all required

input fields have been entered.

c. Available Function Keys. The following unique function keys may be used from the STANDARD-IZATION DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROC SCREEN Validates the data input on the screen.

F12 PROC TRANS Forwards the transaction for processing.

B.100 LOLDH4 - Data Element Screen.

N443S

SCRNCD: LOLDH4

LOLA UPDATE

DATE: XXXXXXXXX

USERID: XXXXXXXX

DATA ELEMENT

TIME: XXXXX

----EDITING TECHNICAL DOCUMENT NUMBER GROUP----

NSN: XXXX XXXXXXXX

PHRASE RELATIONSHIP GROUP:

EFFECTIVE DATE

XXXXX

MOE/MAC CODE

XX

PHRASE-CD

TECHNICAL DOC NBR

<MSG 0534> PRESS PF6 TO PROCESS

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS

F12=

F7=

F8=

F9=

F10=

a. Screen Explanation. This screen is used to add or delete Technical Document Numbers. Previous input determined the action to take effect.

- b. Field Entry Requirements. The valid entries are described below.
 - (1)

Field Name:

EFFECTIVE DATE

Entry Requirement:

None Required.

Valid Entries:

N/A

Results:

N/A

(2) Field Name: MOE/MAC CODE

Entry Requirement:

None Required.

Valid Entries:

N/A

Results:

N/A

(3) Field Name:

PHRASE CODE

Entry Requirement:

A valid PHRASE CODE.

Valid Entries:

A valid PHRASE CODE for an add or the PHRASE

CODE registered on the input NIIN, associated with the

Technical Document Number that is to be deleted.

Results:

The cursor will move to the next input field.

(4) Field Name:

TECHNICAL DOCUMENT NUMBER

Entry Requirement:

The TECHNICAL DOCUMENT NUMBER to be added

or registered on the input NIIN that is to be deleted.

Valid Entries:

The TECHNICAL DOCUMENT NUMBER must be reg-

istered on the input NIIN for delete transactions.

Results:

The transaction is ready to be processed.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS

Validate the data input on the screen and send the user to the next

input screen/menu.

B.101 LOLSGH - Catalog Management Data Screen.

N444S						
SCRNCD	: LOLSGH	LOL	A UPDATE		DATE: XXXXXXXXX	
USERID:	XXXXXXX	CATALOG	MANAGEMENT	DATA	TIME: XXXXX	
NSN	V: XXXX XXXX	XXXX		-		
	SOURCE OF SU UNIT OF ISSUI UNIT OF ISSUI UNIT PRICE QUANTITY PE CONTROLLED SHELF LIFE CO	DE ADVICE CODE JPPLY/SOSM CD E CD E CONVERSION R UNIT PACK INVENTORY ITH DDE	FACTOR	OR CODE		
<msg 229<="" td=""><td>91> ENTER CRIT</td><td>TERIA AND PRES</td><td>SS PF6 TO COMM</td><td>1IT</td><td>_</td></msg>	91> ENTER CRIT	TERIA AND PRES	SS PF6 TO COMM	1IT	_	
xxxxx	xxxxxxxxx	xxxxxxxxx	xxxxxxxxx	xxxxxxx	xxxxxxxxxx	
F1=HELP F7=	F2=CLEAR SCR F8=	F3=LOLA MENU F9=	F4=MAIN MENU F10=		F6=PROC SCREEN F12=PROC TRANS	
a. Screen Explanation. This screen is used to create transactions to add (LAM), change (LCM), or delete (LDM) data from the Catalog Management Data group. It is also used to input data for NIIN Assignment and Reinstatements (LN_) (LB_) transactions. Enter data into appropriate fields. Prompts and messages will indicate which field are required. (An '*' indicates data not available for field.)						
b. Field	Entry Requiremen	ts. The valid entri	es are described be	elow.		
(1)	Field Name: Entry Requireme Valid Entries:	Enter a Julia	E DATE propriate EFFECT an date that is equalition of this field of the control o	al to or greater	•	
	Results:	The cursor v	vill be placed on the	he next input f	ield.	

(2) Field Name:

MOE/MAC CODE

Entry Requirement:

Enter the appropriate MOE/MAC CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be entered into the field automatically. MAC codes values are

MS/SS.

Results:

The cursor will be placed on the next input field.

(3) Field Name:

ACQUISITION ADVICE CODE

Entry Requirement: Valid Entries:

Enter the appropriate ACQUISITION ADVICE CODE.

Valid entries can be obtained by positioning the cursor on the input field and pressing PE1 for HELP. While in

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be placed on the next input field.

(4) Field Name:

SOURCE OF SUPPLY/SOSM CD

Entry Requirement:

Enter the appropriate SOURCE OF SUPPLY or SOURCE

OF SUPPLY MODIFIER CODE.

Valid Entries:

For the SOURCE OF SUPPLY CODE valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be entered into the field automatically. There will be no HELP available for the

SOURCE OF SUPPLY MODIFIER.

Results:

The cursor will be placed on the next input field.

(5) Field Name:

UNIT OF ISSUE CD

Entry Requirement:

Enter the appropriate UNIT OF ISSUE CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be placed on the next input field.

(6) Field Name:

UNIT OF ISSUE CONVERSION FACTOR

Entry Requirement: Valid Entries:

Enter a valid UNIT OF ISSUE CONVERSION FACTOR.

A definition of this field can be obtained by pressing PF1

(no table values will be displayed).

Results:

The cursor will move to next input field.

(7) Field Name:

UNIT PRICE

Entry Requirement:

Enter the appropriate DOLLAR VALUE UNIT PRICE.

Valid Entries:

A definition of this field can be obtained by pressing PF1

(no table values will be displayed).

Results:

The cursor will move to the next input field.

(8) Field Name:

QUANTITY PER UNIT PACK (QUP)

Entry Requirement:

Enter the appropriate QUANTITY UNIT PACK (QUP).

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(9) Field Name:

CONTROLLED INVENTORY ITEM CODE

Entry Requirement:

Enter a valid CONTROLLED INVENTORY ITEM

CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(10) Field Name:

SHELF LIFE CODE

Entry Requirement:

Enter the appropriate SHELF LIFE CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(11) Field Name:

DLA REPARABLE CHARACTERISTICS INDICATOR

CODE

Entry Requirement:

Enter the appropriate DLA REPARABLE CHARACTER-

ISTICS INDICATOR CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be positioned on the first input field.

Press PF6 to process the screen.

c. Available Function Keys. The following unique function keys may be used from the CATALOG MANAGEMENT DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROC SCREEN

Validate the data input on the screen; this key must be used prior to

submitting the transaction.

F11 BYPASS

This key allows activities not required to input Catalog Management

Data to 'bypass' this screen.

F12 PROC TRANS

This key creates the transaction and sends the user to the next input

screen or menu.

B.102 LOARMY - Army Management Data Screen.

SCRNCD: LOARMY USERID: XXXXXXXX	LOLA UPDATE ARMY MANAGEMENT DATA	DATE: XXXXXXXX TIME: XXXXX	
NSN XXXX XXXXXXX	EFFECTIVE D MOE/MAC	OATE XXXXX XX	
REG	COVERABILITY CODE		
MA	TERIAL CATEGORY CODE		
AC	COUNTING REQUIREMENTS CODE		

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROC SCREEN F7= F8= F9= F10= F12=PROC TRANS

a. Screen Explanation. This screen is used to create transactions to ADD, CHANGE or DELETE data elements or the entire data group from the Army peculiar Catalog Management Data. It is also used for NIIN Assignments and Reinstatements. Screen prompts and messages will indicate if the field is required. If no data is entered do not use PF6; use PF12 only. If any data is entered, use PF6 and PF12 in that order. When reprocessing/correcting a transaction and a change is made in the Basic Catalog Management Data, all data on the service peculiar screen will be removed and must be re-input.

b. Field Entry Requirements. The valid entries are described below.

(1) Field Name: RECOVERABILITY CODE Entry Requirement: Enter the appropriate RECOVERABILITY CODE. Valid Entries: Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be entered into the field automatically. Results:

The cursor will be positioned on the next input field or

press PF6 to process screen.

(2) Field Name:

MATERIAL CATEGORY CODE

Entry Requirement: Valid Entries:

Enter the appropriate MATERIEL CATEGORY CODE. A definition of this field can be obtained by pressing PF1

(no table values will be displayed).

Results:

The cursor will be positioned on the next input field or

press PF6 to process screen.

(3) Field Name:

ACCOUNTING REQUIREMENTS CODE

Entry Requirement: Valid Entries:

Enter a valid ACCOUNTING REQUIREMENTS CODE. Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will be positioned on the first input field, or press PF6 to process screen, then PF12 to process trans-

action.

c. Available Function Keys. The following unique function keys may be used from the ARMY MANAGEMENT DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROC SCREEN

Validate the data input on the screen. This key must be used prior to

submitting the transaction.

F12 PROC TRANS

This will create the transaction and send the user to the next input

screen/menu. It is also used to bypass the screen, if no data is en-

tered.

B.103 LOCSGD - Coast Guard Management Data Screen.

N446S

USERID: XXXXXXXX

SCRNCD: LOCSGD LOLA UPDATE

DATE: XXXXXXXXX

COAST GUARD MANAGEMENT DATA TIME: XXXXX

NSN: XXXX XXXXXXXX EFFECTIVE DATE XXXXX

MOE/MAC XX

REPARABILITY CODE

INVENTORY ACCOUNT CODE

SERIAL NUMBER CONTROL CODE _

SPECIAL MATERIAL CONTENT CODE

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROC SCREEN F7= F8= F10= F10= F12=PROC TRANS

- a. Screen Explanation. This screen is used to create Add, Change and Delete transactions for data elements and data groups for Coast Guard peculiar Catalog Management Data. It is also used with NIIN Assignments and Reinstatements. Enter data into the displayed fields, if appropriate. Screen prompts and messages will indicate required fields. If data is entered, you must use PF6 then PF12 in that order. If no data is entered, use PF12 only. When reprocessing/correcting a transaction and a change is made in the Basic Catalog Management Data, all data on the service peculiar screen will be removed and must be re-input.
 - b. Field Entry Requirements. The valid entries are described below.

(1) Field Name: REPARABILITY CODE

Entry Requirement: Enter the appropriate REPARABILITY CODE.

Valid Entries: Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results: The cursor will move to the next input field.

(2) Field Name:

INVENTORY ACCOUNT CODE

Entry Requirement: Valid Entries:

Enter the appropriate INVENTORY ACCOUNT CODE. Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(3) Field Name:

SERIAL NUMBER CONTROL CODE

Entry Requirement: Valid Entries:

Enter a valid SERIAL NUMBER CONTROL CODE.

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(4) Field Name:

SPECIAL MATERIAL CONTENT CODE

Entry Requirement:

Enter the appropriate SPECIAL MATERIAL CONTENT

CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

c. Available Function Keys. The following unique function keys may be used from the COAST GUARD MANAGEMENT DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROC SCREEN

Validate the data input on the screen. This key must be used prior to

submitting the transaction.

F12 PROC TRANS

This will create the transaction and send the user to the next input

screen/menu, also, to bypass the screen if no data is entered.

B.104 LOARFC - Air Force Management Data Screen.

N447S

SCRNCD: LOARFC

LOLA UPDATE

DATE: XXXXXXXXX

USERID: XXXXXXXX

AIR FORCE MANAGEMENT DATA

TIME: XXXXX

NSN XXXX XXXXXXXXX

EFFECTIVE DATE

XXXXX

MOE/MAC

XX

EXPENDABILITY RECOVERABILITY REPARABILITY CATEGORY CODE

FUND CODE

BUDGET CODE - MANAGEMENT DATA LIST

MATERIEL MANAGEMENT AGGREGATION CODE

PRICE VALIDATION CD

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROC SCREEN F7= F8= F10= F12=PROC TRANS

- a. Screen Explanation. This screen is used to create Add, Change and Delete transactions for data elements and data groups for Air Force peculiar Catalog Management Data. It is also used with NIIN Assignments and Reinstatements. Enter data into the displayed fields, if appropriate. Screen prompts and messages will indicate required fields. If data is entered you must use PF6 then PF12 in that order: If no data is entered use PF12 only. When reprocessing/correcting a transaction and a change is made in the Basic Catalog Management Data, all data on the service peculiar screen will be removed and must be re-input.
 - b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

EXPENDABILITY RECOVERABILITY REPARABIL-

ITY CATEGORY CODE

Entry Requirement:

Enter the appropriate ERRC CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(2) Field Name:

FUND CODE

Entry Requirement:

Enter the appropriate FUND CODE.

Valid Entries: Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(3) Field Name:

BUDGET CODE - MANAGEMENT DATA LIST

Entry Requirement: Valid Entries:

Enter the appropriate BUDGET CODE MDL.

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(4) Field Name:

MATERIEL MANAGEMENT AGGREGATION CODE

Entry Requirement:

Enter the appropriate MATERIEL MANAGEMENT AG-

GREGATION CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(5) Field Name:

PRICE VALIDATION CODE

Entry Requirement: Valid Entries:

Enter the appropriate PRICE VALIDATION CODE.

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the first input field.

c. Available Function Keys. The following unique function keys may be used from the AIR FORCE MANAGEMENT DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5	CANCEL	Cancels the current transaction and returns to the LOLA Update Main Menu.
F6 ·	PROC SCREEN	Validate the data input on the screen. This key must be used prior to submitting the transaction.
F12	PROC TRANS	This will create the transaction and send the user to the next input

screen/menu, or is used to bypass the screen when no data is input.

B.105 LOMRCP - Marine Corps Management Data Screen.

N448S SCRNCD: LOMRCP USERID: XXXXXXXX	LOLA UPDATE MARINE CORPS MANAGEMENT D	DATE: XXXXXXXXX ATA TIME: XXXXX
NSN: XXXX XXXX	XXXXX EFFECT MOE/M	TIVE DATE XXXXX AC XX
	RECOVERABILITY CODE	_
	STORES ACCOUNT CODE	· · · · · · · · · · · · · · · · · · ·
	COMBAT ESSENTIALITY CODE	
	MANAGEMENT ECHELON CODE	
	MATERIEL IDENTIFICATION CD	·-
	OPERATIONAL TEST CODE	_
	PHYSICAL CATEGORY CODE	_

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROC SCREEN F7= F8= F10= F10= F12=PROC TRANS

- a. Screen Explanation. This screen is used to create Add, Change and Delete transactions for data elements and data groups for Marine Corps peculiar Catalog Management Data. It is also used with NIIN Assignments and Reinstatements. Enter data into the displayed fields, if appropriate. Screen prompts and messages will indicate required fields. If data is entered you must use PF6 then PF12 in that order; If no data is entered use PF12 only. When reprocessing/correcting a transaction and a change is made in the Basic Catalog Management Data, all data on the service peculiar screen will be removed and must be re-input.
 - b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

RECOVERABILITY CODE

Entry Requirement:

Enter the appropriate RECOVERABILITY CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(2) Field Name:

STORES ACCOUNT CODE

Entry Requirement:

Enter the appropriate STORES ACCOUNT CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(3) Field Name:

COMBAT ESSENTIALITY CODE

Entry Requirement: Valid Entries:

Enter the appropriate COMBAT ESSENTIALITY CODE. Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(4) Field Name:

MANAGEMENT ECHELON CODE

Entry Requirement:

Enter the appropriate MANAGEMENT ECHELON

CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(5) Field Name:

MATERIEL IDENTIFICATION CODE

Entry Requirement: Valid Entries:

Enter a valid MATERIEL IDENTIFICATION CODE.

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(6) Field Name:

OPERATIONAL TEST CODE

Entry Requirement:

Valid Entries:

Enter the appropriate OPERATIONAL TEST CODE.

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(7) Field Name:

PHYSICAL CATEGORY CODE

Entry Requirement: Valid Entries:

Enter the appropriate PHYSICAL CATEGORY CODE. Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

c. Available Function Keys. The following unique function keys may be used from the MARINE CORPS MANAGEMENT DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROC SCREEN

Validate the data input on the screen. This key must be used prior to

submitting the transaction.

F12 PROC TRANS

This will create the transaction and send the user to the next input screen/menu, it is also used to bypass screen when no data is input.

B.106 LONAVY - Navy Management Data Screen.

N449S SCRNCD: LONAVY USERID: XXXXXXXX	LOLA UPDATE NAVY MANAGEMENT DATA	DATE: XXXXXXXXX TIME: XXXXX
NSN: XXXX XXXXXXX	TE XXXXX	
COGNIZANO SPECIAL M ISSUE REPA	CONTROL CODE CE CODE ATERIAL IDENTIFICATION CODE AIR REQUISITIONING RESTRICTION CODE ATERIAL CONTENT CODE	- - - - -

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROC SCREEN F7= F8= F10= F10= F12=PROC TRANS

- a. Screen Explanation. This screen is used to create Add, Change and Delete transactions for data elements and data groups for Navy peculiar Catalog Management Data. It is also used with NIIN Assignments and Reinstatements. Enter data into the displayed fields, if appropriate. Screen prompts and messages will indicate required fields. If data is entered, you must use PF6 then PF12 in that order; if no data is entered, use PF12 only. When reprocessing/correcting a transaction and a change is made in the Basic Catalog Management Data, all data on the service peculiar screen will be removed and must be re-input.
 - b. Field Entry Requirements. The valid entries are described below.

(1) Field Name: MATERIAL CONTROL CODE

Entry Requirement: Enter the appropriate MATERIAL CONTROL CODE.

Valid Entries: Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in

HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results: The cursor will move to the next input field.

(2) Field Name:

COGNIZANCE CODE

Entry Requirement:

Enter the appropriate COGNIZANCE CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(3) Field Name:

SPECIAL MATERIAL IDENTIFICATION CODE

Entry Requirement:

Enter the SPECIAL MATERIAL IDENTIFICATION

CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(4) Field Name:

ISSUE REPAIR REQUISITIONING RESTRICTION

CODE

Entry Requirement:

Enter the appropriate ISSUE REPAIR REQUISITIONING

RESTRICTION CODE.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

(5) Field Name:

SPECIAL MATERIEL CONTENT CODE

Entry Requirement: Valid Entries:

Enter a valid SPECIAL MATERIEL CONTENT CODE. Valid entries can be obtained by positioning the cursor on

the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The cursor will move to the next input field.

c. Available Function Keys. The following unique function keys may be used from the NAVY MANAGEMENT DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5	CANCEL	Cancels the current transaction and returns to the LOLA Update Main Menu.
F6	PROC SCREEN	Validate the data input on the screen. This key must be used prior to submitting the transaction.
F12	PROC TRANS	This will create the transaction and send the user to the next input screen/menu; also use to bypass screen when no data is entered.

B.107 LO2RTN - Transactions Completed List Screen.

N451S

	TRANSACTION	DOCUMENT		RETURN			
TAG	KEY	CONTROL #	DIC	DRN	CODE	FSC	NIIN
X	XXXXXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	XXXXXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	XXXXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	XXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	${\sf XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX$	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	XXXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	XXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	XXXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	XXXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX
X	XXXXXXXXXXXXXXXXXXX	XXXXXXX	XXX	XXXX	XX	XXXX	XXXXXXXX

<MSG 2001> PLACE AN "X" BY SELECTION AND PRESS PF6

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROCESS F7=PAGE UP F8=PAGE DOWN F9= F10= F12=

- a. Screen Explanation. This screen will allow the User to "fix" a transaction that did not pass the internal MIOS edits. TAG the row that contains the transaction that is to be fixed. You may only "TAG" rejects. Press PF6 to begin reprocessing the transaction.
 - b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

TAG

Entry Requirement:

Place an 'X' on the appropriate row

Valid Entries:

'X'.

Results:

Press PF6 to begin correcting this transaction.

(2) Field Name: TRANSACTION KEY

> Entry Requirement: N/A Valid Entries: N/A

Results: N/A

(3) Field Name: DOCUMENT CONTROL #

Entry Requirement: N/A Valid Entries: N/A Results: N/A

(4) Field Name: DIC Entry Requirement: N/A Valid Entries: N/A

Results: N/A

(5) Field Name: **DRN** Entry Requirement: N/A

Valid Entries: N/A

Results: N/A

(6) Field Name: **RETURN CODE**

Entry Requirement: N/A Valid Entries: N/A Results: N/A

Field Name: **FSC**

(7)

Entry Requirement: N/A Valid Entries: N/A

Results: N/A

(8) Field Name: **NIIN**

Entry Requirement: N/A Valid Entries: N/A Results: N/A

c. Available Function Keys. The following unique function keys may be used from the TRANSACTIONS COMPLETED LIST screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROCESS Validate the data input on the screen. This key must be used prior to

submitting the transaction.

B.108 LOPHRS - Phrase Data Screen.

N452S SCRNCD: LOPHRS USERID: XXXXXXXX	LOLA UPDA PHRASE DAT		DATE: XXXXXXXXX TIME: XXXXX
NSN: XXXX XXXXXXX	XX		
PHRASE COL	ÞΕ	—	
QUANTITATI	VE EXPRESSION		
RELATED NS	N		
TECHNICAL :	DOCUMENT NUMBER		
ORDER OF U	SE		
JUMP TO CO	DE		
QUANTITY P	ER ASSEMBLY		
UNIT OF MEA	ASURE		
<msg 2535=""> ENTER PHRASE</msg>	CODE ONLY AND PRE	SS PF6	
xxxxxxxxxxxxxxxx	xxxxxxxxxxxx	xxxxxxxxxx	xxxxxxxxxx

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROC SCREEN F7=PREV PHRASE DATA F8=NEXT PHRASE DATA F9=DLT SCRN F12=PROC TRANS

a. Screen Explanation. This screen will generate a series of Phrase Related Transaction(s). After entering

a. Screen Explanation. This screen will generate a series of Phrase Related Transaction(s). After entering the appropriate Phrase value press PF6. The cursor will proceed to the related fields for the input Phrase Code so additional data may be entered. Enter the data into the required fields and press PF6 again. If more Phrase transactions are required press PF8 (next Phrase) and repeat this procedure (up to 50 times). Once all of the phrase transactions are entered press PF12 to process the transaction(s). If you want to delete a Phrase Code and associated data that was previously input PF7 or PF8 to that Phrase Code and then press PF9. (NOTE: PF2 onlys clears the screen, it will not delete the data from the transaction, you must use PF9-DLT SCRN.)

b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

PHRASE CODE

Entry Requirement:

Enter the appropriate PHRASE CODE and press PF6 to

process the screen.

Valid Entries:

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en-

tered into the field automatically.

Results:

The input fields that are related to the input Phrase Code will be highlighted and the cursor will be positioned on

the first Highlighted field.

(2) Field Name:

QUANTITATIVE EXPRESSION

Entry Requirement:

Enter the appropriate QUANTITATIVE EXPRESSION

and press PF6 to process the screen.

Valid Entries:

Results:

A valid QUANTITATIVE EXPRESSION is required. After entering PF6, if PF12 is used the transaction will be

created. If PF8 is entered, after entering PF6, the input fields will be cleared and another Phrase transaction can

be created (up to 50 times).

(3) Field Name:

RELATED NSN

Entry Requirement:

Enter the appropriate RELATED NSN and press PF6 to

process the screen.

Valid Entries:

A valid RELATED NSN is required.

Results:

After entering PF6, if PF12 is used the transaction will be created. If PF8 is entered, after entering PF6, the input fields will be cleared and another Phrase transaction can

be created (up to 50 times).

(4) Field Name:

TECHNICAL DOCUMENT NUMBER

Entry Requirement:

Enter the appropriate TECHNICAL DOCUMENT NUM-

BER and press PF6 to process the screen.

Valid Entries:

A valid TECHNICAL DOCUMENT NUMBER is re-

auired.

Results:

After entering PF6, if PF12 is used the transaction will be created. If PF8 is entered, after entering PF6, the input

fields will be cleared and another Phrase transaction can

be created (up to 50 times).

(5) Field Name:

ORDER OF USE

Entry Requirement:

Enter the appropriate ORDER OF USE and press PF6 to

process the screen.

Valid Entries:

A valid ORDER OF USE required.

Results:

After entering PF6, if PF12 is used the transaction will be created. If PF8 is entered, after entering PF6, the input fields will be cleared and another Phrase transaction can

he created (up to 50 times).

(6) Field Name:

JUMP TO CODE

Entry Requirement:

Enter the appropriate JUMP TO CODE and press PF6 to

process the screen.

Valid Entries:

A valid JUMP TO CODE is required.

Results:

After entering PF6, if PF12 is used the transaction will be created. If PF8 is entered, after entering PF6, the input fields will be cleared and another Phrase transaction can

be created (up to 50 times).

(7) Field Name:

QUANTITY PER ASSEMBLY

Entry Requirement:

Enter the appropriate QUANTITY PER ASSEMBLY and

press PF6 to process the screen.

Valid Entries:

A valid QUANTITY PER ASSEMBLY is required.

Results:

After entering PF6, if PF12 is used the transaction will be created. If PF8 is entered, after entering PF6, the input fields will be cleared and another Phrase transaction can

be created (up to 50 times).

(8) Field Name:

UNIT OF MEASURE

Entry Requirement:

Enter the appropriate UNIT OF MEASURE and press

PF6 to process the screen.

Valid Entries:

A valid UNIT OF MEASURE is required.

Results:

After entering PF6, if PF12 is used the transaction will be created. If PF8 is entered, after entering PF6, the input fields will be cleared and another Phrase transaction can

be created (up to 50 times).

c. Available Function Keys. The following unique function keys may be used from the PHRASE DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5	CANCEL	Cancels the current transaction and returns to the LOLA Update Main Menu.
F6	PROC SCREEN	Validate the data input on the screen. This key must be used prior to submitting the transaction.
F7	PREV PHRASE	Displays the first Phrase Transaction for this session if the Phrase screen is blank. If data has been entered, the previous input Phrase transaction for this session will be displayed.
F8	NEXT PHRASE	Clears the input fields and allows another phrase transaction to be created unless you were paging up (PF7) in which case it takes you to the next record.
F9	DEL PHRASE	Deletes the specific Phrase Transaction shown on the screen and displays the next Phrase transaction entered for this session, unless it was the last transaction in which case it will display a blank screen.
F12	PROC TRANS	This will create the transaction and send the user to the next input screen/menu; or bypass this screen if no data is input.

B.109 LOLDH3 - Data Element Screen.

N453S

SCRNCD: LOLDH3

LOLA UPDATE

DATE: XXXXXXXXX

USERID: XXXXXXXX

DATA ELEMENT

TIME: XXXXX

----EDITING I & S JUMP-TO-RELATIONSHIP GROUP----

NSN: XXXX-XXXXXXXXX

I&S GROUP:

EFFECTIVE DATE:

XXXXX

MOE / MAC CODE:

XX

RELATED NSN:

I&S JUMP-TO-CODE:

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROC SCREEN

F7=

F8=

F9=

F10=

F12=PROC TRANS

- a. Screen Explanation. This screen is used to add or delete data. The only entries are the Related NSN and Jump To Code. All other data fields will be filled in with previous input values.
 - b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

EFFECTIVE DATE

Entry Requirement:

N/A

Valid Entries:

N/A

Results:

N/A

(2) Field Name:

MOE/MAC CODE

Entry Requirement:

N/A

Valid Entries:

N/A

Results:

N/A

(3) Field Name:

RELATED NSN

Entry Requirement:

A valid RELATED NSN.

Valid Entries:

The RELATED NSN must be in an I&S relationship with

the Input NSN.

Results:

The cursor will move to the next input field.

(4) Field Name:

I & S JUMP TO CODE

Entry Requirement:

The JUMP TO CODE associated with the RELATED

NSN.

Valid Entries:

N/A

Results:

The transaction is ready to be processed.

c. Available Function Keys. The following unique function keys may be used from the EDITING I&S JUMP TO RELATIONSHIP GROUP screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROC SCREEN

Validates the data input on the screen; must use PF6 prior to PF12.

F12 PROC TRANS

Creates the transactions and forwards it for processing.

B.110 LOLSGV - Characteristics Data Screen.

F7=PREV MRC F8=NEXT MRC F9=DLT SCRN

N458S			
SCRNCD: LOLSGV	LOLA	UPDATE	DATE: XXXXXXXXX
USERID: XXXXXXXX	CHARACT	TERISTICS DATA	TIME: XXXXX
NSN: XXXX-XXXXXXX	XX		
FIIG XXXXXX IN	C XXXXX	NAME XXXXX	xxxxxxxxxxxxxxxxx
RPDMRC TY	PE X	CRIT CODE	DEMIL X
MRC _	MODE	CODE _ ISAC	
REPLY:			
KEI EI:			
<msg 2578=""> ENTER DATA AN</msg>	ND PRESS PF6	TO PROCESS	
F1=HELP F2=CLEAR SCR	F3=LOLA MEN	NU F4=MAIN MENU	F5=CANCEL F6=PROC SCREEN

a. Screen Explanation. This screen allows the User to input the appropriate characteristics for their item. To ADD or CHANGE characteristics data, enter the MRC, MODE CODE, ISAC and REPLY if required. To DELETE a MRC and Reply, enter MRC only and press PF6. To DELETE all characteristics data, enter MRC 9118 and press PF6. (NOTE: PAC NAME must not be input. The PAC NAME will be programmatically handled.) When all of the required data is entered on the screen press PF6 to SAVE your input. Then press either PF8 to enter more characteristics or PF12 to process the transaction. If you want to delete characteristics data that was previously input (during the creation of this transaction), PF7 or PF8 to that data and press PF9.

F10=

F12=PROC TRANS

b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

MRC (MASTER REQUIREMENT CODE)

Entry Requirement:

A valid MRC.

Valid Entries:

A MRC associated with the input NIIN and related FIIG.

Results:

The cursor will move to the next input field.

(2) Field Name:

MODE CODE

Entry Requirement:

A valid MODE CODE.

Valid Entries:

A MODE CODE associated with the input MRC.

Results:

The cursor will move to the next input field.

(3) Field Name:

ISAC

Entry Requirement:

A valid ISAC Combination.

Valid Entries:

ISACs associated with the input MRC.

Results:

The cursor will move to the next input field.

(4) Field Name:

REPLY

Entry Requirement:

A valid CODED REPLY for the input MRC/MODE

CODE.

Valid Entries:

The values required for this field will be reflected in the

FIIG that is being used to catalog this item.

Results:

Press PF6 to save the data on this screen. Then either press PF8 to submit another MRC or PF12 to submit the transaction for processing. You must always use PF6 then PF12 when data is input on the screen, except when using

PF6 then PF7 or PF8.

c. Available Function Keys. The following unique function keys may be used from the CHARACTER-ISTICS DATA screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROC SCREEN

Validate the data input on the screen. This key must be used prior to

submitting the transaction.

F7 PREV MRC

Allows the User to view the previous CHARACTERISTICS DATA

screen. Under this option the Data Displayed can not be altered.

F8 NEXT MRC

Allows input of additional characteristics data.

F9 DLT SCRN

Deletes the specific MRC and reply displayed on the screen and displays the next MRC and reply entered for this session, unless it was the last record, in which case it will display a blank input screen.

F12 PROC TRANS

This will create the transaction and send the user to the next input screen/menu.

B.111 LOLCH6 - Change Quantitative Expression Screen.

N4598		
SCRNCD: LOLCH6	LOLA UPDATE	DATE: XXXXXXXXX
USERID: XXXXXXXX	CHANGE QUANTITATIVE EXPRESSION	TIME: XXXXX
NSN: XXXX-XXXXX	XXXX	
DATE EFFEC	TIVE:	
MOE/MAC C	ODE	
QUANTITATI	VE EXPRESSION	

<MSG 2461> ENTER CHANGE DATA INTO BLANK OR UNPROTECTED FIELDS

F1=HELP F2=CLEAR SCR F3=LOLA MENU F4=MAIN MENU F5=CANCEL F6=PROC SCREEN F7=PAGE UP F8=PAGE DOWN F9= F10= F10= F12=PROC TRANS

- a. Screen Explanation. This screen allows the User to change the Quantitative Expression. The only input field for the User is the Quantitative Expression. All other values have been previously entered prior to viewing this screen.
 - b. Field Entry Requirements. The valid entries are described below.

(1) Field Name:

QUANTITATIVE EXPRESSION

Entry Requirement:

A valid QUANTITATIVE EXPRESSION.

Valid Entries:

Use PF1 for definition of this field.

Results:

The transaction is ready to be processed

c. Available Function Keys. The following unique function keys may be used from the CHANGE QUANTITATIVE EXPRESSION screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROC SCREEN

Validates the data input on the screen; PF6 must be used prior to

PF12.

F7 PAGE UP

To view the previous screens data.

F8 PAGE DOWN

To view/input thie next screens data.

F12 PROC TRANS

Creates the transactions and forwards it for processing.

B.112 LOLDH2 - Data Element Screen.

N461S					
SCRNCD: LOLDH2 USERID: XXXXXXXX		LOL	A UPDATE		DATE: XXXXXXXXX
		DA	TA ELEMENT		TIME: XXXXX
,		EDITING PHRA	SE RELATIONS	HIP GROUP	-
N	ISN: XXXX-XX	XXXXXXX			
	EFF DATE	XXXXX		MOE/M	AC: XX
PH	IRS CD	RELATED NSN	PH	RS CD	RELATED NSN
	_			_	
	_			_	
	_			_	
	_				
	_			_	•
<msg 25<="" td=""><td>32> PF6 (PROC</td><td>CESS SCREEN), PF</td><td>12 (PROCESS TR</td><td>ANSACTION</td><td>), PF5 (CANCEL)</td></msg>	32> PF6 (PROC	CESS SCREEN), PF	12 (PROCESS TR	ANSACTION), PF5 (CANCEL)
XXXXXX	XXXXXXXXX	XXXXXXXXXXX	xxxxxxxxx	XXXXXXXX	XXXXXXXXXXXX
F1=HELP F7=	F2=CLEAR SC F8=	R F3=LOLA MENU F9=	F4=MAIN MENU F10=	F5=CANCEL	F6=PROC SCREEN F12=PROC TRANS
a. Screet by previou		his screen is used to	add or delete Phras	se Relationship	data. Action is determined
b. Field	Entry Requirem	ents. The valid entri	es are described b	elow.	
(1)	Field Name: Entry Requirer Valid Entries:		ODE RASE CODE. s can be obtained	by positioning	the cursor on

Results:

tered into the field automatically.

The cursor will move to the next input field.

Valid entries can be obtained by positioning the cursor on the input field and pressing PF1 for HELP. While in HELP a definition and a list of Valid Values will appear. Position the cursor next to the appropriate value and use the "sticky cursor" option. The selected value will be en(2) Field Name:

RELATED NSN

Entry Requirement:

A valid RELATED NSN.

Valid Entries:

An NSN, Press PF1 to see the definition of NSN.

Results:

The cursor will move to the next input screen.

c. Available Function Keys. The following unique function keys may be used from the EDIT PHRASE RELATIONSHIP GROUP screen. All standardized DLSC Modernization System function keys are available. Refer to Section 16.3.2.e of this document.

F5 CANCEL

Cancels the current transaction and returns to the LOLA Update Main

Menu.

F6 PROC SCREEN

Validate the data input on the screen. This key must be used prior to

submitting the transaction.

F12 PROC TRANS

This will create the transaction and send the user to the next input

screen/menu.

APPENDIX B - PART 3 PROCEDURE SCREEN LAYOUTS

This appendix provides a cross-reference of the inquiry screen codes (SCRNCD) and the screen title associated with that code.

SCREEN TITLE
User Information
On-line User Manuals
On-line Index
On-line Subindex
On-line Text
Word Search Index
On-line Text
On-line Text
On-line Associated Data
Table Inquiry Screen
Table Index Inquiry Screen
Table Inquiry Reply Screen
Table Additional Replies Screen
Table Additional Replies Screen

SCRNCD	SCREEN TITLE
PROACQ	Acronym Inquiry Search Screen
PROACX	Acronym Index Search Screen
PROELD	Data Element Definitions Screen
PROELR	DRN Name Index Screen
PROEDV	Edit/Validation Inquiry Screen
PRORET	Return Code Inquiry Screen
PRORCI	Return Code Index Screen
PROFOR	DIC/Segment Format Screen
PRODIC	Document Identifier Code Format Screen
PROINS	Document Identifier Code Format Screen
PRONOT	INST/NOTES Screen
PROSEG	Segment Formats Screen
PROTTL	Alphabetic Index of DIC Titles Screen
PRONTE	Definition or Notes Screen
PROPAR	Variable Length Segment Parameters Screen
PRORCX	Bulletin Board Extract
PROINQ	Bulletin Board Extract View
PROADD	Add/Del Bulletin Board
PROUPD	Bulletin Board Update

*EXPERT NAVIGATION LIMITATIONS:

The following are the only LOLA Procedure screens that may be directly invoked using Expert Navigation:

- 1. PRCICS Procedures Inquiry Main
- 2. PROCED User Information
- 3. PROQIK Quick Information
- 4. PROACQ Acronym Inquiry Search
- 5. PROELD Data Element Definition
- 6. PROEDV Edit/Validation Inquiry
- 7. PROTAB Table Inquiry
- 8. PRORCI Return Code Inquiry
- 9. PROFOR DIC/Segment Format
- 10. PROBUL Bulletin Board

Within any LOLA Subsystem screen, you may jump to any of the screens available to your group. This is defined in the Table REC-MENU3.

B.113 PROCED - User Information.

SCRNID: PROCED

PROCEDURES

DATE: 17-FEB-93

USERID: LSC1992

USER INFORMATION

TIME: 15:47:39

HOW TO GET STARTED - FOR THE BEGINNER

GENERAL INFORMATION

USER MANUALS TO TRANSACTION PROCESSING

DLSC PRODUCTS AND SERVICES

DLSC FORMS

TAB TO DESIRED OPTION THEN PRESS ENTER

F1=HELP F2=

F3=PREV MENU F4=

F5=

F6=

F7=

F8=

F9=

F10=

F11=

F12=

a. Screen Explanation. This is the first screen when Procedures Inquiry is selected from the Main Menu. It allows the End-User to select additional information about the listed sections.

b. Field Requirements. The valid field entries are described below.

(1) Field Name:

HOW TO GET STARTED - FOR THE BEGINNER

Entry Requirement:

None.

Valid Entries:

Tab to the selection field and press ENTER.

Results:

Transfers to the Index screen (N841S).

(2) Field Name:

GENERAL INFORMATION

Entry Requirement:

None.

Valid Entries:

Tab to the selection field and press ENTER.

Results:

Transfers to the Index screen (N841S).

(3) Field Name:

USER MANUALS TO TRANSACTION PROCESSING

Entry Requirement:

None.

Valid Entries:

Tab to the selection field and press ENTER.

Results:

Transfers to the On-line User Manuals screen (N840S).

(4) Field Name:

DLSC PRODUCTS AND SERVICES

Entry Requirement:

None.

Valid Entries:

Tab to the selection field and press ENTER.

Results:

Transfers to the Index screen (N841S).

(5) Field Name:

DLSC FORMS

Entry Requirement:

None.

Valid Entries:

Tab to the selection field and press ENTER.

Results:

Transfers to the Index screen (N841S).

c. Available Function Keys. There are no unique function keys used from the User Information screen. All standardized FLIS function keys are available.

B.114 N840S - On-line User Manuals.

SCRNID: N840S

PROCEDURES

DATE: 18-FEB-93

USERID: LSC1992

ON-LINE USER MANUALS

TIME: 07:41:48

LOLA - LOGISTICS ON-LINE ACCESS

TM- TRANSACTION MANAGEMENT

CDM - CHARACTERISTICS DATA MANAGEMENT AMLS - MAILING LABELS

PROC - PROCEDURES

MEDALS

MIOS - MAINTAIN ITEM OF SUPPLY

CAT - CATALOG TOOLS

- DATA RETRIEVAL

NATO

STAT - MANAGEMENT STATISTICS

ID - INFORMATION DISSEMINATION

TAB TO DESIRED OPTION THEN PRESS ENTER

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=

F6=

F7=

F8=

F9=

F10=

F11=

F12=

a. Screen Explanation. This screen displays the various End-User Manuals available on-line and allows access to them.

b. Field Requirements. The valid field entries are described below.

(1) Field Name: LOGISTICS ON-LINE ACCESS

Entry Requirement:

None.

Valid Entries:

Tab to the selection field of the desired manual and press

ENTER.

Results:

Transfers to the Index screen (N841S) for the selected

Manual.

(2) Field Name: CHARACTERISTICS DATA MANAGEMENT

Entry Requirement:

None.

Valid Entries:

Tab to the selection field of the desired manual and press

ENTER.

Results:

Transfers to the On-line User Manual Index screen

(N841S) for the selected Manual.

(3) Field Name:

PROCEDURES

Entry Requirement:

None.

Valid Entries:

Tab to the selection field of the desired manual and press

ENTER.

Results:

Transfers to the On-line User Manual Index screen

(N841S) for the selected Manual.

c. Available Function Keys. There are no unique function keys used from the On-line User Manuals screen. All standardized FLIS function keys are available.

B.115 N841S - On-line Index.

SCRNID: N841S

PROCEDURES

DATE: 18-FEB-93

USERID: LSC1992

ON-LINE USER MANUAL INDEX

TIME: 07:43:05

LOGISTICS ON-LINE ACCESS

- 01 PURPOSE OF THE SYSTEM.
- 02 RESERVED
- 03 SIGNING ONTO LOLA.
- 04 INQUIRY SUBSYSTEM PROCESSING REFERENCE GUIDE.
- 05 CHARACTERISTICS SEARCH SUBSYSTEM PROCESSING REFERENCE GUIDE.
- 06 FSG/FSC FUNCTIONAL PROCESSING REFERENCE GUIDE

SEARCH==>

TAB TO OPTION OR ENTER SEARCH CRITERIA

*** BOTTOM OF PAGE ***

F1=HELP

F2=

F3=PREV MENU F4=MAIN MENU F5=

F6=

F7=PAGE UP F8=PAGE DOWN F9=

F10=

F11=

F12=

- a. Screen Explanation. This screen displays the index for the selected manual.
- b. Field Requirements. The valid field entries are described below.
 - (1) Fi

Field Name:

None.

Entry Requirement:

None.

Valid Entries:

Tab to the selection field of the desired subindex and

press ENTER.

Results:

Transfers to the Subindex screen (N842S).

(2) Field Name:

SEARCH==>

Entry Requirement:

Must be a single entry.

Valid Entries:

Enter the desired search word(s) and press ENTER; or enter an equal sign (=) and a section number and press

ENTER.

Results:

Transfers to the Word Search Index screen (N844S) if search words are entered, or to the Text screen (N845S) if

a = section is entered.

c. Available Function Keys. The following unique function keys may be used from the Index screen. All standardized FLIS function keys are available.

F7 Page Up

Displays the prior page of the current index being viewed.

F8 Page Down

Displays the next page of the current index being viewed.

B.116 N842S - On-line Subindex.

SCRNID: N842S

PROCEDURES

DATE: 18-FEB-93

USERID: LSC1992

ON-LINE USER MANUAL SUBINDEX

TIME: 07:44:32

LOGISTICS ON-LINE ACCESS

03 SIGNING ONTO LOLA.

03.01 FIRST-TIME USE OF THE SYSTEM.

03.02 INITIATING A SESSION.

03.03 STOPPING AND SUSPENDING WORK.

SEARCH==>

TAB TO OPTION OR ENTER SEARCH CRITERIA

*** BOTTOM OF PAGE ***

F1=HELP

F2=

F3=PREV MENU F4=MAIN MENU F5=

F6=

F7=PAGE UP F8=PAGE DOWN F9=

F10=

F11=

F12=

- a. Screen Explanation. This screen displays the selected subindex and allows the End-User to select subsection of the manual.
 - b. Field Requirements. The valid field entries are described below.

(1)

Field Name:

None.

Entry Requirement:

None.

Valid Entries:

Tab to the selection field of the desired subindex and

press ENTER.

Results:

Transfers to the Subindex screen (N843S) for the selected

subsection.

(2) Field Name:

SEARCH==>

Entry Requirement:

Must be a single entry.

Valid Entries:

Enter the desired search word(s) and press ENTER; or enter an equal sign (=) and a section number and press

ENTER.

Results:

Transfers to the Word Search Index screen (N844S) if search words are entered, or to the Text screen (N845S) if

a =section is entered.

c. Available Function Keys. The following unique function keys may be used from the On-line User Manual Subindex screen. All standardized FLIS function keys are available.

F7 Page Up

Displays the prior page of the current index being viewed.

F8 Page Down

Displays the next page of the current index being viewed.

B.117 N843S - On-line User Manual Text.

SCRNID: N843S

PROCEDURES

DATE: 26-FEB-93

USERID: LSC1992

ON-LINE USER MANUAL TEXT

TIME: 12:47:35

01 Purpose of the System.

LOLA provides the user with the capability to obtain information concerning items of supply contained in the logistics database. The system allows the user to locate items having both approved and non-approved item names by entering a variety of criteria, to include characteristics. In addition, LOLA provides the user with the means to obtain descriptions, definitions, and effective dated change information for item names, Federal Supply Groups (FSGs), and Federal Supply Classes (FSCs).

- a. LOLA is divided into two subsystems:
 - 1. Inquiry Subsystem
 - 2. Characteristics Search Subsystem

COMMAND=>

USE THE PF KEYS TO NAVIGATE THROUGH THE TEXT

F1=HELP

F2=

F3=PREV MENU F4=MAIN MENU F5=ASSC-DATA F6=

F7=PAGE UP F8=PAGE DOWN F9=

F10=

F11=PREV REC F12=NEXT REC

- a. Screen Explanation. This screen displays the selected portion of the End-User Manual requested.
- b. Field Requirements. There are no valid field entries for this screen not covered in paragraph 16.9.B.102.c, Available Function Keys.
- c. Available Function Keys. The following unique function keys may be used from the On-line User Manual Text screen. All standardized FLIS function keys are available.

T	A 700 /	
F5	Assc-Data	
1'.7	75555-17414	

Displays additional data associated with the current section.

F7 Page Up Displays the previous page of the current section of the End-User

Manual being viewed.

F8 Page Down Displays the next page of the current section of the End-User Manual

being viewed.

F11 Prev Rec Displays the previous subsection of the End-User Manual being

viewed.

F12 Next Rec Displays the next subsection of the End-User Manual being viewed.

B.118 N844S - Word Search Index.

SCRNID: N844S

PROCEDURES

DATE: 18-FEB-93

USERID: LSC1992

ON-LINE USER MANUAL WORD SEARCH INDEX

TIME: 07:54:26

WORD(S) LOLA

15 SECTIO

01 PURPOSE OF THE SYSTEM.

03 SIGNING ONTO LOLA.

03.01 FIRST-TIME USE OF THE SYSTEM.

03.02 INITIATING A SESSION.

03.03 STOPPING AND SUSPENDING WORK.

04 INQUIRY SUBSYSTEM PROCESSING REFERENCE GUIDE.

04.01 CAPABILITIES.

TAB TO DESIRED OPTION THEN PRESS ENTER

*** MORE ***

F1=HELP

F2=

F3=PREV MENU F4=MAIN MENU F5=

F6=

F7=PAGE UP F8=PAGE DOWN F9=

F10=

F11=

F12=

a. Screen Explanation. This screen displays the index subsection where the desired search word(s) were found.

b. Field Requirements. The valid field entries are described below.

(1) Field Name:

None.

Entry Requirement:

None.

Valid Entries:

Tab to the desired section and press ENTER.

Results:

Transfers to the On-line User Manual Text screen

(N846S) with the selected section.

c. Available Function Keys. The following unique function keys may be used from the User Manual Word Search screen. All standardized FLIS function keys are available.

F7 Page Up Displays the previous page of the current index subsections of the

End-User Manual being viewed.

F8 Page Down Displays the next page of the current index subsections of the End-

User Manual being viewed.

B.119 N845S - On-line Text.

SCRNID: N845S

PROCEDURES

DATE: 18-FEB-93

USERID: LSC1992

ON-LINE USER MANUAL TEXT

TIME: 07:46:56

03 Signing onto LOLA.

This section describes the step-by-step procedures to be used to access the Logistics On-Line Access (LOLA) Application.

** END **

COMMAND=>

USE THE PF KEYS TO NAVIGATE THROUGH THE TEXT

*** BOTTOM OF PAGE ***

F1=HELP

F2=

F3=PREV MENU F4=MAIN MENU F5=ASSC-DATA F6=

- F7=PAGE UP F8=PAGE DOWN F9= F10=F11=
- a. Screen Explanation. This screen displays the section of the End-User Manual that contains the search word requested.
- b. Field Requirements. There are no valid field entries for this screen that are not covered in paragraph 16.9.B.104.c, Available Function Keys.
- c. Available Function Keys. The following unique function keys may be used from the On-line User Manual Text screen. All standardized FLIS function keys are available.

F5 Assc-Data Displays additional data associated with the current section.

F7 Page Up Displays the previous page of the current section of the End-User

Manual being viewed.

F8 Page Down Displays the next page of the current section of the End-User Manual

being viewed.

B.120 N846S - On-line Text.

SCRNID: N846S PROCEDURES DATE: 18-FEB-93

USERID: LSC1992 ON-LINE USER MANUAL TEXT TIME: 08:01:23

03.01 First-Time Use of the System.

The following paragraphs provide two types of information for the first-time end-user: Authorized System Use and System Conventions. Authorized System Use presents the information needed for the first-time end-user to get a user-ID and a password. System conventions present information about using the LOLA menus, using the help feature, error messages, and using function (F) keys.

- a. Access to the DLSC Modernized System is controlled through the use of User-IDs and Passwords.
- 1. A User-ID is a code entered during a process called System Sign-on. It is used to tell the System who is using it. Valid User-IDs are assigned by a System Administrator. As a first-

COMMAND=>

USE THE PF KEYS TO NAVIGATE THROUGH THE TEXT

F1=HELP F2= F3=PREV MENU F4=MAIN MENU F5=ASSC-DATA F6=RE-HILITE F7=PAGE UP F8=PAGE DOWN F9= F10= F10= F11=PREV REC F12=NEXT REC

- a. Screen Explanation. This screen shows the portion of the End-User Manual which was requested by selecting the subsection on the User Manual Word Search Index screen (N844S).
- b. Field Requirements. There are no valid field entries for this screen not covered in paragraph 16.9.B.105.c, Available Function Keys.
- c. Available Function Keys. The following unique function keys may be used from the On-line User Manual Text screen. All standardized FLIS function keys are available.

F5	Assc-Data	Displays additional data associated with the current section.
F6	Re-Hilite	Re-Highlights the current words used in the word search. Highlighting will disappear when scrolling through an entire section.
F7	Page Up	Displays the previous page of the current section of the End-User Manual being viewed.
F8	Page Down	Displays the next page of the current section of the End-User Manual being viewed.
F11	Prev Rec	Displays the previous subsection of the End-User Manual being viewed.
F12	Next Rec	Displays the next subsection of the End-User Manual being viewed.

B.121 N848S - On-line Associated Data.

SCRNID: N848S

PROCEDURES

DATE: 26-FEB-93

USERID: LSC1992

GENERAL INFORMATION ASSOCIATED TEXT

TIME: 13:42:39

02.03 System Change Requests.

THE FOLLOWING INSTRUCTIONS GUIDE THE PREPARATION OF DD FORMS 2021 AND 2021-1. BOTH FORMS ARE NECESSARY FOR AN SCR. DLSC, DLA, OR THE SERVICE/AGENCY INITIATES DD FORM 2021; EACH SERVICE/AGENCY CONTACT POINT INITIATES ITS OWN COPY OF DD FORM 2021-1. IF YOU RUN OUT OF ROOM ON EITHER FORM, CONTINUE ON PLAIN BOND PAPER BEGINNING WITH THE TITLE AND CONTROL NUMBER ON EACH ADDITION PAGE.

TITLE. THIS BLOCK APPEARS ON BOTH FORMS. FOR DD FORM 2021, ENTER A SHORT AND CONCISE TITLE DESCRIBING THE PROPOSED CHANGE. FOR DD FORM 2021-1, COPY THE TITLE.

CONTROL NUMBER. ENTER A NINE-DIGIT, ALPHANUMERIC NUMBER. FOR DD FORM 2021-1, COPY THE NUMBER ALREADY ASSOCIATED WITH THE PROPOSED CHANGE. FOR DD

A001

USE THE PF KEYS TO NAVIGATE THROUGH THE TEXT

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=

F6=

F7=PAGE UP F8=PAGE DOWN F9= TEXT

F10=

F11= F12=

- a. Screen Explanation. This screen displays the section of the End-User Manual that contains additional data associated with the current section being displayed.
- b. Field Requirements. There are no valid field entries for this screen that are not covered in paragraph 16.9.B.106.c, Available Function Keys.
- c. Available Function Keys. The following unique function keys may be used from the On-line User Manual Associated data screen. All standardized FLIS function keys are available.

F7 Page Up

Displays the previous page of the current section being viewed.

F8 Page Down

Displays the next page of the current section being viewed.

F9 Text

Return to On-Line Text.

B.122 PROQIK - Quick Information.

SCRNCD: PROQIK	LOGISTICS ON-LINE REMOTE NETWORK	DATE: 16-FEB-93
USERID: LSC1992	QUICK INFORMATION	TIME: 13:42:59
_ ACRONYMS		(PROACQ)
_ DATA ELEMENT	(PROELD)	
_ EDIT/VALIDATION CRITERIA		(PROEDV)
_ TABLE INQUIRY		(PROTAB)
_ RETURN CODES	}	(PRORCI)
_ DIC/SEGMENT F	FORMAT	(PROFOR)

POSITION CURSOR TO SELECTION AND PRESS ENTER

F1=HELP	F2=	F3=PREV MENU	F4=MAIN MENU	F5=	F6=
F7≈	F8=	F9=	F10=	F11=	F12

a. Screen Explanation. This is the first screen when Procedures Quick Information is selected from the procedures Main Menu. It allows the End-User to select additional information about the listed sections.

b. Field Requirements. The valid field entries are described below.

(1) Field Name: Acronyms. Entry Requirement: None.

Valid Entries: Tab to the selection field and press ENTER.

Results: Transfers to the screen (PROACQ).

(2) Field Name: Data Element Definitions

Entry Requirement: None.

Valid Entries: Tab to the selection field and press ENTER.

Results: Transfers to the Data Element Definitions screen

(PROELD).

(3) Field Name: Edit/Validation Criteria

Entry Requirement: None.

Valid Entries: Tab to the selection field and press ENTER.
Results: Transfers to the Edit/Validation Inquiry screen

Transfers to the Edit/Validation Inquiry so

(PROEVD).

(4) Field Name:

Table Inquiry

Entry Requirement:

None.

Valid Entries:

Tab to the selection field and press ENTER.

Results:

Transfers to the Table Inquiry screen (PROTAB).

(5) Field Name:

Return Codes

Entry Requirement:

None.

Valid Entries:

Tab to the selection field and press ENTER.

Results:

Transfers to the Return Code Inquiry screen (PRORCI).

(6) Field Name:

DIC/SEGMENT Format

Entry Requirement:

None.

Valid Entries:

Tab to the selection field and press ENTER.

Results:

Transfers to the DIC/Segment Format screen (PROFOR).

c. Available Function Keys. The following unique function keys may be used from the Quick Information screen. All standardized function keys are available.

B.123 PROTAB - Table Inquiry Screen.

SCRNCD: PROTAB	}	PROCEDURES	•	DATE: 18-FEB-93
USERID: LSC1992		TABLE INQUIRY		TIME: 08:09
ENTER ONE RE	QUEST ONLY: (PRESS	PF5 FOR LIST OF	TABLE NUMBERS	AND NAMES)
TABLE NUMBE	R:			
TABLE NAME:				
· -				
-				
-				

<MSG 0660> ENTER TABLE NUMBER OR TABLE NAME AND PRESS <ENTER> KEY

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=NBR INDEX F6=NAME INDEX F7= F8= F10= F11= F12=

- a. Screen Explanation. The inquiry screen gives the user a choice of entering either the FLIS table number or FLIS table name. If the user does not know the correct table number or name he/she should press PF5. By pressing PF5 the user can scan an index list of table numbers and names. This screen can be displayed by positioning the cursor next to Table Inquiry on the Quick Information screen.
 - (1) To return to screen PROQIK (Quick Information) the user presses PF3.
- (2) The user may initiate another table number or name search by keying another number or name and pressing Enter key.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Table Number

Entry Requirement:

Mandatory if Table Name not entered.

Valid Entries:

3 digit numeric.

Results:

Transfers the End-User to the appropriate screen based on

the entry made.

(2) Field Name:

Table Name

Entry Requirement:

Mandatory if Table Number not entered.

Valid Entries:

Alphabetical Name.

Results:

Transfers the End-User to the appropriate screen based on

the entry made.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F5 NBR Index

Provides the user with an index list of table numbers and table names

in numeric order.

F6 NAME Index

Same except in alphabetic order.

B.124 PRORCX - Table Index Inquiry Screen.

SCRNCD: PRO	RCX PROCEDURES	DATE: 17-FEB-93
USERID: LSC1	992 RETURN CODE INDEX	TIME: 13:44
RC	DEFINITION	
_ AB	MORE THAN THREE REFERENCE NUMBERS HAVE BI DER THE SAME DOCUMENT CONTROL NUMBER WH ANOTHER COUNTRY'S REFERENCE	
_ AE	YOUR TRANSACTION LAR, LDR, OR LCR IS RETURN THE NSCM AND THE NSN REPRESENT THE SAME CO MENT P RECORD IS RETURNED.	
_AF	THIS CODE IS OUTPUT BY THE IMM AS A RESULT OF ING. (SEE VOL 10, SECTION 10.3.8)	FIMC PROCESS-
_ AG	THIS CODE IS OUTPUT BY THE IMM AS A RESULT OF ING. (SEE VOL 10, SECTION 10.3.8)	F IMC PROCESS-
_ AH	THIS CODE IS OUTPUT BY THE IMM AS A RESULT OF ING. (SEE VOL 10, SECTION 10.3.8.)	FIMC PROCESS-
_ AI	THIS CODE IS OUTPUT BY THE IMM AS A RESULT OF ING. (SEE VOL 10, SECTION 10.3.8.)	FIMC PROCESS-
_ AJ	SICA MOE RULE MAY NOT BE ADDED TO AN LOA 01 23 ITEM	, 02, 06, 22, OR
	** MORE **	

<MSG 2001> PLACE AN "X" BY SELECTION AND PRESS <ENTER> .

F1=HELP	F2=	F3=PREV MENU	F4=MAIN MENU	F5=CANCEL	F6=
F7=	F8=PAGE DOWN	F9=	F10=	F11=	F12≈

- a. Screen Explanation. This Inquiry screen displays an index list of FLIS table number and FLIS table names. This screen can be displayed by pressing PF5 on Table Inquiry screen (PROTAB).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - (3) To return to screen PROTAB (Table Inquiry) the user presses PF5.

b. Field Requirements. The valid field entries are described below.

(1) Field Name:

TAG

Entry Requirement:

Mandatory

Valid Entries:

'X'

Results:

Entering an 'X' and pressing Enter will transfer the End

User to the appropriate screen based on the selection.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

Clear Scr

Erases any tagged items and repositions the cursor to the top of the

screen.

F5 Previous Screen

Transfers the user to the previous screen.

F7 Page Up

Displays the prior page of the current Index Inquiry being viewed.

F8 Page Down

Displays the next page of the current Index Inquiry being viewed.

B.125 PRORP1 - Table Inquiry Reply Screen.

SCRNCD: PRORP1

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 09:47

TABLE: 018 NIIN/PSCN STATUS CODES

ENTER NIIN/PSCN OR ALL====>

<MSG 0492> ENTER CRITERIA AND PRESS <ENTER> KEY

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PRORP1).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

Displays appropriate information pertaining to entry code.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F2	Clear Scr	Erase any tagged items and repositions the cursor to the top of the screen.
F5	Cancel	Transfers back to PROTAB.
F 7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.

B.126 PRORP2 - Table Inquiry Reply Screen.

SCRNCD: PRORP2

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 09:35

TABLE: 009 NATIONAL CODIFICATION BUREAU CODES

ENTER CODE OR ALL=====> ALL_

CODE	COUNTRY	NOTE	
00	UNITED STATES	. 1	
01	UNITED STATES	1	
11	(NATO STANDARD)	2	
12	GERMANY	1	
13	BELGIUM	1	
14	FRANCE	1	
15	ITALY	1	
17	NETHERLANDS	1	
20	CANADA	1	
21	CANADA	1	
		** MODE	**

** MORE **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PRORP2).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - (3) This screen is for the Next Part if applicable, when PF12 is available.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

Displays appropriate information pertaining to entry code.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F2	Clear Scr	Erase any tagged items and repositions the cursor to the top of the screen.
F5	Cancel	Transfers back to PROTAB.
F 7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Header	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.
F12	Next Part	If applicable. This key gets the next part for a particular table.

B.127 PRORP3 - Table Inquiry Reply Screen.

SCRNCD: PRORP3

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 10:44

TABLE: 065 ARMY MATERIEL CATEGORY CODES

ENTER CODE OR ALL======> ALL_ ENTER POSITION NO. ==> 1

POSITION NO. 1

ALPHA	
CODE	MAJOR MATERIAL CATEGORY
D.	Canada Formant Motorial (Other Comment Motorial)
В	Ground Forces Support Materiel (Other Support Materiel)
C	Medical/Dental Materiel
D	Single Manager Ammunition
E	General Supplies (DLA/GSA Items)
F	Clothing, Textiles & Non-Medical Toiletries (DLA/GSA Items)
G	Communications and Electronics Equipment, Electronics Materiel
H	Aircraft, Air Materiel
J	Ground Forces Support Materiel (DLA/GSA Items)
	** MORE **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PRORP3).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - (3) This screen is for the Next Part if applicable, when PF12 is available.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

Displays appropriate information pertaining to entry code.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F2	Clear Scr	Erase any tagged items and repositions the cursor to the top of the screen.
F5	Cancel	Transfers back to PROTAB.
F7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Header	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.
F12	Next Part	If applicable. This key gets the next part for a particular table.

B.128 PRORP4 - Table Inquiry Reply Screen.

SCRNCD: PRORP4

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 10:37

TABLE: 062 NAVY COGNIZANCE CODES

ENTER CODE OR ALL=====> ALL_

INVENTORY MANAGER OR

CODE DEFINITION

RETAIL OFFICE

0A	DEPARTMENT OF ENERGY WAR-RESERVE NUCLEAR ORDNANCE IN NAVY CUS- TODY.	FIELD COMMAND, DEFENSE NUCLEAR AGENCY
0E	NAVSEA SPECIAL PREPOSITIONED WAR- RESERVE MATERIAL.	NAVAL SEA SYSTEMS COMMAND
OI	PUBLICATIONS.	NAVAL PUBLICATIONS AND FORMS CENTER, PHILADELPHIA
OJ	CONTRACTOR SUPPORTED ITEMS FOR SPCC	NAVY SHIPS PARTS CONTROL CENTER

** MORE **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PRORP4).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - (3) This screen is for the Next Part if applicable, when PF12 is available.

b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

Displays appropriate information pertaining to entry code.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F2	Clear Scr	Erase any tagged items and repositions the cursor to the top of the
		screen.

F5	Cancel	Transfers back to	PROTAB.
	Cuii.co.	ALGERTAL CONTIL TO	

F 7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.

F8 Page Down Displays the next page of the current Index Reply being viewed.
F9 Header Transfers the user to screen PROAD2 (Table Additional Replies) for

Headers.

F10 Trailer Transfers the user to screen PROAD2 (Table Additional Replies) for

Trailers.

F11 Notes Transfers the user to screen PROAD1 (Table Additional Replies) for

Notes.

F12 Next Part If applicable. This key gets the next part for a particular table.

B.129 PRORP5 - Table Inquiry Reply Screen.

SCRNCD: PRORP5

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 10:09

TABLE: 042 SERVICE CODE: PROVISIONING SCREENING MASTER ADDRESS TAB

ENTER CODE OR ALL======> ALL_

CODE SERVICE/AGENCY

- 01 ARMY
- 02 NAVY
- 03 AIR FORCE
- 04 MARINE CORPS
- 05 DEFENSE LOGISTICS AGENCY/INTEGRATED MANAGER
- 06 OTHER DOD
- 07 CIVIL AGENCY
- 08 OTHER GOVERNMENTS/NORTH ATLANTIC TREATY ORGANIZATION (NATO)

** END OF DATA **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8= F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PRORP5).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - (3) This screen is for the Next Part if applicable, when PF12 is available.

b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Notes.

Results:

Displays appropriate information pertaining to entry code.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F2	Clear Scr	Erase any tagged items and repositions the cursor to the top of the screen.
F5	Cancel	Transfers back to PROTAB.
F 7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Header	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for

B.130 PRORP6 - Table Inquiry Reply Screen.

SCRNCD: PRORP6

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 10:47

TABLE: 073 MARINE CORPS MATERIEL IDENTIFICATION CODES

ENTER CODE OR ALL=====> ALL_

CODE EXPLANATION

NOTE

- A Type 1 End Items
- B Consumable Repair Parts
- C Type 2 (as required items)
- D Dry Cell Batteries
- E MODIFICATION KITS

2

1

- F Field Fortification
- G Type 3 General Articles
- H Fuel (Class 3)
- I Individual Clothing (bag items)

** MORE **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PRORP6).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - (3) This screen is for the Next Part if applicable, when PF12 is available.
 - b. Field Requirements. The valid field entries are described below. PRORP6 Field Entry requirements
 - (1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

Displays appropriate information pertaining to entry code.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F2	Clear Scr	Erase any tagged items and repositions the cursor to the top of the screen.
F5	Cancel	Transfers back to PROTAB.
F7	Page Up	Displays the prior page of the current Table Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Table Inquiry Reply being viewed.
F9	Header	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.
F12	Next Part	If applicable. This key will be available if appropriate program has additional parts and 'ALL' is entered as criteria for search.

B.131 PRORP7 - Table Inquiry Reply Screen.

SCRNCD: PRORP7 PROCEDURES DATE: 16-FEB-93
USERID: LSC1992 TABLE INQUIRY REPLY TIME: 09:55

TABLE: 021 REFERENCE NUMBER FORMAT CRITERIA FOR SPECIFIED GOVERNMEN

ENTER CAGE CODE OR ALL====> ALL

CAGE

CODE FORMAT EXAMPLE REMARKS

21450 6 NUMERIC 123456 NO SPACES OR SPECIAL CHARACTERS. 24065 7 ALPHANUMERIC X-1234A FIRST POSITION MUST BE X, SECOND PO-

SITION MUST BE DASH (-). A MAXIMUM OF FIVE (5) CHARACTERS MAY FOLLOW.

ONLY THE LAST POSITION MAY BE ALPHA, THE OTHERS MUST BE NUMERIC.

X-123

X-12A

81348 32 ALPHANUMERIC P-S-300 IF PART NUMBER CONTAINS ALPHAS IN

FIRST

** MORE **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PRORP7).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - (3) This screen is for the Next Part if applicable, when PF12 is available.

b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

Displays appropriate information pertaining to entry code.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F2	Clear Scr	Erase any tagged items and repositions the cursor to the top of the
		screen.
175	C1	Townstown In als to DDOTAD

F5	Cancel	Transfers	back to	PROTAB.

F7	Page Up	Displays the prior page of the current Table Inquiry Rep	ly being
----	---------	--	----------

viewed.

F8 Page Down Displays the next page of the current Table Inquiry Reply being

viewed.

F9 Header Transfers the user to screen PROAD2 (Table Additional Replies) for

Headers.

F10 Trailer Transfers the user to screen PROAD2 (Table Additional Replies) for

Trailers.

F11 Notes Transfers the user to screen PROAD1 (Table Additional Replies) for

Notes.

B.132 PRORP8 - Table Inquiry Reply Screen.

SCRNCD: PRORP8

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 09:44

TABLE: 016 ITEM IDENTIFICATION SCREENING DECISION

ENTER REF. CODE OR ALL=====> ALL_ AND ENTER CHAR. CODE====> ___

REFERENCE	CHARACTERISTIC	TYPE OF	
SCREENING	SCREENING	MATCH	RESULTING OUTPUT ACTION
-	Α	ACTUAL	RETURN AS AN ACTUAL MATCH
-	NM	NO MATCH	ASSIGN NEW NIIN/PSCN
-	P	POSSIBLE	RETURN AS A POSSIBLE MATCH
• A	P	ACTUAL	RETURN AS AN ACTUAL MATCH
Α	-	ACTUAL	RETURN AS AN ACTUAL MATCH
Α	NM	ACTUAL	RETURN AS AN ACTUAL MATCH
A	A	ACTUAL	RETURN AS AN ACTUAL MATCH
NM	-	NO MATCH	ASSIGN NEW NIIN/PSCN
NM	A	POSSIBLE	RETURN AS A POSSIBLE DUPLICATE
NM	P	POSSIBLE	RETURN AS A POSSIBLE DUPLICATE

** MORE **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PRORP8).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

Displays appropriate information pertaining to entry code.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F2	Clear Scr	Erase any tagged items and repositions the cursor to the top of the screen.
F5	Cancel	Transfers back to PROTAB.
F7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Header	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.

DoD 4100.39-M Volume 16

B.133 PRORP9 - Table Inquiry Screen.

SCRNCD: PRORP9

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 13:26

TABLE: 175 TRANSACTION STATUS CODES (TSC)

ENTER STATUS CODE OR ALL==== ALL_

TSC DEFINITION

NA SUBMITTAL IS NOT REFLECTED ON TRANSACTION HISTORY FILE.

TSC INSTRUCTIONS

NA REVIEW FILE DATA, EXCEPT FOR FOLLOW-UP OF LSA, AND TAKE APPROPRIATE

ACTION.

TSC OUTPUT

NA 1. DIC KFN 2. DIC KFE, KFS, KIR, OR KTN

** MORE **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PRORP9).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

F5	Cancel	Transfers back to PROTAB.
F7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Header	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.

B.134 PROR10 - Table Inquiry Reply Screen.

SCRNCD: PROR10

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 10:01

TABLE: 026 LIMITED DISTRIBUTION CODES

ENTER CODE OR ALL=====> ALL_

AUTHORIZED

NORMAL

DOD CATALOG

AUTHORIZED

(DD 635)

EXPLANATION AND

ACTION SINGLE INTERROGATION **SUBMITTER**

FILE UPDAT

CODE APPLICABILITY CRITERIA **SUBMITTER**

RECEIVERS 0 IDENTIFIES FILE DATA FOR WHICH DATA

DISTRIBUTION RESTRICTIONS DO NOT

APPLY.

IDENTIFIES FILE DATA FOR NUCLEAR

XA

BF,JF,SA,

XB

ORDNANCE ITEMS CONTROLLED BY THE FIELD

SC,XA,XB,

COMMAND, DEFENSE NUCLEAR AGENCY

98

(NUCLEAR ORDNANCE CATALOGING OFFICE,

KIRTLAND AFB, NEW MEXICO - ACTIVITY

** MORE **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F7= F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PROR10).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

Field Name: (1)

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

F5	·Cancel	Transfers back to PROTAB.
F 7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.

B.135 PROR11 - Table Inquiry Reply Screen.

SCRNCD: PROR11

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 08:47

TABLE: 031 REFERENCE NUMBER SCREENING RNCC/RNVC ACCEPTABLE COMBINATION

ENTER RNCC/RNVC CD OR ALL==> ALL___

IF SUBI	MITTED	MUST I	HAVE	MAY HAVE	
RNCC	RNVC	RNCC	RNVC	RNCC	RNVC
1	2	3	2	3	2
				5	2
2	2			3	2
				5	2
3	2			2	2
				3	2
				5	2
				7	2

** END OF DATA **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8= F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PROR11).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Inforamtion) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The 'ALL' to view the entire table.

Results:

F5	Cancel	Transfers back to PROTAB.
F7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.

B.136 PROR13 - Table Inquiry Reply Screen

SCRNCD: PROR13

PROCEDURES

DATE: 24-MAR-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 10:43

TABLE: 079 UNIT OF ISSUE CONVERSION FACTORS

ENTER CODE OR ALL =====> ALL __

	OLD	NEW	CONVERSION DECIMA	AL
CODE	UNIT OF ISSUE	UNIT OF ISSUE	LOCATOR & FACTOR	MULTIPLY BY
BL	*Barrel (STANDARD	Cubic Foot	34212	4.212
	U.S.; 31.5 G			
BL	*Barrel (STANDARD	Gallon	10315	31.5
	U.S.; 31.5 G			
BL	*Barrel (BULK	Gallon	00042	42.
	PETROLEUM; 42 GL			
BL	(Liter	11192	119.2
	U.S.; 31.5 G			
BL	*Barrel (STANDARD	Pint	00252	252.
	U.S.; 31.5 G			

** MORE **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFINITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PROR13).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

F5	Cancel	Transfers back to PROTAB.
F7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.

B.137 PROR14 - Table Inquiry Reply Screen.

SCRNCD: PROR14

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 13:08

TABLE: 111 NAVY SOURCE OF SUPPLY CODE

ENTER CODE OR ALL======> ALL_

SOS	CODE	COGNIZANCE SYMBOL (STEP 7)
N23	RA	
R41	RB	
NMZ	RC	
RKZ	RE	
N39	RH	
N84	RJ	
N35	RK	
N77	RL	
N32	RN	
NCB	RP	
N47	R1	
	N23 R41 NMZ RKZ N39 N84 N35 N77 N32 NCB	N23 RA R41 RB NMZ RC RKZ RE N39 RH N84 RJ N35 RK N77 RL N32 RN NCB RP

MORE

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PROR14).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

F5	Cancel	Transfers back to PROTAB.
F7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.

DoD 4100.39-M Volume 16

B138 PROR15 - Table Inquiry Reply Screen.

SCRNCD: PROR15

PROCEDURES

DATE: 10-MAR-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 09:07

TABLE: 104 ACTIVITY CODES AND ADDRESSES FOR AUTHORIZED ORIGINATORS,

ACTIVITY CODE OR ALL=> ALL_

				PART	1		
ACTIVITY	MOE	RNAAC	ORIG	SUB	CATEGORY	DROP	INDEX CODE
CODE	CODE	(Y=YES,1	N=NO)		CODES	MAINT	NOTIF
AC	DA	N	Y	Y	Α	08	
					H		
AH	DS	N	Y	Y	C	09	12
AJ	DA	N	Y	Y	C	31	10
					G		
					H		
					M		
					N		
					Q		
				**	MORE **		

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7=PAGE UP F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=NEXT PART

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PROR15).
- (1) If this search has more than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

F5	Cancel	Transfers back to PROTAB.
F 7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F 9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.
F12	Next Part	If applicable. If a table has multiple parts then this PF key is used to access additional data.

CH₃ DoD 4100.39-M Volume 16

B.139 PROR17 - Table Inquiry Reply Screen.

SCRNCD: PROR17

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 09:40

TABLE: 010 OUTPUT MODE/MEDIA CODES

ENTER CODE OR ALL =====> ALL__

ELECTRONIC DATA TRANSFER

M1 VARIABLE LENGTH M2 FIXED (80-COLUMN)

** END OF DATA **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7=

F9=DEFNITION F10=TRAILER

F11=NOTES F12=NEXT PART

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PROR17).
- (1) If this search has more than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - (3) This screen is for the Next Part if applicable, when PF12 is available.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name: Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

F5	Cancel	Transfers back to PROTAB.
F7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.
F12	Next Part	If applicable. If a table has mutiple parts then this PF key is used to access additional data.

B.140 PROR18 - Table Inquiry Reply Screen.

SCRNCD: PROR18

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 13:05

TABLE: 105 FLIS DOCUMENT IDENTIFIER CODES

ENTER DIC OR ALL ======> ALL__

			LE	DLSC	SEGME	ENTS
DIC	TITLE	TIR	SSR	ONLY	MANDATORY	OPTIONAL
LAB	Add U. S. National/NATO Stock Number as	X			IH,C	
	Informative Reference					
LAC	Deleted					
LAD	ADD DATA ELEMENT(S)	X			IH,R	
LAF	Add Freight Data	X			IH,G	
LAG	GIRDER		X	\mathbf{X}_{-1}	NA	NA
LAM	Add Catalog Management Data	X			IH,H	
LAR	Add Reference Number and Related Codes	X			IH,C	
LAS	Add Standardization Relationship	X			IH,E	
LAU	Add MOE Rule Number and Related data	X			IH,B	
	** MOF	RE **				

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=OUTPUT DI

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PROR18).
- (1) If this search has more than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - (3) This screen is for the Next Part if applicable, when PF12 is available.
 - b. Field Requirements. The valid field entries are described below.
 - (1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

F5	Cancel	Transfers back to PROTAB.
F7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.
F12	Next Part	If applicable. If a table has multiple parts then this PF key is used to access additional data.

B.141 PROR19 - Table Inquiry Reply Screen.

SCRNCD: PROR19 PROCEDURES DATE: 10-MAR-93 USERID: LSC1992 TABLE INQUIRY REPLY TIME: 09:08

TABLE: 008 VALID REFERENCE NUMBER COMBINATIONS FOR ITEM-OF-SUPPLY C

TYPE		MUST HAVE	ONE		MAY HAV	E ADDITIONAL
CODE	RNCC	RNVC	DAC	RNCC	RNVC	DAC
1 & 4	*1	2	1,2,5,A-D	3	2	1-6,A-H
				5	1,2,9	1-6,9,A-H
				6	9	9
				8	1,2	1-6
				Α	1,2	1,2,5,A-D
				В	1,2	3,4,6,E-H
				C	1	1-6,9,A-H
				D	9	1,2,5,A-D
1 & 4	2	1,2	3,4,6,E-H	3	1,2	1-6,A-H
				4	1	3,4,6,E-H
				5	1,2,9	1-6,9,A-H
			** 1	MORE **		•

<MSG 2011> ***IMPORTANT*** SEE NOTES (PF11), F5 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PROR19).
- (1) If this search has more than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
- b. Field Requirements. The fields on this screen are display fields and will display information based on the previous entries made.

F5	Cancel	Transfers back to PROTAB.
F7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.

B.142 PROR20 - Table Inquiry Reply Screen.

SCRNCD: PROR20	PROCEDURES	DATE: 16-FEB-93
USERID: LSC1992	TABLE INQUIRY REPLY	TIME: 13:34

TABLE: 185 ITEM NAME/FIIG/RPDMRC CORRELATION

ENTER CODE OR ALL ---- ALL

ENTER CODE OR A	しし=====	===> ALL						
TYPE OF ITEM IDENTIFICATION								
CODE	2	4	M	N	1	K	L	
ITEM NAME CODE		RPDMRC	RPDMRC	RPDMRC				
WITH FIIG A239		2,3,4,	2,3,4,	2,3,4,				
		5,6,9	5,6,9	5,6,9				
ITEM NAME CODE		RPDMRC	RPDMRC	RPDMRC	RPDMRC	RPDMRC	RPDMRC	
WITH FIIG		3,4,5,	3,4,5,	3,4,5,	MUST	MUST	MUST	
OTHER THAN		6,9	6,9	6,9	BE	BE	BE	
A239					BLANK	BLANK	BLANK	
ITEM NAME CODE	RPDMRC							
WITH NO FIIG	3.4.5.							

** MORE **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value, this screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PROR20).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

Field Name: (1)

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

F5	Cancel	Transfers back to PROTAB.
F 7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.

B.143 PROR21 - Table Inquiry Reply Screen.

SCRNCD: PROR21

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 12:58

TABLE: 096 PHRASE CODE PACKAGE COMBINATION

ENTER PHRASE CODE OR ALL ===> ALL __

PHRASE CODE VALUE

CODE BLANK A C D E F G H J K L M N P Q R S T U V X Y Z 0 2 3 4 5 6 7 8 9

	X		E	X	X			X	E		X	X	W	W		D	В	\mathbf{C}	E	\mathbf{W}	В
Α					X						X										
C	X				X						X										
D		X X	X	X X	\mathbf{X}	S X S	S X X	X	X X	X X	X	X X	\mathbf{W}	D		D	\mathbf{C}	\mathbf{C}	\mathbf{X}	\mathbf{W}	В
E	X			X	X			X			X	X		W		W	\mathbf{W}	\mathbf{W}		\mathbf{W}	W
F	X			X	X			X			X	X		W		W	W	\mathbf{W}		\mathbf{W}	W
G	X		E	X	X			X			X	X	W	W		D	\mathbf{W}	D	E	\mathbf{W}	W
H	X	X X	X	ΧX	X		X	X	X		X	X	W	W	\mathbf{X}	\mathbf{W}	\mathbf{W}	\mathbf{W}	X	\mathbf{W}	W
J	X			ΧX	X			X			X	X	W	\mathbf{W}	\mathbf{X}	\mathbf{W}	\mathbf{W}	\mathbf{W}		\mathbf{W}	W
						**	* MOF	E:	**												

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PROR21).
- (1) If this search has more than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

F5	Cancel	Transfers back to PROTAB.
F7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.

B.144 PROR22 - Table Inquiry Reply Screen.

SCRNCD: PROR22

PROCEDURES

DATE: 27-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 05:21

TABLE: 023 PROVISIONING SCREENING MASTER ADDRESS TABLE

(PSMAT)

ENTER ACTY-CD SCRNG OR ALL =====> ALL _

		OP-	ADRS-			ALT-	
ACTY-	DEST-	MODE-	CRD-		SVC-	OP-	CMD-
CD	CD	MED-	SEQ-		ACTY	MED-	AUTH
SCRNG	SCRNG	CD	CD	RECEIVERS ADDRESS	CD	CD	CD
AC	ACCEP	A2	Α	COMMANDER	01	L2	1
AC	ACCEP		Α	US ARMY ARMAMENT MATERIEL			
				READINESS COMM			
AC	ACCEP		Α	ATTN DRSAR-MAS-C			
AC	ACCEP		Α	ABERDEEN PROVING GROUND, MD			
				21010-5423			
AC	ACECI	A2	Α	COMMANDER	01	Q3	1
AC	ACECI		Α	US ARMY ARMAMENT RESEARCH &			
				DEVELOPMENT			
AC	ACECI		Α	ATTN DRDAR-TSC-S			
AC	ACECI		Α	ABERDEEN PROVING GROUND, MD			
				21010-5423			

** MORE **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PROR22).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.

b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

Displays appropriate information pertaining to entry code.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F5	Cancel	Transfers back to PROTAB.	

F7 Page Up Displays the prior page of the current Inquiry Reply being viewed.

F8 Page Down Displays the next page of the current Inquiry Reply being viewed.

F9 Definition Transfers the user to screen PROAD2 (Table Additional Replies) for

Headers.

F10 Trailer Transfers the user to screen PROAD2 (Table Additional Replies) for

Trailers.

F11 Notes Transfers the user to screen PROAD1 (Table Additional Replies) for

Notes.

B.145 PROR23 - Table Inquiry Reply Screen.

SCRNCD: PROR23

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 08:52

TABLE: 001 REFERENCE NUMBER FORMAT CODES

ENTER RNFC OR ALL=====> ALL _____

RNFC	EXPLANATION
1	NUMBER IS FORMATTED AS CONFIGURED ON THE ORIGINATING DOCUMENT WITH THE EXCEPTION OF THE MODIFICATION RE- OUIRED IN VOLUME 2, CHAPTER 2.9.
3	NUMBER FORMAT IS UNKNOWN. (CODED RNFC 3 BY THE DEFENSE LOGISTICS SERVICES CENTER UPON IMPLEMENTATION OF DIDS.)
4	NUMBER IS TOTALLY IN-THE-CLEAR (WITHOUT MODIFICATION) AS ORIGINALLY CONFIGURED BY THE MANUFACTURER, DESIGN CONTROL ACTIVITY, OR SUPPLIER.

** END OF DATA **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8= F9=DEFNITION F10=TRAILER F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PROR23).
- (1) If this search has more than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - (3) This screen is for the Next Part if applicable, when PF12 is available.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

F5	Cancel	Transfers back to PROTAB.
F7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.
F12	Next Part	If applicable. If a table has multiple parts then this PF key is used to access additional data.

B.146 PROR25 - Table Inquiry Reply Screen.

SCRNCD: PROR25

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE INQUIRY REPLY

TIME: 13:29

TABLE: 178 AUTHORIZED ABBREVIATIONS

ENTER ABBREVIATION OR ALL =====> ALL ____OR TERM===========>>

ABBREVIATION TERM

+ PLUS & AND

- MINUS / PER, OR

* NUMBER

A ARMY, DEPARTMENT OF THE

A/A ANY ACCEPTABLE

AA ARITHMETICAL AVERAGE

** MORE **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F7= F8=PAGE DOWN F9=DEFNITION F10=TRAILER F11=NOTES F12=PART 2

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various input code values on the Table Inquiry Reply screen (PROR25).
- (1) If this search has more than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - (3) This screen is for the Next Part if applicable, when PF12 is available.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Entry

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric Value. The word 'ALL' to view the entire

table.

Results:

F5	Cancel	Transfers back to PROTAB.
F 7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.
F12	Next Part	If applicable. If a table has multiple parts then this PF key is used to access additional data.

B.147 PROAD1 - Table Additional Replies Screen.

SCRNCD: PROAD1

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE ADDITIONAL REPLIES

TIME: 09:01

TABLE: 005 DOCUMENT AVAILABILITY CODES (DAC) NOTES

- 0001 THIS CODE IS APPLICABLE TO ALL TYPES OF ITEM IDENTIFICATIONS SUBMITTED UNDER REQUEST FOR NATIONAL STOCK NUMBER/PERMANENT SYSTEM CONTROL NUMBER (NSN/PSCN) ASSIGNMENT, REINSTATEMENT OF CANCELLED NSN, ADDITION OR REFERENCE NUMBER AND FOR CHANGES OF DATA TO REFERENCE NUMBERS WHEN THE REFERENCE NUMBER EXISTS IN THE TOTAL ITEM RECORD.
- 0002 GOVERNMENT SPECIFICATIONS AND STANDARDS (INCLUDING VOLUNTARY STANDARDS) SHALL BE CODED DAC 3, 4, 6, E, F, G, OR H.
- 0003 WHEN DAC IS 9, THE RNAAC RECORDING THIS CODE WILL BE INCLUDED IN THE TRANSACTION. (DAC 9 SHALL ALWAYS BE USED WHEN REFERENCE NUMBER VARIATION CODE 9 AND REFERENCE NUMBER CATEGORY CODE 6 ARE REFLECTED IN THE TRANSACTIONS.)
- 0004 VOLUME 12, DATA RECORD NUMBER (DRN) 2640 AND 2900 APPLY. ON-LINE USERS, USE QUICK INFORMATION DATA ELEMENT DEFINITION.

** MORE **

<MSG 0573> PRESS PF5 TO RETURN TO PREVIOUS SCREEN

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=PREV SCRN F6= F7= F8=PAGE DOWN F9= F10= F12=

- a. Screen Explanation. This Inquiry screen displays notes data for the table being processed. This screen can be displayed by pressing PF11 on the Table Inquiry Reply screen (PRORP1-PROR25).
- (1) If this search has more than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
- b. Field Requirements. The fields on this screen are display fields and will display information based on the previous entries made.

F5	Previous Screen	Transfers the user to the previous screen.
F7	Page Up	Displays the prior page of the current Table Additional Replies being viewed.
F8	Page Down	Displays the next page of the current Table Additional Replies being viewed.

DoD 4100.39-M Volume 16

B.148 PROAD2 - Table Additional Replies Screen.

SCRNCD: PROAD2

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

TABLE ADDITIONAL REPLIES

TIME: 08:59

TABLE: 005 DOCUMENT AVAILABILITY CODES (DAC)
DEFINITION

A TABLE OF CODES TO DESIGNATE THE DOCUMENTATION AVAILABLE TO THE REFERENCE NUMBER ACTION ACTIVITY CODE (RNAAC).

** END OF DATA **

<MSG 0573> PRESS PF5 TO RETURN TO PREVIOUS SCREEN

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=PREV SCRN F6= F7= F8= F9= F10= F12=

- a. Screen Explanation. This Inquiry screen displays headers and trailers data for the table being processed. This screen can be displayed by pressing F9 (headers) or F10 (trailers) on the Table Inquiry Reply screen (PRORP1-PROR25).
- (1) If this search has more than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
- b. Field Requirements. The fields on this screen are display fields and will display information based on the previous entries made.

F5	Previous Screen	Transfers the user to the previous screen
F7	Page Up	Displays the prior page of the current Table Additional Replies being viewed.
F8	Page Down	Displays the next page of the current Table Additional Replies being viewed.

DoD 4100.39-M Volume 16

B.149 PROACQ - Acronym Inquiry Reply Screen.

SCRNCD: PROACQ

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

ACRONYM INQUIRY SEARCH

TIME: 13:40

ENTER ONE FULL ACRONYM OR PARTIAL FOLLOWED BY A '?'.

ACRONYM: ADC

(PRESS PF5 FOR A LIST OF ACRONYMS)

AIR DIMENSION CODE

A CODE THAT IDENTIFIES DIMENSIONAL CHARACTERISTICS OF AIR SHIPMENTS BY RELATING THE DIMENSIONS OF THE LARGEST PIECE TO THE MINIMUM SIZE CARGO DOOR OPENING OF AN AIRCRAFT. E.G., A-SHIPMENT DOES NOT EXCEED 72" IN ANY DIMENSION (LENGTH, WIDTH, OR HEIGHT), Z-SHIPMENT DOES EXCEED 72" IN ANY DIMENSION (LENGTH, WIDTH OR HEIGHT), ETC.

** END OF DATA **

<MSG 2000> FOR NEW SEARCH PRESS PF2 AND ENTER NEW CRITERIA.

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=INDEX F6=

F8=

F7=

F9=

F10=

F11=

F12=

- a. Screen Explanation. This Inquiry screen gives the user a choice of entering either one full acronym or a partial followed by a '?'. If the user does not know the correct acronym he/she should press PF5. By pressing PF5 the user can scan an index list of acronyms. This screen can be displayed by positioning the cursor next to Acronyms on Quick Information screen.
 - (1) To return to screen PROQIK (Quick Information) the user presses PF3.
- (2) The user may initiate another acronym search by keying another acronym or partial acronym and pressing ENTER key.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name: Acronym

Entry Requirement:

Optional

Valid Entries:

Alpha-numeric

Results:

Acronym definition

F5	Index	Provides the user with an index of acronyms.
F7	Page Up	Displays the prior page of the current Acronym Inquiry being viewed.
F8	Page Down	Displays the next page of the current Acronym Inquiry being viewed.
F9	Next Def	Display next acronym definition for acronyms with multiple definition.

B.150 PROACX - Acronym Index Search Screen.

SCRNCD: PROACX USERID: LSC1992	PROCEDURES ACRONYM INDEX SEARCH		DATE: 16-FEB-93 TIME: 13:39
ACRONYM	ACRONYM	ACRONYM	
_ AA _ ACC _ ADC _ ADPE _ ADPP _ AFFC _ AIM _ AIS	_ AAC _ ACN _ ADDL _ ADPEC _ ADPS _ AFLC _ AIN _ AMC	_ AC _ ACT _ ADP _ ADPFSR _ AEC _ AFM _ AINRP _ AMDF	
_ AMLS _ ANSI _ APSN _ ARC	_ AMSC _ APCAPS _ AQL _ ARI ** MORE	_ ANAP _ APP _ AR _ ASCII	

<MSG 2001> PLACE AN 'X' BY SELECTION AND PRESS <ENTER>.

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9= F10= F11= F12=

- a. Screen Explanation. This Inquiry screen displays an index list of acronyms. This screen can be displayed by pressing PF5 on the Acronym Inquiry Search screen (PROACR).
- (1) If this search has more than can be displayed in one screen, The user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name: Option

Entry Requirement: At least one criteria must be selected with an 'X'.

Valid entries: 'X'

Results Transfers to LQLN930I PROACR for definition.

F5 -	Cancel	Transfers the user back to previous screen.
F7	Page Up	Displays the prior page of the current Acronym Inquiry being viewed.
F8	Page Down	Displays the next page of the current Acronym Inquiry being viewed.

B.151 PROELD - Data Element Definition Screen.

SCRNCD: PROELD

PROCEDURES

DATE: 16-FEB-93

USERID: LSC1992

DATA ELEMENT DEFINITIONS

TIME: 13:46

ENTER ONE SEARCH FIELD: OR '?' FOR PARTIAL SEARCH BY DRN OR NAME:

DRN: 0078 NAME: DT-MOE-RULE-NBR-WTHDW___ ALIAS: DT-MOE-RULE-NBR-WTHDW___

DATE, MAJOR ORGANIZATIONAL ENTITY RULE NUMBER WITHDRAWN THE YEAR AND JULIAN DAY THAT A MAJOR ORGANIZATIONAL ENTITY /MOE/ RULE NUMBER WAS WITHDRAWN FROM AN ITEM, E.G. 72100.

** END OF DATA**

<MSG 2000> FOR NEW SEARCH PRESS PF2 AND ENTER NEW CRITERIA.

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=DRN INDEX F6=NAME INDEX F7= F8= F9= F10= F11= F12=

- a. Screen Explanation. This Inquiry screen displays definitions for the following input criteria: DRN, name, or alias. The user may enter a partial DRN or name followed by a '?'. If the user does not know the correct input value he/she can press PF5 (for a DRN Index) or PF6 (for a Name Index). This screen can be displayed by entering a DRN, name, or alias; or partial DRN or name followed by a '?'.
- (1) If this search has more than can be displayed in one screen, the user may page down by pressing the F8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

DRN, or Name or Alias

Entry Requirement:

One entry mandatory

Valid Entries:

DRN = four digit numeric

Name= alphabetical name Alias = alpha-numeric

Results:

When one of the three choices is entered, the other two

fields are moved with data element definitions to screen

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys areavailable. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F5	DRN Index	Provides the user with an index list of DRNs.
F6	Name Index	Provides the user with an index list of Names.
F7	Page Up	Displays the prior page of the current Data Element Definitions being viewed.
F8	Page Down	Displays the next page of the current Data Element Definitions being viewed.

B.152 PROELR - DRN Name Index Screen.

SCRNCD: PROELR	
USERID: LSC 1992	

PROCEDURES DRN NAME INDEX

DATE: 16-FEB-93

TIME: 13:45

	DRN	NAME	ALIAS
_		PRNT2	PRNT2
_		SVC-ENT	SVC-ENT
_	0010	ORGN-IDEN-CLRTXT-L	ORGN-IDEN-CLRTXT-L
_	0011	OE-LI-SEG-NBR-EXPL	OE-LI-SEG-NBR-EXPL
_	0041	EXTD-FRT-DESC	EXTD-FRT-DESC
_	0043	DATE-LST-CHG	DATE-LST-CHG
_	0044	TYP-LST-ACT	TYP-LST-ACT
_	0045	IN-THE-CLR-ADRS	IN-THE-CLR-ADRS
_	0046	COMN-VAL-CDS	IN-THE-CLR-ADRS
_	0074	FAB-CAGE-NSCM-CD	FAB-CAGE-NSCM-CD
_	0076	NIMSC	NIMSC
_	0078	DT-MOE-RULE-NBR-WT	DT-MOE-RULE-NBR-WT

** MORE **

<MSG 2001> PLACE AN 'X' BY SELECTION AND PRESS <ENTER>.

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9= F10= F11= F12=

- a. Screen Explanation. This Inquiry screen displays an index list of DRN, Name, and Alias. The user should tag the appropriate field with an 'X' and press enter or PF6 to display the Data Element Definition for a particular item. This screen can be displayed by pressing PF5 on the Data Element Definitions screen (PROELD).
- (1) If this search has more than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Option

Entry Requirement:

Optional

Valid Entries:

'X'

Results:

Transfers to LQLN9401 for Data Element Definitions

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F5	Cancel	Transfers the user to the Data Element Definition screen (PROELD) without tagging.
F7	Page Up	Displays the prior page of the current DRN Name Index being viewed.
F8	Page Down	Displays the next page of the current DRN Name Index being viewed.

B.153 PROEDV - Edit/Validation Inquiry Screen.

SCRNCD: PROEDV	PROCEDURES	DATE: 16-FEB-93
USERID: LSC1992	EDIT/VALIDATION INQUIRY	TIME: 15:00
DATA-GROUP OR DIC:	RETURN CODE: DRN:	
DATA NOT AVAILABLE		

<MSG 0491> NO MATCHES FOUND - ENTER NEW CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5= F6= F7= F8= F9= F10=F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information based upon the input value of data-group or DIC, Return Code, or DRN. This screen can be displayed by entering the following input values: Data-Group or DIC, Return Code, or DRN.
- (1) If this search has more than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) The user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name: DIC of Data-Group Entry Requirement:

Mandatory

Valid Entries:

Numeric

Results:

Edit/Validation criteria

(2) Field Name: Return Code

Entry Requirement: Valid Entries:

Mandatory Numeric

Results:

Edit/Validation criteria

(3) Field Name:

DRN

EntryRequirement:

Mandatory

Valid Entries:

Numeric

Results:

Edit/Validation

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F7 Page Up

Displays the prior page of the current Edit/Validation Inquiry being

viewed.

F8 Page Down

Displays the next page of the current Edit/Validation Inquiry being

viewed.

F11 Notes

Transfers the user to screen PROAD1 (Table Additional Replies) for

Notes.

B.154 PRORC1 - Return Code Inquiry Screen.

SCRNCD: PRORC1

PROCEDURES

DATE: 17-FEB-93

USERID: LSC1992

RETURN CODE INQUIRY

TIME: 13:42

ENTER A SINGLE RETURN CODE: AF_

OUTPUT RETURN

CODE

DEFINITION AND INSTRUCTION

DIC SEGMENT DRN

AF

THIS CODE IS OUTPUT BY THE IMM AS A RESULT OF

KRE

Q 9525

IMC PROCESSING. (SEE VOL 10, SECTION 10.3.8)

** END OF DATA **

<MSG 2017> ***IMPORTANT** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=INDEX

F7=

F9=DEFNITION F10=

F11=NOTES F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information based upon the input of a single return code. If the user does not know the return code for which they want information, he/she may press PF5 for an index list of return codes. This screen can be displayed by entering a single return code.
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name: Return Code

Entry Requirement:

Optional

Valid Entries:

Three digit numeric.

Results:

Return Code definition

c. Available Function Keys. The following unique function keys maybe used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F2	Clear Scr	Erase any tagged items and repositions the cursor to the top of the screen.
F5	Index	Provides the user with an index list of Return Codes.
F7	Page Up	Displays the prior page of the current Return Code Inquiry being viewed.
F8	Page Down	Displays the next page of the current Return Code Inquiry being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Definitions.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.

B.155 PROFOR - DIC/Segment Format Screen.

	: PROFOR LSC1992		PROCEDURES SEGMENT FORM	AT		PATE: 27-FEB-93 IME: 06:43
CHOOS	SE ONE OF THE	APPROPRIATE 1	FORMATS AND E	ENTER ALL	APPLICA	BLE FIELDS-
ENTE	R DIC FORMAT:					
	DIC:	MEDIA/FORM	AT:			
OR ENTE	ER SEGMENT FO	PRMAT:				
	SEGMENT: _	MEDIA/FORM	AT:			
<msg 202<="" td=""><td>28> ALL APPLIC</td><td>ABLE FIELDS M</td><td>IUST HAVE VALI</td><td>ID ENTRIES</td><td>S</td><td></td></msg>	28> ALL APPLIC	ABLE FIELDS M	IUST HAVE VALI	ID ENTRIES	S	
F1=HELP F7=	F2=CLEAR SCR F8=	F3=PREV MENU F9=	F4=MAIN MENU F10=	F5=INDEX F11=	F6= F12=	
If the user index list o	does not know th	e correct DIC he/s en can be displaye	iven the user a cho she should press PI d by positioning the	F5. By pressi	ng PF5 the	e user can scan an
(1) To	return to screen I	PROQIK (Quick I	nformation) the use	er presses PF	F3.	
	e user may intiate Format and pressin		ormat search by pr	ressing PF2	and entering	ng a new DIC or
b. Field	Requirements. Th	e valid field entrie	es are described be	low.		
(1)	Field Name: Entry Requireme Valid Entries: Results:	3 character	if segment not ente alphabetic. e User to appropri		ased on the	en-

(2) Field Name:

Media/Format

Entry Requirement:

Mandatory

Valid Entries:

8 character alphabetic.

Results:

In combination with either DIC or Segment transfers the

user to the appropriate screen.

(3) Field Name:

Segment

Entry Requirement:

Mandatory if DIC not entered.

Valid Entries:

1 character alphanumeric.

Results:

Transfers the User to appropriate screen based on the en-

try made.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F5 Index

Provides the user with an index list of DIC's and titles in title order.

B.156 PRODIC - Document Identifier Code Format Screen.

SCRNCD: PRODIC

PROCEDURES

DATE: 27-FEB-93

USERID: LSC1992

DOCUMENT IDENTIFIER CODE FORMAT

TIME: 07:09

DIC: KCD TITLE: Change Data Element (s)

MEDIA/FORMAT: FIXED

FUNCTIONAL DESCRIPTION SECTION:

D3A07 D3F04 D3F05 D3Y00

				SEG	INST/	CARD
	DRN	DATA ELEMENT/IDENTIFIER NAME	FORMAT	CODE	NOTES	COLUMN
_	9098	DEFENSE INTEGRATED DATA SYSTEM	0010X	Ο	86	
		OUTPUT HEADER				
~	3920	DOCUMENT IDENTIFIER CODE (DIC)	0003X	O	NC NK	1-3
_	1070	PACKAGE SEQUENCE NUMBER (PSN)	0003X	O	01 DA	4-6
_	2867	PRIMARY INDICATOR CODE	0001N	O	AB NC	7
_	4210	ORIGINATING ACTIVITY CODE	0002X	O	AB NC NL	8-9
_	3720	SUBMITTING ACTIVITY CODE	0002X	O	AB NC NL	10-11

** MORE **

<MSG 2024> TO SEE NOTES, TAG ONE DRN AND PRESS ENTER

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F7= F8=PAGE DOWN F9=DEFNITION F10=INSTRUCT F11= F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input code value. This screen can be displayed by entering various DIC Format values on the DIC/Segment Format screen (PROFOR).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROQIK (Quick Information) the user presses PF3.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Tag

Entry Requirement:

Optional

Valid Entries:

'X'

Results:

Entering an 'X' and pressing ENTER will transfer the

End-User to the appropriate screen based on the selection.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F2	Clear Scr	Transfers back to PROFOR.
F5	Cancel	Transfers back to PROFOR.
F 7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROINS (Document Identifier Code Format-Definition) for Definition.
F10	Instructions	Transfers the user to screen PROINS (Document Identifier Code Format-Instructions) for Instructions.

B.157 PROINS - Document Identifier Code Format Screen.

SCRNCD: PROINS

PROCEDURES

DATE: 27-FEB-93

USERID: LSC1992

DOCUMENT IDENTIFIER CODE FORMAT

TIME: 07:10

DIC: KCD TITLE: Change Data Element (s)

MEDIA/FORMAT: FIXED

DEFINITION

THE DATA ELEMENT(S) REFLECTED IN THIS "SEGMENT R" RECORD AND IDENTIFIED BY THE APPLICABLE DATA RECORD NUMBER AND VALUE HAS BEEN CHANGED FOR THE NSN REFLECTED IN THE OUTPUT HEADER.

** END OF DATA**

<MSG 0573> PRESS F5 TO RETURN TO PREVIOUS SCREEN

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=PREV SCRN F6=

F7= F8=

F9=

F10=

F11=

F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input DIC Format value. This screen can be displayed by pressing PF9 (Definition) or PF10 (Instructions) from the Document Identifier Code Format screen (PRODIC).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PRODIC (Document Identifier Code Format) the user presses PF5.
- b. Field Requirements. The fields on this screen are display fields and will display information based on the previous entries made.
- c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F5 Prev Scrn Transfers back to PRODIC.

F7 Page Up Displays the prior page of the current Inquiry Reply being viewed.

Page Down F8

Displays the next page of the current Inquiry Reply being viewed.

B.158 PRONOT - INST/NOTES Screen.

SCRNCD: PRONOT

PROCEDURES

DATE: 27-FEB93

USERID: LSC1992

INST/NOTES

TIME: 07:12

DIC: KCD TITLE: Change Data Element (s) MEDIA/FORMAT: FIXED DRN: 2867

NOTES

- AB THIS DATA ELEMENT IS MANDATORY FOR THIS DIC AND WILL BE PERPETUATED FROM THE INPUT TRANSACTION.
- NC APPLICABLE CODE WILL BE REFLECTED. SEE DRN TO DATA CODE TABLE CROSS REFERENCE (VOLUME 10, SECTION 10.3.2) FOR PROPER TABLE REFERENCE CONTAINING DATA CODES.

** END OF DATA**

<MSG 0573> PRESS PF5 TO RETURN TO PREVIOUS SCREEN

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=PREV SCRN F6=

F7=

F8=

F9=

F10=

F11=

F12=

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input DIC Format value. This screen can be displayed by tagging a DRN with an 'X' on the Document Identifier Code Format Screen (PRODIC).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PRODIC (Document Identifier Code Format) the user presses PF5.
- b. Field Requirements. The fields on this screen are display fields and will display information based on the previous entries made.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F5 Prev Scrn Transfers back to PRODIC.

F7 Page Up Displays the prior page of the current Inquiry Reply being viewed.

F8 Page Down Displays the next page of the current Inquiry Reply being viewed.

DATE: 27-FEB-93

B.159 PROSEG - Segment Formats Screen.

SCRNCD: PROSEG

USERID: LSC1992		SEGMENT FORMATS	TIME: 07:20		
SEGME	SEGMENT: H TITLE: CATALOG MANAGMENT DATA				
MEDIA	FORMAT: FI	XED DRN: 9108			
CARD	COLUMN	DATA ELEMENT NAME	DRN		
	1-3	DOCUMENT IDENTIFIER CODE (DIC)	3920		
	4-6	PACKAGE SEQUENCE NUMBER (PSN)	1070		
	7	PRIMARY INDICATOR CODE	2867		
	8-9	ORIGINATING ACTIVITY CODE	4210		

PROCEDURES

10-11 SUBMITTING ACTIVITY CODE 3720 12-16 DATE, TRANSACTION 2310 17-23 DOCUMENT CONTROL SERIAL NUMBER 1000 1/ 24-26 FILE MAINTENANCE SEQUENCE NUMBER 1515 1/ 24-25 **BLANK** 1/ TYPE OF SPECIAL PROCESSING INDICATOR CODE 26 0568

27-30 ASSIGNED FEDERAL SUPPLY CLASS (FSC) 3990 10/ 31-39 ASSIGNED NATIONAL ITEM IDENTIFICATION NUMBER (NIIN) 4000 ** MORE **

<MSG 2017> ***IMPORTANT*** - SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

F1=HELP F2=CLEAR SCR F3=PREV MENU F4=MAIN MENU F5=CANCEL F6= F8=PAGE DOWN F9=DEFNITION F7= F10=F11=NOTES F12=PARMS

- a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to an input Segment Format value. This screen can be displayed by entering various input code values on the DIC/Segment Format Screen (PROFOR).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PRODIC (Document Identifier Code Format) the user presses PF3.
- b. Field Requirements. The fields on this screen are display fields and will display information based on the previous entries made.

c. Available Function Keys. Teh following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F2	Clear Scr	Transfers back to PROFOR.
F5	Cancel	Transfers back to PROFOR.
F7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Index Inquiry being viewed.
F9	Definition	Transfers the user to screen PRONTE (Definition) for Definition.
F11	Notes	Transfers the user to screen PRONTE (Notes) for Notes.
F12	Parms	Transfers the user to screen PROPAR (Variable Length Segment Parameters) for Parms.

B.160 PROTTL - Alphabetic Index of DIC Titles Screen.

SCRNCD: PROTTL PROCEDURES DATE: 27-FEB-93
USERID: LSC1992 ALPHABETIC INDEX OF DIC TITLES TIME: 06:44

DIC(S)

LAB Add U.S. National/NATO Stock Number as Informative Reference
LAC Deleted
LAD ADD DATA ELEMENT(S)
LAF Add Freight Data

LAG GIRDER
LAM Add Catalog Managmenet Data

LAR Add Reference Number and Related Data

LAS Add Standardization Relationship

LAU Add MOE Rule Number and Related Data

LBC Reinstate Partial Descriptive Method II (NIIN only)

LPD PACKAGING DATA
KPD PACKAGING DATA

LBK Reinstate Reference Method II

LBR Reinstate Full Descriptive Method II with Reference Number

LBW Reinstate Full Descriptive Method II without Reference Number

** MORE**

<MSG 0573> PRESS PF5 TO RETURN TO PREVIOUS SCREEN

F1=HELP F2= F3=PREV MENU F4=MAIN MENU F5=PREV SCRN F6= F7= F8=PAGE DOWN F9= F10= F11= F12=

- a. Screen Explanation. This Inquiry screen displays an index list inalphabetic title order of all DICs. This screen can be displayed by pressing PF5 onthe DIC/Segment Format Screen (PROFOR).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROFOR (DIC/Segment Format Screen) the user presses PF5.
- b. Field Requirements. The fields on this screen are display fields and will display information based on the previous entries made.

c. Availabale Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F5	Prev Scrn	Transfers back to PROFOR.

F7 Page Up Displays the prior page of the current Inquiry Reply being viewed.

F8 Page Down Displays the next page of the current Inquiry Reply being viewed.

B.161 PRONTE - Notes or Definition.

SCRNCD: PRONTE

PROCEDURES

DATE: 27-FEB-93

USERID: LSC1992

DEFINITION

TIME: 07:21

SEGMENT: H TITLE: CATALOG MANAGEMENT DATA

MEDIA/FORMAT: FIXED

DRN: 9108

This segment is used as input to and output from the Defense Logistics Services Center (DLSC). It consists of the elements of management data that are associated with the CMD cards (input codes LAM, LBM, LCM, and LDM). For some Document Identifier Codes (DICs) this segment will consist of a minimum of one card, but additional cards may be necessary to accommodate all data elements required for specific DICs. In those instances where one or more Technical document Numbers or Related National Stock Numbers apply, continuation cards will be required.

** END OF DATA **

<MSG 0573> PRESS PF5 TO RETURN TO PREVIOUS SCREEN

F1=HELP F2=

F3=PREV MENU F4=MAIN MENU F5=PREV SCRN F6=

F7=

F8=

F9=

F10=

F11=

F12=

- a. Screen Explanation. this Inquiry screen displays descriptive information pertaining to an input Segment Format value. This screen can be displayed by pressing PF9 (Definition) or PF11 (Notes) on the Segment Format Screen (PROSEG).
- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROSEG (Segment Format) the user presses PF5.
- b. Field Requirements. The fields on this screen are display fields and will display information based on the previous entries made.
- c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F5 Prev Scrn

Transfers back to PROSEG.

F7 Page Up

Displays the prior page of the current Inquiry Reply being viewed.

F8 Page Down

Displays the next page of the current Inquiry Reply being viewed.

B.162 PROPAR - Variable Length Segment Parameters Screen.

SCRNCD: PROPAR	PROCEDURES					DATE: 27-FEB-9	3
USERID: LSC1992	ERID: LSC1992 VARIABLE LENGTH SEGMENT PARAMETERS					TIME: 07:22	_
S		M L	M L	R S	МО	TML	
E	I/O	ΙO	A G	ΕE	A C	O A G	
G		NΤ	ΧT	PG	XU	TXT	
		Н	H	T	R	Н	
A	ľO	12	47	N	1	47	
В	I/O	15	69	Y	55	3795	
C	I/O	22	55	Y	1000	55000	
E	I/O	11	1124	Y	4	4496	
\mathbf{F}	O	47	1101	Y	10	11010	
G	I/O	11	71	N	1	71	
Н	I/O	16	284	Y	6	1704	
I	I	10	43	N	1	43	
J	O	24	74	Y	25	1850	
K	I/O	17	47	N	1	47	
L	Ο	27	43	N	1	43	

** MORE **

<MSG 0573> PRESS PF5 TO RETURN TO PREVIOUS SCREEN

F1=HELP	F2=	F3=PREV MENU	F4=MAIN MENU	F5=PREV SCRN	F6=
F7=	F8=PAGE DOWN	F9=	F10=	F11=	F12=

a. Screen Explanation. This Inquiry screen displays descriptive information pertaining to Segment Format value. This screen can be displayed by pressing PF12 on the Segment Format Screen (PROSEG).

- (1) If this search has more data than can be displayed in one screen, the user may page down by pressing the PF8 key, and page up by pressing the PF7 key.
 - (2) To return to screen PROSEG (Segment Format) the user presses PF5.
- b. Field Requirements. The fields on this screen are display fields and will display information based on the previous entries made.

c. Available Function Keys. The following unique function keys maybe used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F5	Prev Scrn	Transfers back to PROSEG.
F7	Page Up	Displays the prior page of the current Table Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Table Inquiry Reply being viewed Bulletin Board Extract.

B.163 PROSEL - Bulletin Board Extract.

SCRNCD: PROSEL USERID: LSC1992		BULLETIN BOARD SELECTION LIST		
TAG SUBJ: OT&E	TO OT&E	FROM R. MCGUIRE	DATE 28-FEB-91	MESSAGE NO XX
SUBJ: LOLA INCRE	POLLY P MENT 1 DOCUMI	VERN M ENTATION	11-JUL-91	01
SUBJ: SIT TESTING	LARRY	VERN	19-JUL-91	01
SUBJ: PROC DEVEL	SCOTT LOPMENT	VERN	19-JUL-91	01
SUBJ: S.I.T. TESTIN	GLENN E. G	VERN	19-JUL-91	01

** MORE **

<MSG 2001> PLACE AN 'X' BY SELECTION AND PRESS <ENTER>.

F1=HELP	F2=CLEAR SCR	F3=PREV MENU	F4=MAIN MENU F5=	F6=
F7≈PAGE UP	F8=PAGE DOWN	F9=	F10=	F12=

- a. Screen Explanation. This Inquiry screen gives the user a list of previously created bulletins. By pressing PF8 or PF7, the user can scroll forward or backward through this list. This screen can be displayed by positioning the cursor next to View Bulletin entry on the Logrun menu.
 - (1) Position the cursor and enter a character 'X' on the Bulletin desired and press the ENTER key.
 - (2) The user may exit from this screen by pressing the PF3 key.
 - b. Field Requirements. The valid field entries are described below.

(1) Field Name:

TAG

Entry Requirement:

Mandatory

Valid Entries:

'X'

Results:

PROINQ screen will be displayed with the Bulletin Se-

lected.

c. Available Function Keys. The following unique function keys maybe used from this screen. All standardized FLIS functionkeys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F7 Page Up

Displays the prior page of the current Bulletin Board Extract Records

being viewed.

F8 Page Down

Displays the next page of the current Bulletin Board Extract Records

being viewed.

B.164 PROINQ - Bulletin Board Extract View.

SCRNCD: PROINQ

BULLETIN BOARD

DATE: 24-FEB-93

USERID: LSC1992

VIEW

TIME: 08:59

TO: LARRY

FROM: VERN

DATE: 19-JUL-91

MESSAGE NO: 01

SUBJ: SIT TESTING

BULLETIN CREATED FOR TESTING AGAIN AND AGAIN AND AGAIN.!!!

** END OF DATA**

<MSG 0520> PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

F1=HELP

F2=

F3=PREV MENU F4=MAIN MENU F5=PREV SCRN F6=

F7=PAGE UP F8=PAGE DOWN F9=

F10=

F12=

- a. Screen Explanation. This Inquiry Reply screen displays the Bulletin selected by the user from screen PROSEL. The TO, FROM, DATE, MESSAGE NO. and Bulletin Text will be displayed. The user can scroll forward or backward by using the PF8 or PF7 keys respectively. This screen can be displayed by positioning the cursor next to a bulletin entry from the PROSEL screen.
 - (1) The user can scroll forward or backward by pressing the PF8 and PF7 respectively.
 - (2) The user may exit from this screen by pressing the PF5 key.
- b. Field Requirements. The fields on this screen are display fields and will display information based on the previous entries made.
- c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F5 Previous Screen

Transfers the user to the previous screen.

F7 Page Up

Displays the prior page of the current Bulletin Board Extract View

being viewed.

F8 Page Down

Displays the next page of the current Bulletin Board Extract View

being viewed.

B.165 PROADD - Add/Del/Chg Bulletin Board.

(2)

Field Name:

Valid Entries:

Results:

Entry Requirement:

SCRNCD: USERID:	PROADD		ETIN BOARD 'E/DEL BULLETIN		DATE: 24-FEB-93 TIME: 09:00
			DATE:	MESSA	GE NO:
10	TRO	VI	DATE.	MESSA	OE NO
		** END	OF DATA **		
<msg 066<="" td=""><td>62> ENTER SELECT</td><td></td><td></td><td></td><td></td></msg>	62> ENTER SELECT				
F1=HELP F7=PAGE V	F2= UP F8=PAGE DOWN		F4=MAIN MENU I F10=	F5=	F6=DELETE BUL F12=
MESSAGI					the TO, FROM, DATE, eate Bulletin Board Entry
(1) Th	e user must enter the	To, From, Date ar	nd Message Number	of the Bu	lletin desired.
(2) Th	e user may exit from	this screen by pre-	ssing the PF5 key.		
b. Field	Requirements. The va	alid field entries ar	e described below.		
(1)	Field Name: Entry Requirement: Valid Entries: Results:	TO Addressee of B Alpha-numeric None	ulletin		

FROM

None

Sender of Bulletin

Alpha-numeric

(3) Field Name:

Date

Entry Requirement:

Type date in DD-MMM-YY format

Valid Entries:

Day = > 00 and < 31

MMM = JAN, FEB, etc.

YY = numeric

Results:

None

(4) Field Name:

Message No.

Entry Requirement:

> 00 and < 99

Valid Entries:

Numeric

Results:

Bulletin will be displayed if in DB, otherwise, a new

blank screen will be displayed.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F6 Delete Bulletin

Deletes the Bulletin Board.

F7 Page Up

Displays the prior page of the current Bulletin Board Update being

viewed.

F8 Page Down

Displays the next page of the current Bulletin Board Update being

viewed.

B.166 PROUPD - Bulletin Board Update.

F1=HELP

F2=

F7=PAGE UP F8=PAGE DOWN F9=ADD MORE PAGES

SCRNCD: PROUPD	BULLET	DATE: 03-MAR-93 TIME: 13:05 3 MESSAGE NO: 46	
USERID: LSC1992	CREATE		
TO: SANDI SUBJ:	FROM: ANGELA DATE: 03-MAR-		
	3.300 · · · · · · · · · · · · · · · · · ·		
<msg 2013=""> ENTER T</msg>	TEXT OR PRESS <pf5></pf5>	TO CANCEL	

a. Screen Explanation. This Inquiry screen displays the Bulletin specified by the user from screen PROBUL. The user can scroll forward or backward by using the PF8 or PF7 keys respectively. This screen can be displayed by specifying the To, From, Date and Message No. of the Bulletin from the PROBUL screen.

F3=PREV MENU F4=MAIN MENU F5=CANCEL F6=

F11=

F12=

- (1) The user can scroll forward or backward by pressing the PF8 and PF7 respectively.
- (2) If the Bulletin has been previously entered, the full Bulletin Text will be displayed.
- (3) If this is a new bulletin, the user will be prompted to enter the text. Additional screens needed can be facilitated by pressing the PF9 key.
- (4) To delete a Bulletin, press PF6 and a confirmation message will be displayed. Press PF6 again and the Bulletin will be deleted.
- (5) To change a bulletin, make the necessary change in the text and press the ENTER key. If an additional page is needed, press PF9.

b. Field Requirements. The valid field entries are described below.

(1) Field Name:

Text (in case of Adds)

Entry Requirement:

Mandatory

Valid Entries:

Alpha-numeric

Results:

Text will be added

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCD field or designated F keys must be used to exit this screen.

F6 Delete Bulletin

Deletes Bulletin Board (to confirm, press F6 again)

F7 Page Up

Displays the prior page of the current Bulletin Board Update being

viewed.

F8 Page Down

Displays the next page of the current Bulletin Board Update being

viewed.

F9 Add More Pages

Additional screens.

APPENDIX C - Error Messages and Recovery

This appendix details error and informational messages used by the LOLA application, identified by a unique four digit number (ID No.). The description or message text provides information as to the nature of an error or failure and any action to be taken. Also furnished is information regarding the source of the message (i.e., why the message has appeared) and any corrective action to be taken by the user.

1. Message: MOVE CURSOR TO DESIRED OPTION THEN PRESS <ENTER>

Source: Message received when viewing a new menu.

Corrective Action: None.

2. **Message:** INVALID OPTION

Source: When an invalid key for that screen is hit.

Corrective Action: None.

3. **Message:** OPTION NOT AVAILABLE AT THIS TIME

Source: From the Main Menu screen when an option is chosen and that option is

not yet operational.

Corrective Action: None.

4. Message: CURSOR TO OPTION OR ENTER SEARCH CRITERIA

Source: Message received when viewing an Index screen.

Corrective Action: None. Message states that you need to move the cursor to the Index pick of your choice and then hit <ENTER> to view that selection or to use the Search field to find the desired data.

5. **Message:** MORE

Source: When more data exists.

Corrective Action: Press F8 (Page Down) to view data.

6. **Message:** TOP OF PAGE

Source: The user has pressed F7 (Page Up) and is at the top of the data currently

being viewed.

Corrective Action: None.

7. **Message:** BOTTOM OF PAGE

Source: The user has pressed F8 (Page Down) and is at the bottom of the data cur-

rently being viewed.

Corrective Action: None.

8. **Message:** USE THE PF KEYS TO NAVIGATE THROUGH THE NEXT

Source: Initial message when entering a text screen.

Corrective Action: None.

9. Message: USE PF7 TO SCROLL UP

Source: User pressed F8 (Page Down) and is already at bottom of data being

viewed.

Corrective Action: None.

10. Message: FIRST RECORD

Source: User pressed PF11 to view a previous record and is already at the first

record found in the search. Corrective Action: None.

11. Message: LAST RECORD

Source: User pressed PF12 to view the next record and is already at the last record

found in the search.

Corrective Action: None.

12: Message: INVALID SEARCH REQUEST XXXXXX REENTER SEARCH CRI-

TERIA

Source: User entered an invalid character in the search field.

Corrective Action: Re-enter a valid search criteria; i.e., a word or group of words with no special characters or an equals sign followed by a number to search for a section (=xxxx).

13. Message: SECTION XXXXX NOT FOUND IN DATABASE

Source: When a section is requested with an equals sign and a section number

(=3.1.1) and the requested section is not found on the database.

Corrective Action: Re-enter a new number or tab to the sections as they appear on

the screen and press <ENTER>.

14. Message: NO ASSOCIATED DATA FOR THIS SECTION

Source: While in the Text screen, PF5 was pressed and no Associated Data was

found.

Corrective Action: None.

15. Message ID No. and Description: 0490 CALLED PROGRAM NOT YET OPER-

ATIONAL

Source: The desired software unit is not yet operational.

Corrective Action: None.

16. Message ID No. and Description: 0491 NO MATCHES FOUND - ENTER NEW

CRITERIA

Source: No matching data for has been found for the item selected.

Corrective Action: Enter new data or selection criteria.

- 17. Message ID No. and Description: 0492 ENTER CRITERIA AND PRESS KEY Source: No selection data or selection criteria has been entered.

 Corrective Action: Enter data or selection criteria to be used and press the <ENTER> key.
- 18. Message ID No. and Description: 0493 ENTER NEW CRITERIA AND PRESS <ENTER> KEY

 Source: No item data/information has been found for the desired item.

Corrective Action: Enter new data or selection criteria to be used and press the

<ENTER> key.

- 19. Message ID No. and Description: 0494 ENTER VALID CRITERIA Source: Invalid data or selection criteria has been entered.

 Corrective Action: Enter new data or selection criteria to be used.
- Message ID No. and Description: 0495 PRESS <ENTER> KEY TO PROCESS
 Source: Processing has not been initiated.
 Corrective Action: Press the <ENTER> key.
- 21. **Message ID No. and Description:** 0496 PF KEY PRESSED IS NOT ACTIVE **Source:** An F or PF key that is not active for the screen being used has been pressed.

Corrective Action: Selection another PF key.

22. **Message ID No. and Description:** 0497 NOT AUTHORIZED TO VIEW DATA FOR HIGHLIGHTED FIELDS; RE-ENTER

Source: The requesting individual does not have proper authorization or clearance to view certain data/information as indicated by the highlighted fields on the screen.

Corrective Action: Press the <ENTER> key or re-enter appropriate data for another desired item.

23. **Message ID No. and Description:** 0498 ACCESS TO FSG/FSC ENTERED IS NOT AUTHORIZED; RE-ENTER

Source: The requesting individual does not have the proper authorization or clearance to access data/information for the selected FSG/FSC.

Corrective Action: Press the <ENTER> key or re-enter appropriate data for another desired item.

24. **Message ID No. and Description:** 0499 ACCESS TO CAGE CODE ENTERED IS NOT AUTHORIZED; RE-ENTER

Source: The requesting individual does not have the proper authorization or clearance to access data/information for the selected CAGE Code.

Corrective Action: Press the <ENTER> key or re-enter appropriate data for another desired item.

25. **Message ID No. and Description:** 0500 ACCESS TO NIIN ENTERED IS NOT AUTHORIZED; RE-ENTER

Source: The requesting individual does not have the proper authorization or clearance to access data/information for the selected NIIN.

Corrective Action: Press the <ENTER> key or re-enter appropriate data for another desired item.

26. **Message ID No. and Description:** 0501 ACCESS TO INC ENTERED IS NOT AUTHORIZED; RE-ENTER

Source: The requesting individual does not have the proper authorization or clearance to access data/information for the selected INC.

Corrective Action: Press the <ENTER> key or re-enter appropriate data for another desired item.

27. **Message ID No. and Description:** 0502 INC NOT FOUND - ENTER NEW CRITERIA

Source: No INC has been found for the desired item.

Corrective Action: Enter new data or selection criteria to be used.

28. **Message ID No. and Description:** 0503 ITEM NAME MUST HAVE AT LEAST 3 CHARACTERS; RE-ENTER

Source: The Item Name entered is less than the three character minimum required to locate it in the database.

Corrective Action: Enter at least three characters of the Item Name.

29. **Message ID No. and Description:** 0504 A COMPLETE INC MUST BE ENTERED; RE-ENTER

Source: A complete INC has not been entered.

Corrective Action: Enter a complete INC.

30. **Message ID No. and Description:** 0505 KEYWORD MUST HAVE AT LEAST 3 CHARACTERS: RE-ENTER

Source: The Keyword entered is less than the three character minimum required to locate it in the database.

Corrective Action: Enter at least three characters of the Keyword.

31. **Message ID No. and Description:** 0506 FIIG MUST HAVE AT LEAST 4-6 CHARACTERS; RE-ENTER

Source: The FIIG entered is less than the four character minimum required to locate it in the database.

Corrective Action: Enter at least four to six characters of the FIIG.

32. **Message ID No. and Description:** 0507 PN MUST HAVE AT LEAST 1 CHAR (ONLY CHAR CANNOT BE '?'; RE-ENTER

Source: No character has been entered to locate a PN in the database; if a single character is entered it cannot be a question mark ('?').

Corrective Action: Enter at least one character of the PN.

33. **Message ID No. and Description:** 0508 A COMPLETE NUMERIC FSG OR FSC MUST BE ENTERED; RE-ENTER

Source: A complete numeric FSG or FSC has not been entered. **Corrective Action:** Enter a complete numeric FSG or FSC.

34. **Message ID No. and Description:** 0509 A COMPLETE NIIN MUST BE ENTERED: RE-ENTER

Source: A complete NIIN has not been entered. **Corrective Action:** Enter a complete NIIN.

35. **Message ID No. and Description:** 0510 IF A NIIN IS ENTERED, OTHER CRITERIA CANNOT BE ENTERED; RE-ENTER

Source: A NIIN, along with other criteria, has been entered for processing. **Corrective Action:** Remove all other criteria except the NIIN.

36. **Message ID No. and Description:** 0511 BOTH CAGE CODE AND CAGE NAME CANNOT BE ENTERED; RE-ENTER

Source: Both a CAGE Code and the CAGE Name have been entered for processing

Corrective Action: Enter either the CAGE Code or the CAGE Name, but not both.

37. **Message ID No. and Description:** 0512 BOTH INC AND ITEM NAME CANNOT BE ENTERED; RE-ENTER

Source: Both a INC and the Item Name have been entered for processing.

Corrective Action: Enter either the INC or the Item Name, but not both.

Message ID No. and Description: 0513 BOTH CAGE NAME AND ITEM

NAME CANNOT BE ENTERED; RE-ENTER

Source: Both a CAGE Name and the Item Name have been entered for processing.

Corrective Action: Enter either the CAGE Name or the Item Name, but not both.

39. **Message ID No. and Description:** 0514 ENTER AT LEAST ONE CRITERIA AND PRESS <ENTER> KEY

Source: No criteria has been entered for processing.

38.

Corrective Action: Enter at least one criteria and press the <ENTER> key.

40. **Message ID No. and Description:** 0515 ONLY ONE CRITERIA MAY BE ENTERED; RE-ENTER

Source: More than one criteria has been entered for processing. **Corrective Action:** All but one of the criteria must be removed.

41. **Message ID No. and Description:** 0516 INVALID COMBINATION OF CRITE-RIA ENTERED; RE-ENTER

Source: The criteria entered is not compatible for processing.

Corrective Action: Remove incompatible criteria and attempt to re-process.

42. **Message ID No. and Description:** 0517 THIS NIIN IS PROPRIETARY PROTECTED; RE-ENTER

Source: The NIIN that has been entered or selected is a proprietary item.

Corrective Action: Select/enter a new NIIN.

43. **Message ID No. and Description:** 0518 CAGE NAME MUST HAVE AT LEAST 3 CHARACTERS; RE-ENTER

Source: The CAGE Name entered is less than the three character minimum required to locate it in the database.

Corrective Action: Enter at least three characters of the CAGE Name.

44. **Message ID No. and Description:** 0519 A COMPLETE CAGE CODE MUST BE ENTERED; RE-ENTER

Source: A complete CAGE Code has not been entered.

Corrective Action: Enter a complete CAGE Code.

45. **Message ID No. and Description:** 0520 PRESS APPROPRIATE PF KEY FOR THE PROCESSING DESIRED

Source: A F key has been selected that is not appropriate for the software unit-/screen displayed.

Corrective Action: Select another F key.

46. **Message ID No. and Description:** 0521 PICK ONE OR MORE ITEMS AND PRESS APPROPRIATE PF KEY

Source: No item selection has been made.

Corrective Action: One or more items must be selected and the appropriate F key pressed for the software unit/screen in use.

47. **Message ID No. and Description:** 0522 NO ITEMS SELECTED - SELECT AT LEAST ONE ITEM

Source: No item selection has been made.

Corrective Action: At least one item must be selected.

48. **Message ID No. and Description:** 0523 PICK ONE OR MORE MRC'S AND PRESS APPROPRIATE FUNCTION KEY

Source: No MRCs selection has been made.

Corrective Action: One or more MRCs must be selected and the appropriate F key pressed for the software unit/screen in use.

49. **Message ID No. and Description:** 0524 NO MRC'S SELECTED - SELECT AT LEAST ONE MRC

Source: No MRC selection has been made.

Corrective Action: At least one MRC must be selected.

50. **Message ID No. and Description:** 0525 SELECT AN FSG TITLE AND PRESS APPROPRIATE PF KEY

Source: No FSG Title selection has been made.

Corrective Action: An FSG Title must be selected and the appropriate F key pressed for the software unit/screen in use.

- Message ID No. and Description: 0528 ENTER 'X' TO SELECT DATA VIEWS
 Source: An 'X' has not been entered in the selection field.
 Corrective Action: Place an 'X' in the selection field to view data for the appropriate item.
- 52. Message ID No. and Description: 0530 ENTER CHANGES PRESS APPROPRIATE PF KEY TO CONTINUE

 Source: Data changes have not been entered.

Corrective Action: Key in data changes and press the appropriate F key for the software unit/screen in use.

53. **Message ID No. and Description:** 0531 ENTER ONE CRITERIA AND PRESS <ENTER> KEY

Source: Criteria has not been entered.

Corrective Action: Key in criteria and press the <ENTER> key.

54. **Message ID No. and Description:** 0532 ENTER ONLY ONE CRITERIA; RE-ENTER

Source: More than one criteria has been entered.

Corrective Action: Remove all but one criteria and re-initiate processing.

55. **Message ID No. and Description:** 0533 ENTER 'C', 'P', OR 'D' FOR OUTPUT MEDIA; RE-ENTER

Source: A key other than 'C', 'P', or 'D' has been pressed in an effort to produce output.

Corrective Action: Select an output media by pressing either 'C'(CRT), 'P'(Printer), or 'D'(Download).

56.	Message ID No. and Description: 0534 PRESS PF6 TO PROCESS
	Source: A key other than F6 has been pressed.

Corrective Action: Press the F6 key to initiate processing.

57. **Message ID No. and Description:** 0535 ACCESS TO FSG ENTERED IS NOT AUTHORIZED

Source: The requesting individual does not have the proper authorization or clearance to access data/information for the selected FSG.

Corrective Action: Enter another FSG.

58. **Message ID No. and Description:** 0536 ACCESS TO FSC ENTERED IS NOT AUTHORIZED

Source: The requesting individual does not have the proper authorization or clearance to access data/information for the selected FSC.

Corrective Action: Enter another FSC.

59. **Message ID No. and Description:** 0537 A COMPLETE NUMERIC FSG MUST BE ENTERED; RE-ENTER

Source: A complete numeric FSG has not been entered.

Corrective Action: Enter a complete numeric FSG.

60. **Message ID No. and Description:** 0538 A COMPLETE NUMERIC FSC MUST BE ENTERED; RE-ENTER

Source: A complete numeric FSC has not been entered.

Corrective Action: Enter a complete numeric FSC.

61. **Message ID No. and Description:** 0539 A VALID NUMERIC JULIAN DATE MUST BE ENTERED; RE-ENTER

Source: Invalid numbers have been entered or an improper format has been followed in placing data into the Date field.

Corrective Action: Check the data entered to see that it meets requirements for a Julian date.

62. **Message ID No. and Description:** 0540 'FROM' DATE CANNOT BE GREATER THAN 'TO' DATE; RE-ENTER

Source: The date value entered in the 'From' Date field is greater (has a higher value) than the date entered in the 'To' field.

Corrective Action: Enter a new (lower) date value in the 'From' Date field.

63. **Message ID No. and Description:** 0541 'FROM' DATE IS EARLIER THAN DATE RANGE; RE-ENTER

Source: A date value has been placed in the 'From' Date field that is less than the allowable (minimum) range value.

Corrective Action: Enter a new (higher) date value in the 'From' Date field.

64. **Message ID No. and Description:** 0542 'TO' DATE IS BEYOND DATE RANGE: RE-ENTER

Source: A date value has been placed in the 'To" Date field that is greater than the allowable (maximum) range value.

Corrective Action: Enter a new (lower) date value in the 'To' Date field.

65. **Message ID No. and Description:** 0543 CANNOT START SEARCH/INQUIRY WITH INC FOR NON-APPROVED ITEM NAME

Source: An attempt has been made to start Search/Inquiry with INC using an Item Name that has not been approved.

Corrective Action: Use an approved Item Name to start Search/Inquiry with INC.

66. **Message ID No. and Description:** 0544 ENTER 'C' OR 'P' FOR OUTPUT MEDIA; RE-ENTER

Source: An output media option has not been selected.

Corrective Action: Select one of the two available output media options.

67. **Message ID No. and Description:** 0545 CHARACTERISTICS DATA IS PROPRIETARY PROTECTED

Source: An attempt has been made to access proprietary Characteristic Data. **Corrective Action:** None.

68. **Message ID No. and Description:** 0546 USE CURSOR SELECT TO CHOOSE TABLE FOR INQUIRY

Source: The cursor selection has not been properly used when attempting to choose a Table for Inquiry.

Corrective Action: Move the cursor to the item/table to be selected for Inquiry.

- Message ID No. and Description: 0547 INVALID MRC USAGE DESIGNATOR
 Source: An invalid MRC Usage Designator has been entered.
 Corrective Action: Enter a new MRC Usage Designator.
- 70. **Message ID No. and Description:** 0548 INVALID MASTER REQUIREMENT CODE

Source: An invalid Master Requirement Code has been entered.

Corrective Action: Enter a new Master Requirement Code.

71. **Message ID No. and Description:** 0549 INVALID FIIG

Source: An invalid FIIG has been entered.

Corrective Action: Enter a new FIIG.

72. **Message ID No. and Description:** 0550 ONLY MRC USAGE OF 'T' ALLOWED WITH FIIG

Source: Usage of an MRC other than 'T' has been attempted with a FIIG.

Corrective Action: Key in a 'T' for MRC usage.

73.	Message ID No. and Description: 0551 INVALID KEYWORD GROUP CODE
	Source: An invalid Keyword Group Code has been entered.
	Corrective Action: Enter a new Keyword Group Code.

- 74. Message ID No. and Description: 0552 INVALID MRD REPLY TABLE CODE Source: An invalid MRD Reply Table Code has been entered.

 Corrective Action: Enter a new MRD Reply Table Code.
- 75. Message ID No. and Description: 0553 TOO MANY CRITERIA SELECTIONS CHOSEN

 Source: The number of criteria selections made has exceeded the maximum number allowed.

 Corrective Action: Make new criteria selections.
- 76. Message ID No. and Description: 0554 PRINT JOB SUBMITTED Source: Production of a hard copy has been sent to a printer.

 Corrective Action: None.
- 77. **Message ID No. and Description:** 0555 PRINT JOB FAILED **Source:** Production of a hard copy has failed. **Corrective Action:** Initiate another print job.
- 78. Message ID No. and Description: 0556 THIS IS THE LAST PAGE
 Source: An attempt was made to page down beyond the last page of available data.
 Corrective Action: None.
- 79. Message ID No. and Description: 0557 SYSTEM ERROR ACCESSING TSQ Source: A system error resulted while accessing TSQ.

 Corrective Action: None.
- 80. **Message ID No. and Description:** 0558 THIS IS THE FIRST PAGE **Source:** An attempt was made to page up beyond the first page of available data. **Corrective Action:** None.
- 81. Message ID No. and Description: 0559 USE CURSOR TO SELECT DETAIL Source: The cursor was not used when selecting the necessary detail. Corrective Action: Move the cursor to make the detail selection.
- 82. **Message ID No. and Description:** 0560 CHOOSE A VALID PF KEY **Source:** A F key that is not valid for the screen being used has been pressed. **Corrective Action:** Select another Function key.
- 83. **Message ID No. and Description:** 0561 NO DATA TO PRINT **Source:** A print command has been made for which there is no data available. **Corrective Action:** None.

84. **Message ID No. and Description:** 0562 THIS IS THE LAST RECORD

Source: The last record in the file/table has been reached.

Corrective Action: None.

85. Message ID No. and Description: 0563 THIS IS THE FIRST RECORD

Source: The first record in the file/table has been reached.

Corrective Action: None.

86. Message ID No. and Description: 0564 NO MATCHES FOUND - NEXT AVAILABLE ESC IS SHOWN

ABLE FSC IS SHOWN

Source: The search or inquiry has found no record matches in the database for a specified FSC(s); the next available FSC for which data matches are available is displayed.

Corrective Action: None.

87. Message ID No. and Description: 0565 NO MATCHES FOUND - STARTED

WITH FIRST NEXT AVAILABLE FSG

Source: The search or inquiry has found no record matches in the database for a specified FSG(s); the next available FSG for which data matches are available is displayed.

Corrective Action: None.

88. **Message ID No. and Description:** 0566 NO FSC SELECTED - SELECT ONE FSC TO PROCESS

Source: No FSC has been selected for processing.

Corrective Action: Select an FSC.

89. Message ID No. and Description: 0567 NO INC SELECTED - SELECT ONE

INC TO PROCESS

Source: No INC has been selected for processing.

Corrective Action: Select an INC.

90. Message ID No. and Description: 0568 NO FSG SELECTED - SELECT ONE

FSG TO PROCESS

Source: No FSG has been selected for processing.

Corrective Action: Select an FSG.

91. Message ID No. and Description: 0569 NO MATCHES FOUND

Source: The search or inquiry has found no record matches in the database for a specified item(s).

Corrective Action: None.

92. **Message ID No. and Description:** 0570 NO CHANGED DATA FOUND

Source: The search or inquiry has found no data that has been changed.

Corrective Action: None.

93.	Message ID No. and Description:	0571	CHANGED	DATA	FOR	THIS	INC DIS-
	PLAYED						

Source: The changed or modified data values for the specified INC is displayed. **Corrective Action:** None.

94. **Message ID No. and Description:** 0572 CHANGED DATA FOR THIS FSC DIS-PLAYED

Source: The changed or modified data values for the specified FSC is displayed. **Corrective Action:** None.

95. **Message ID No. and Description:** 0573 PRESS PF5 TO RETURN TO PREVIOUS SCREEN

Source: Use of the F5 key is the only appropriate means of exiting software units/screens LQLN331I and LQLN332I.

Corrective Action: Press F5.

96. **Message ID No. and Description:** 0574 PRESS PF9 TO VIEW SELECTIONS OR PF10 TO CANCEL/START OVER

Source: F9 and F10 are standard selection/processing keys for software unit/screen LOLOUT.

Corrective Action: Press either F9 or F10.

97. **Message ID No. and Description:** 0575 CAGE/SUPPLIER DATA NOT FOUND FOR NIIN BEING PROCESSED

Source: There is no CAGE/Supplier data found in the database for the specified NIIN.

Corrective Action: Select another NIIN.

98. **Message ID No. and Description:** 0576 IDENTIFICATION DATA NOT FOUND FOR NIIN BEING PROCESSED

Source: There is no Identification data found in the database for the specified NIIN.

Corrective Action: Select another NIIN.

99. **Message ID No. and Description:** 0577 REF/PART NUMBER DATA NOT FOUND FOR NIIN BEING PROCESSED

Source: There is no Ref/Part Number data found in the database for the specified NIIN.

Corrective Action: Select another NIIN.

100. **Message ID No. and Description:** 0578 FREIGHT DATA NOT FOUND FOR NIIN BEING PROCESSED

Source: There is no Freight data found in the database for the specified NIIN.

Corrective Action: Select another NIIN.

101.	Message ID No. and Description: 0579 CODED CHARACTERISTICS NOT
	FOUND FOR NIIN BEING PROCESSED
	Source: There are no Coded Characteristics found in the database for the specified
	NIIN.
	Corrective Action: Select another NIIN.

- Message ID No. and Description: 0580 MOE RULE DATA CODED NOT FOUND FOR NIIN BEING PROCESSED
 Source: There is no MOE Rule Data Coded found in the database for the specified NIIN.
 Corrective Action: Select another NIIN.
- 103. Message ID No. and Description: 0581 MOE RULE DATA DECODED NOT FOUND FOR NIIN BEING PROCESSED

 Source: There is no MOE Rule Data Decoded found in the database for the specified NIIN.

 Corrective Action: Select another NIIN.
- Message ID No. and Description: 0582 I & S DATA NOT FOUND FOR NIIN BEING PROCESSED

 Source: There is no I & S Data found in the database for the specified NIIN.

 Corrective Action: Select another NIIN.
- 105. Message ID No. and Description: 0583 DECODED CHARACTERISTICS NOT FOUND FOR NIIN BEING PROCESSED

 Source: There is no Decoded Characteristics found in the database for the specified NIIN.

 Corrective Action: Select another NIIN.
- Message ID No. and Description: 0584 STANDARDIZATION DATA NOT FOUND FOR NIIN BEING PROCESSED

 Source: There is no Standardized Data found in the database for the specified NIIN.

 Corrective Action: Select another NIIN.
- 107. Message ID No. and Description: 0585 MANAGEMENT DATA NOT FOUND FOR NIIN BEING PROCESSED

 Source: There is no Management Data found in the database for the specified NIIN.

 Corrective Action: Select another NIIN.

108. **Message ID No. and Description:** 0586 BASIC REFERENCE DATA NOT FOUND FOR NIIN BEING PROCESSED

Source: There is no Basic Reference Data found in the database for the specified NIIN.

Corrective Action: Select another NIIN.

109. **Message ID No. and Description:** 0587 REQUISITION DATA NOT FOUND FOR NIIN BEING PROCESSED

Source: There is no Requisition Data found in the database for the specified NIIN.

Corrective Action: Select another NIIN.

110. **Message ID No. and Description:** 0588 PHRASE DATA NOT FOUND FOR NIIN BEING PROCESSED

Source: There is no Phrase Data found in the database for the specified NIIN.

Corrective Action: Select another NIIN.

111. Message ID No. and Description: 0589 NO FSG NOTES FOUND

Source: There were no FSG Notes found in the database for the item selected.

Corrective Action: Select another item.

112. **Message ID No. and Description:** 0590 CHARACTER SEARCH CANNOT BE CONDUCTED ON ITEM SELECTED

Source: There is no Character Search Data found in the database for the selected item.

Corrective Action: Select another item.

113. Message ID No. and Description: 0591

Source: The character entered for Output Media is incorrect.

Corrective Action: Enter a 'C' or 'D' on the Output Media field.

114. Message ID No. and Description: 0593

Source: Item Name search cannot be conducted on an item whose Item Name

Type Code is = '1'

Corrective Action: Re-enter another Item Name to search.

115. Message ID No. and Description: 0594

Source: Item Name search cannot be conducted on an item whose Item Name

Type Code is = '4'

Corrective Action: Re-enter another Item Name to search.

116. Message ID No. and Description: 0595

Source: Item Name search cannot be conducted on an item whose Item Name

Type Code is = '4'

Corrective Action: Re-enter another Item Name to search.

117. Message ID No. and Description: 0596

Source: The user entered a non-approved Item Name for search.

Corrective Action: Use an approved name for searching.

118. **Message ID No. and Description:** 0597

Source: Multiple range was specified on an Item Pick list screen.

Corrective Action: Type no more than two (2) 'R' and press appropriate key for

processing.

119. Message ID No. and Description: 0598

Source: There was only one range selected on an Item Pick list screen.

Corrective Action: Type no more than two (2) 'R' and press appropriate key for

processing.

120. Message ID No. and Description: 0599

Source: A SAC selection was not made.

Corrective Action: Type an 'X' at the desired SAC and press PF6.

121. Message ID No. and Description: 0600

Source: The user typed an invalid character before pressing PF6.

Corrective Action: Type an 'X' on the reply values desired and press PF6.

122. Message ID No. and Description: 0601

Source: The user type an invalid character before pressing PF6.

Corrective Action: Type an 'X' on the NIIN desired and press PF6.

123. Message ID No. and Description: 0602

Source: A selection was not made on the Pick List screen.

Corrective Action: Type an 'X' on the desired NIIN(s) and press PF6.

124. Message ID No. and Description: 0603

Source: An invalid key was pressed upon selection.

Corrective Action: Press the <ENTER> key to select values within range.

125. Message ID No. and Description: 0604

Source: An unauthorized user ID was used to access proprietary data.

Corrective Action: The user ID being used must be authorized.

126. Message ID No. and Description: 0605

Source: There is no Decoded Data for the NIIN selected.

Corrective Action: None

127. Message ID No. and Description: 0606

Source: There is no Text Reply data for this Item Name Code.

Corrective Action: None

128. Message ID No. and Description: 0607

Source: Non-numeric character(s) was entered for the search. **Corrective Action:** Enter numeric values only and press PF6.

129. Message ID No. and Description: 0608

Source: An invalid or missing keyword search descriptor was entered in the Optional Reply area.

Corrective Action: Type 'DISPLAY' or 'STOP' to display data or 'PROCESS' and press PF6 to initiate search.

130. Message ID No. and Description: 0609

Source: An invalid or missing keyword search descriptor was entered in the Optional Reply area.

Corrective Action: Type 'TO' or 'WITHIN' and press PF6 to initiate a search.

131. Message ID No. and Description: 0610

Source: A missing keyword search descriptor was entered in the Optional Reply area.

Corrective Action: Enter 'TO' and press PF6 to initiate search.

132. Message ID No. and Description: 0611

Source: A '?' was not entered as part of the search criteria.

Corrective Action: Type a '?' as a delimeter to initiate the search.

133. Message ID No. and Description: 0612

Source: A multiple decimal point was entered.

Corrective action: Re-type the numeric value with only one decimal point.

134. Message ID No. and Description: 0613

Source: A search cannot be made on a non-numeric value or a value entered without the '?' delimeter.

Corrective action: Re-enter search criteria and press appropriate key for processing.

135. Message ID No. and Description: 0614

Source: A '%' was not entered as part of the keyword search descriptor.

Corrective action: Type a percent sign '%' as part of the keyword search descriptor and press PF6 to process.

136. Message ID No. and Description: 0615

Source: A minimum search value was specified but is greater than the maximum value displayed.

Corrective Action: Re-type the minimum search value specified and press PF6 to process.

137. Message ID No. and Description: 0616

Source: An invalid or missing keyword search descriptor was entered in the Optional Reply area.

Corrective action: Correct the keyword search descriptor and press PF6.

138. **Message ID No. and Description:** 0617

Source: An invalid keyword search descriptor was entered in Optional Reply area.

Corrective action: Correct the keyword search descriptor and press PF6.

139. Message ID No. and Description: 0618

Source: More than 3 keyword search descriptors were specified.

Corrective Action: A maximum of 3 keyword search descriptor is allowed. Re-

enter and press appropriate key to proceed.

140. Message ID No. and Description: 0619

Source: A search value with less than 3 characters was specified.

Corrective Action: A minimum of 3 characters are needed to initiate a search. Re-

enter and press appropriate key to process.

141. Message ID No. and Description: 0620

Source: A character, other than 'X', was used for selection.

Corrective Action: Type an 'X' and press appropriate key to process.

142. Message ID No. and Description: 0621

Source: An invalid key was pressed.

Corrective Action: Press <ENTER> to search by Cage Code or press PF6 to ini-

tiate processing.

143. Message ID No. and Description: 0622

Source: Upon the end of a search, Items of Supplies was not found.

Corrective action: None.

144. **Message ID No. and Description:** 0623

Source: Upon the end of a search, Items of Supplies was not found.

Corrective Action: None.

145. Message ID No. and Description: 0624

Source: Either an INC was not selected or multiple INC were selected.

Corrective action: Specify only one INC and press PF6 to process.

146. Message ID No. and Description: 0625

Source: Either a Cage Code was not selected or multiple Cage Code were se-

lected.

Corrective action: Specify only one Cage Code and press PF6 to process.

147. Message ID No. and Description: 0626

Source: Two values, (MINIMUM and MAXIMUM), is needed to process.

Corrective Action: Enter these values and press PF6 to process.

148. **Message ID No. and Description:** 0627

Source: Invalid values were specified for a search.

Corrective Action: Correct values specified and press PF6.

149. **Message ID No. and Description:** 0628

Source: An invalid keyword search descriptor was specified.

Corrective Action: Use any one or combinations of the keyword search descrip-

tors displayed in the message and press PF6 to process.

150. Message ID No. and Description: 0629

Source: A new Item Name or Keyword to start a new search was not specified.

Corrective Action: Specify a new Item Name or Keyword for a new search and

press PF6.

151. Message ID No. and Description: 0630 NO DATA FOUND FOR THIS VIEW

Source: There is no data for the selected NIIN and view.

Corrective Action: Choose another NIIN or view.

152. **Message ID No. and Description:** 0631 PICK ONE FSC AND PRESS APPRO-

PRIATE PF KEY

Source: More than one FSC was tagged.

Corrective Action: Enter an 'X' beside only one FSC and press desired PF key.

153. Message ID No. and Description: 0632 PICK ONE FSG AND PRESS APPRO-

PRIATE PF KEY

Source: More than one FSG was tagged.

Corrective Action: Enter an 'X' beside only one FSG and press desired PF key.

154. Message ID No. and Description: 0633 NO MATCH FOUND, PRESS PF12 FOR

TEXT REPLIES

Source: There is no non-text reply for selected INC and MRC but there are text

replies for input criteria.

Corrective Action: Enter another INC or MRC, or press PF12 to view text replies.

155. Message ID No. and Description: 0634 NOT AUTHORIZED TO VIEW DATA

FOR CRITERIA SELECTED

Source: User does not have required authorization to display restricted data.

Corrective Action: Enter another set of input criteria.

- Message ID No. and Description: 0635 MUST ENTER CAGE CODE FOR PF9 TO FUNCTION
 Source: User did not input a CAGE code and pressed PF9 on LOLINQ screen.
 Corrective Action: Enter a CAGE code and press PF9 on LOLINQ.
- Message ID No. and Description: 0636 CAGE CD CONTAINS NON-NUMERIC CHARACTERS; REENTER
 Source: Input CAGE code contains alphas or special characters.
 Corrective Action: Enter a CAGE code with only numeric characters.
- 158. Message ID No. and Description: 0637 FUTURES DATA AVAILABLE Source: There are FUTURES data for input NIIN and view.

 Corrective Action: Press PF12 to view FUTURES data, if desired.
- 159. Message ID No. and Description: 0638 MORE FUTURES DATA AVAILABLE Source: There are more FUTURES data for input NIIN and view and for a new set of EFFECTIVE DATE, DIC and ORIGINATING ACTIVITY.

 Corrective Action: Press PF12 to view next FUTURES data, if desired.
- Message ID No. and Description: 0639 END OF FUTURE DATA
 Source: There are no more FUTURES data for input NIIN and view, aside from previously displayed data.
 Corrective Action: Press PF12 to view current data, if desired.
- 161. Message ID No. and Description: 0640 NO FUTURES DATA AVAILABLE Source: There are no FUTURES data for input NIIN and view.

 Corrective Action: None.
- Message ID No. and Description: 0641 MANAGEMENT STATISTICS BUSY;
 PLEASE TRY AGAIN
 Source: A deadlock was encountered in storing or updating Management Statistics.
 Corrective Action: Re-enter input criteria.
- Message ID No. and Description: 0642 END OF PICK LIST Source: NIIN currently viewed is the last of NIINS selected from one of the inquiry pick list screens.
 Corrective Action: Press PF9 to view the first selected NIIN or PF6 to view previous NIIN, if desired.
- Message ID No. and Description: 0643 SELECT ONLY ONE NIIN TO VIEW
 Source: More than one NIIN was selected to view.
 Corrective Action: Select only one NIIN.

165. **Message ID No. and Description:** 0644 END OF NIIN LIST

Source: NIIN currently viewed is the last of NIINS selected from characteristics search subsystem.

Corrective Action: Press PF9 to view the first selected NIIN or PF6 to view previous NIIN, if desired.

Message ID No. and Description: 0645 SELECT AN ITEM AND PRESS PF9 Source: More than one NIIN was selected and PF9 was pressed on the LOLCCD screen.

Corrective Action: Select only one NIIN and press PF9 on LOLCCD.

167. **Message ID No. and Description:** 0646 PRESS <ENTER> TO DISPLAY RE-PLACEMENT CAGE DATA

Source: There is a replacement CAGE for the currently displayed CAGE code. **Corrective Action:** Press <ENTER> to display data for the replacement CAGE, if desired.

168. **Message ID No. and Description:** 0647 PRESS <ENTER> TO DISPLAY CAGE DATA

Source: The currently display data is for a replacement CAGE.

Corrective Action: Press <ENTER> to display data for the replaced CAGE, if desired.

169. **Message ID No. and Description:** 0648 PRESS <ENTER> TO DISPLAY ASSO-CIATED/REPLACEMENT CAGE DATA

Source: There is a replacement or associated CAGE for the currently displayed CAGE code.

Corrective Action: Press <ENTER> to display data for the replacement or associated CAGE, if desired.

170. **Message ID No. and Description:** 0649 NO DECODED DATA RETRIEVED FOR THIS ITEM

Source: There is no decoded data for the selected NIIN.

Corrective Action: Choose another NIIN.

171. **Message ID No. and Description:** 0650 CHS UNAVAILABLE FOR ITEM WITH NO FIIG

Source: An ITEM NAME with no FIIG was selected and PF10 was entered on the LOLINR screen.

Corrective Action: Choose an ITEM NAME with a FIIG and press PF10 on LOLINR.

172. **Message ID No. and Description:** 0651 SELECT AT LEAST TWO ITEMS FOR PROCESSING

Source: Only one item was selected and PF10 was entered on one of MRC reply selection screens.

Corrective Action: Tag at least two replies and press PF10 on MRC reply selection screens.

173. **Message ID No. and Description:** 0652 PRESS <ENTER> TO DISPLAY RE-PLACEMENT CAGE DATA

Source: There is a replacement CAGE for the currently displayed CAGE code. **Corrective Action:** Press <ENTER> to display data for the replacement CAGE, if desired.

174. **Message ID No. and Description:** 0653 PRESS <ENTER> TO DISPLAY CANCELED CAGE CODE

Source: The currently displayed data is for a replacement CAGE.

Corrective Action: Press <ENTER> to display data for the canceled CAGE, if desired.

175. **Message ID No. and Description:** 0654 INC MUST BE NUMERIC OR "G" THRU "Z" ON FIRST CHARACTER ONLY

Source: INC entered on LOLSRC or LOLCHG screen contains alpha "A" thru "F" or a special character on its first position or it contains non-numeric characters on the other positions.

Corrective Action: When entering an INC on LOLSRC and LOLCHG screens, input "G" thru "Z" or numeric character on the first position and only numeric characters on the other positions.

- Message ID No. and Description: 0655 PRESS PF12 FOR TEXT REPLIES
 Source: There are text replies for selected INC and MRC.
 Corrective Action: Press PF12 to view text replies, if desired.
- Message ID No. and Description: 0656 INC MUST BE NUMERIC
 Source: INC entered on LOLINQ or LOLCHS screen contains alpha or special characters.
 Corrective Action: When entering an INC on LOLINQ and LOLCHS screens, input only numeric characters.
- 178. Message ID No. and Description: 0657 CHANGED DATA FOR THIS FSG DIS-PLAYED

 Source: Changed data for the input FSG and date range is displayed on screen.

Corrective Action: None.

179. **Message ID No. and Description:** 0658 SELECT ONE ITEM AND PRESS PF KEY

Source: More than one item was selected on LOLINR or LOLFGR screen.

Corrective Action: Enter only one item and press appropriate PF key on LOLINR and LOLFGR screens.

180. **Message ID No. and Description:** 0660 ENTER TABLE NUMBER OR TABLE NAME AND PRESS <ENTER> KEY

Source: Upon initial entry user is prompted to enter either criteria to search for a particular table.

Corrective Action: Enter either criteria to begin process.

181. **Message ID No. and Description:** 0664 ENTER ONE SELECTION AND PRESS <ENTER> KEY

Source: Upon initial entry user is prompted to enter either criteria to search for a particular table.

Corrective Action: Enter either criteria to being process.

182. **Message ID No. and Description:** 0668 NIIN ENTERED MUST NOT CONTAIN NON-NUMERIC CHARACTER; RE-ENTER

Source: Input NIIN contains alphas or special characters on first two or last four positions.

Corrective Action: Enter a NIIN with numeric characters on first two and last four positions.

183. **Message ID No. and Description:** 0669 NO CHARACTERISTICS DATA FOUND FOR INC ENTERED - ENTER NEW CRITERIA

Source: There is no characteristics data for the desired INC.

Corrective Action: Enter or select another INC.

184. Message ID No. and Description: 0670 INC IS A CANCELED INC

Source: Input INC has been canceled.

Corrective Action: None.

185. **Message ID No. and Description:** 0671 ENTER AN "X" ON AN ITEM AND PRESS PF6.

Source: The user did not tag at least one item when he pressed PF6.

Corrective Action: Enter an "X" before at least one item and press PF6.

186. **Message ID No. and Description:** 0672 SEARCH WORD(S) NOT FOUND IN KEYWORD FILE.

Source: There is no CAGE code in the CAGE keyword file for the requested CAGE keyword.

Corrective Action: Enter another CAGE keyword.

187. **Message ID No. and Description:** 0673 NIIN MUST NOT CONTAIN SPECIAL CHARACTERS; RE-ENTER.

Source: The input NIIN contains a special character.

Corrective Action: Enter a NIIN without special characters.

- Message ID No. and Description: 0674 TOP OF PICK LIST.

 Source: When user pressed PF6 to view the previous NSN, NIIN currently viewed had been the first of NIINS selected from one of the inquiry pick list screens.

 Corrective Action: Press PF9 to view the next selected NIIN, PF7 to view the previous page of data for the current NIIN or PF8 to view the next page of data for the current NIIN.
- 189. Message ID No. and Description: 0675 BULLETIN ALREADY EXISTS, USE VIEW FUNCTION

 Source: The Bulletin that is being added already exists in the database.

Corrective Action: Select another bulletin or delete bulletin first then add.

- 190. **Message ID No. and Description:** 0676 BULLETIN ADDED **Source:** The Bulletin that was entered was added to the database. **Corrective Action:** None. Informational message.
- 191. Message ID No. and Description: 0677 BULLETIN DELETED

 Source: The Bulletin requested for deletion has been deleted from the data base.

 Corrective Action: None. Informational message.
- 192. Message ID No. and Description: 0678 BULLETIN FOR DELETION NOT FOUND

 Source: The Bulletin requested for deletion does not exist in the database.

 Corrective Action. Verify To, From, Date and Message No. and re-enter.
- Message ID No. and Description: 0679 ENTER COMPLETE TO, FROM, DATE AND MESSAGE NO.
 Source: To, From, Date and Message No. are all needed to process a Bulletin. All or any of the above data is missing.

Corrective Action: Type the missing data and press the <ENTER> key.

194. **Message ID No. and Description:** 0680 PRESS APPROPRIATE PF KEY OR <ENTER> TO PROCESS

Source: An invalid key was pressed.

Corrective Action: Press a valid key as defined on the screen.

195. **Message ID No. and Description:** 0681 PRESS F6 AGAIN TO VERIFY DE-LETE

Source: When a delete bulletin is requested the above message will be displayed as a confirmation of the delete.

Corrective Action: Press PF6 again to confirm the delete.

196. **Message ID No. and Description:** 0682 PF9 NOT ACTIVE ON A DELETE - PRESS PF6 AGAIN OR PF5 TO EXIT

Source: PF9 was pressed on a delete bulletin function.

Corrective Action: Press PF6 again to confirm the delete or PF5 to exit.

197. **Message ID No. and Description:** 0683 PF6 NOT ACTIVE ON A CREATE - PRESS <ENTER> TO PROCESS

Source: <ENTER> was pressed on a create for bulletin board function.

Corrective Action: Press <ENTER> to process.

198. **Message ID No. and Description:** 0684 DAY MUST BE ENTERED AS NU-MERIC

Source: The day portion of the DATE (DD-MMM-YY), was entered as non-numeric.

Corrective Action: Re-enter the date and press <ENTER> key.

199. **Message ID No. and Description:** 0685 DAY MUST BE GREATER THAN 1 AND LESS THAN 31

Source: An invalid day was entered. Valid days are 1 thru 31.

Corrective Action: Re-enter the data and press <ENTER> key.

200. **Message ID No. and Description:** 0686 USE A DASH (-) AS A DAY-MONTH SEPARATOR

Source: An invalid separator character was entered. Only a dash (-) is a valid daymonth separator.

Corrective Action: Re-enter the data and press <ENTER> key.

201. **Message ID No. and Description:** 0687 MONTH MUST BE ENTERED AS JAN, FEB, MAR...

Source: An invalid month description was entered.

Corrective Action: Use the first three characters of each month.

202. **Message ID No. and Description:** 0688 USE A DASH (-) AS A MONTH-YEAR SEPARATOR

Source: An invalid separator character was entered. Only a (-) is a valid month-vear separator.

Corrective Action: Re-enter the data and press <ENTER> key.

- 203. Message ID No. and Description: 0689 YEAR MUST BE NUMERIC Source: Year is not numeric.
 Corrective Action: Re-enter year and press <ENTER> key.
- 204. Message ID No. and Description: 0690 DAY ENTERED NOT VALID CURRENT YEAR NOT A LEAP YEAR

 Source: Day of the month is invalid. 29th is only valid on leap years.

 Corrective Action: Re-enter day and press <ENTER> key.
- 205. Message ID No. and Description: 2000 FOR NEW SEARCH PRESS F2 AND ENTER NEW CRITERIA
 Source: Upon searching criteria, user is prompted if a new search is desired.
 Corrective Action: If new search desired, press PF2 and enter new criteria.
- Message ID No. and Description: 2001 PLACE AN "X" BY SELECTION AND PRESS <ENTER>
 Source: From an index screen, tag a field with an "X" as the user is prompted if additional data is desired.
 Corrective Action: Tag field with an "X" and press <ENTER> if additional information is desired.
- Message ID No. and Description: 2002 PRESS PF9 TO VIEW ADDITIONAL TITLES AND DEFINITIONS
 Source: If additional titles and definitions are available user is prompted to press PF9 to view them.
 Corrective Action: Press PF9 to view any additional titles and definitions.
- 208. **Message ID No. and Description:** 2003 END OF TITLES AND DEFINITIONS **Source:** User has reached end of search, no additional titles or definitions are available. **Corrective Action:** Enter new criteria and press appropriate key.
- 209. Message ID No. and Description: 2004 INVALID CHARACTER, RE-ENTER CRITERIA
 Source: Character entered for processing is invalid.
 Corrective Action: Enter new criteria and press appropriate key.
- 210. Message ID No. and Description: 2005 PLACE AN "X" BY ONLY ONE SE-LECTION AND PRESS

 Source: More than one criteria was tagged with an "X" for processing.

 Corrective Action: Tag only one selection and press <ENTER>.

211. **Message ID No. and Description:** 2006 ENTER DATA IN AT LEAST ONE FIELD

Source: The <ENTER> key was pressed without an input criteria being entered. **Corrective Action:** Enter criteria and press <ENTER>.

212. **Message ID No. and Description:** 2007 ENTER DATA IN ONLY 1 FIELD **Source:** Data was entered in more than one field for processing when only one field is valid.

Corrective Action: Enter only one criteria for processing.

213. **Message ID No. and Description:** 2008 NO TRAILFR INFORMATION AVAILABLE FOR THE REQUESTED TABLE

Source: User has pressed PF11 to get notes information and none exists for the current table.

Corrective Action: Press PF5 to begin a new search.

214. **Message ID No. and Description:** 2009 NO DEFINITION AVAILABLE FOR REQUESTED TABLE

Source: User has pressed PF9 to get definition information and none exists for the current table.

Corrective Action: Press PF5 to begin a new search.

215. **Message ID No. and Description:** 2010 TABLE NUMBER MUST BE NUMBERIC

Source: Table number entered was not numeric.

Corrective Action: Re-enter a numeric table number.

216. **Message ID No. and Description:** 2011 FOR NEW SEARCH, PRESS PF5 AND ENTER NEW CRITERIA

Source: After the user has initiated a search, a prompt is issued to instruct the user to enter a new criteria and press PF5.

Corrective Action: If a new search is desired, press PF5 and enter a new criteria.

217. **Message ID No. and Description:** 2014 NO MAINT OR NOTIF DATA AVAILABLE PRESS PF12 FOR NEXT PART

Source: No maintenance or notification data is available for this activity code (Table 104)

Corrective Action: Press PF12 for next part within Table 104.

218. **Message ID No. and Description:** 2015 NO MAINT DATA AVAILABLE PRESS PF 6 FOR NOTIF DATA

Source: No maintenance data exists for this activity code (Table 104).

Corrective Action: Press PF6 to notification data.

- 219. Message ID No. and Description: 2017 ***IMPORTANT** SEE NOTES (PF11), F2 FOR NEW SEARCH CRITERIA

 Source: When user enters criteria and receives desired information, a prompt appears instructing the user that notes are accessible using PF11.

 Corrective Action: Press PF11 for notes information or PF2 to begin a new search.
- Message ID No. and Description: 2018 ENTER TEXT CHANGES OR PRESS (PF5) TO CANCEL
 Source: Bulletin was previously created and user can enter changes.
 Corrective Action. None.
- 221. Message ID No. and Description: 2019 TEXT CHANGES ACCEPTED Source: Bulletin changes were applied.

 Corrective Action: None.
- Message ID No. and Description: 2024 TO SEE NOTES, TAG ONE DRN AND PRESS <ENTER>
 Source: Prompt upon entering a valid DIC Format and obtaining desired results (SCRNCD-PRODIC).
 Corrective Action: If user wants to view notes, tag one DRN and press <ENTER> to process.
- Message ID No. and Description: 2025 NO DEFINITION DATA ASSOCIATED WITH DIC FORMAT SELECTED
 Source: No definition data was found for the processed DIC format.
 Corrective Action: Press PF5 to return to previous screen.
- Message ID No. and Description: 2026 NO INSTRUCTIONS DATA ASSOCIATED WITH DIC FORMAT SELECTED
 Source: No instructions data was found for the processed DIC format.
 Corrective Action: Press PF5 to return to previous screen.
- 225. Message ID No. and Description: 2027 NO NOTES DATA ASSOCIATED WITH SEGMENT FORMAT SELECTED

 Source: No notes data was found for the processed segment format.

 Corrective Action: Press PF5 to return to previous screen.
- Message ID No. and Description: 2028 ALL APPLICABLE FIELDS MUST HAVE VALID ENTRIES
 Source: Upon initial entry into sub-system (SCREEN CD- PROFOR).
 Corrective Action: Enter valid criteria for processing.

- 227. **Message ID No. and Description:** 2029 DIC FORMAT NOT FOUND, ENTER A NEW FORMAT AND PRESS <ENTER> **Source:** Invalid DIC was entered for processing. **Corrective Action:** Enter new DIC Format and press <ENTER>.
- 228. Message ID No. and Description: 2030 SEGMENT FORMAT NOT FOUND, ENTER A NEW FORMAT AND PRESS <ENTER>
 Source: Invalid segment was entered for processing.
 Corrective Action: Enter new segment format and press <ENTER>.
- Message ID No. and Description: 2031 INCORRECT MEDIA/FORMAT ENTERED, MUST BE EITHER FIXED OR VARIABLE
 Source: Incorrect Media/Format was entered.
 Corrective Action: Enter new media/Format either fixed or variable.
- 230. Message ID No. and Description: 2032 NO DEFINITION DATA ASSOCIATED WITH SEGMENT FORMAT SELECTED

 Source: No definition data was found for the processed segment format.

 Corrective Action: Press PF5 to return to previous screen.

APPENDIX D STOP WORD LIST

The STOP WORD LIST is a list of words too common to search. Attempts to search for a word on the stop word list or a phrase containing any of the words will be considered invalid.

ABILITY	ABLE	ABOUT	ABOVE
ACCEPT	ACCEPTED	ACCEPTS	ACCESSED
ACCESSIBLE	ACCESSING	ACCOMPLISH	ACCOMPLISHED
ACCORDING	ACCORDINGLY	ACHIEVE	ACROSS
ACTIONS	ADD	ADDED	ADDING
ADDITION	ADDITIONAL	ADDITIONS	ADDRESSED
ADDRESSEE	ADDS	ADEQUATE	ADEQUATELY
ADVISING	AFFECT	AFFECTED	AFFECTING
AFFECTS	AFTER	AGAIN	AGAINST
AGREE	AGREED	AGREEMENTS	ALIKE
ALL	ALLOW	ALLOWABLE	ALLOWED
ALLOWS	ALMOST	ALONE	ALONG
ALREADY	ALSO	ALTHOUGH	ALWAYS
AM	AMONG	AMOUNT	AMOUNTS
AN	AND	ANOTHER	ANOTHERS
ANY	ANYBODY	ANYONE	ANYTHING
ANYWHERE	APART	APPEAR	APPEARS
APPLIED	APPLIES	APPLY	APPLYING
APPRECIATED	APPROPRIATE	APPROXIMATE	APPROXIMATELY
ARE	ARRANGE	ARRANGED	ARRANGEMENT
ARRANGEMENTS	ARRIVES	ARTICLE	AS
ASIDE	ASK	ASKING	ASKS
ASPECT	ASPECTS	ASSUMES	ASSURE
AT	ATTACH	ATTACHED	ATTACHES
ATTACHMENT	ATTN	AVOID	AVOIDS
AWAY	AWFULLY	BACK	BAD
BASIC	BASIS	BE	BECAUSE
BECOME	BECOMES	BEEN	BEFORE
BEGAN	BEGIN	BEGINNING	BEGINS
BEHIND	BEING	BELONG	BELONGS
BELOW	BEST	BETTER	BETWEEN
BEYOND	BLANK	BLANKS	BOTH
BOUGHT	BRIEF	BUSY	BUT
BY	CALL	CALLED	CALLER
CALLING	CALLS	CAN	CANNOT
CAUSED	CAUSES	CAUSING	CENTER
CENTERS	CERTAIN	CERTAINLY	CHANCE

CHANCE	CHANCED	CHANGING	CHECK
CHANGE	CHANGED		CHOOSE
CHECKS	CHOICE	CHOICES	
CHOSEN	CIRCUMSTANCES	CITED	CITES
CITING	COME	COMES	COMPARABLE
COMPARE	COMPARED	COMPARING	COMPARISON
COMPARISONS	COMPLETE	COMPLETED	COMPLETELY
COMPLETENESS	COMPLETES	COMPLETING	COMPLETION
CONCEPTS	CONCERN	CONCERNED	CONCERNING
CONCERNS	CONSIDER	CONSIDERABLE	CONSIDERATIONS
CONSIDERED	CONTINUATION	CONTINUE	CONTINUED
CONTINUOUS	CONTINUOUSLY	COPIES	COPY
COULD	CREATE	CREATED	CURRENT
CURRENTLY	DASH	DATE	DATES
DAYS	DECIDE	DECIDED	DECIDES
DECIDING	DELETE	DELETED	DELETES
DELETING	DELETIONS	DENIED	DEPEND
DEPENDING	DEPENDS	DESIRE	DESIRED
DIAL	DIALED	DIALING	DID
DIDN'T	DIFFER	DIFFERENT	DIFFERING
DIGIT	DIGITS	DIVIDE	DIVIDED
DIVISION	DOCUMENTS	DOD	DOES
DOESN'T	DOING	DONE	DUAL
DUE	DURING	EACH	EASIEST
EASILY	EASY	EDGE	EFFORT
EFFORTS	EITHER	ELSE	ELSEWHERE
ENOUGH	ENSURE	ENTER	ENTERED
ENTERING	ENTIRE	ENTIRETY	ENTITY
ENTRIES	ENTRY	ERROR	ERRORS
ETC	EVEN	EVER	EVERY
EVERYONE	EVERYTHING	EVERYWHERE	EXACT
EXACTING	EXACTLY	EXCEPT	EXIST
EXISTING	EXISTS	EXTEND	EXTENDED
EXTENDS	FALL	FAR	FAST
FASTER	FASTEST	FEW	FEWER
FIELD	FIELDS	FILE	FILED
FILES	FIND	FINDS	FOLLOW
FOLLOWED	FOLLOWING	FOLLOWS	FOR
FORTH	FORWARD	FORWARDED	FORWARDS
FOUND	FREE	FROM	FUNCTION
FUNCTIONS	FURTHER	FURTHERMORE	GAIN
GAINED	GAINS	GATHER	GATHERED

CATHEDO	CELVED AV		
GATHERS	GENERAL	GENERALLY	GENERATE
GENERATED	GENERATES	GENERATING	GENERATION
GET	GETS	GETTING	GIVE
GIVEN	GIVES	GIVING	GOES
GOOD	GOT	GOVERNING	GOVERNMENTS
GROUP	GROUPS	HAD	HAPPEN
HAPPENS	HARDLY	HAS	HASN'T
HAVE	HAVING	HE	HENCE
HENCEFORTH	HER	HERE	HEREIN
HERSELF	HIM	HIMSELF	HIS
HITHER	HOW	HOWBEIT	HOWEVER
IF	IMMEDIATE	IMMEDIATELY	IN
INASMUCH	INCLUDE	INCLUDED	INCLUDES
INCLUDING	INCREASE	INCREASED	INDEED
INPUT	INSOFAR	INTENTIONALLY	INTEREST
INTERESTED	INTERESTS	INTO	IS
IT	ITS	ITSELF	JOIN
JUST	KEEP	KEEPING	KEEPS
KIND	KINDS	KNOW	KNOWING
KNOWN	LACK	LATE	LATER
LATEST	LATTER	LEAST	LEAVE
LEFT	LENGTHS	LENGTHY	LEST
LET	LETS	LETTER	LETTERS
LEVELS	LIKE	LINE	LINES
LISTED	LISTING	LISTINGS	LISTS
LONG	LONGER	LOOK	LOSE
LOSES	LOW	LOWER	LOWEST
MADE	MAILED	MAKE	MAKES
MAKING	MANAGEMENT	MANAGER	MANAGERS
MANNER	MANY	MATCHED	MATCHES
MAY	ME	MEET	MEETING
MEETS	MESSAGES	MIGHT	MINE
MISS	MISSES	MONTHLY	MONTHS
MORE	MOREOVER	MOST	MOVE
MOVEMENT	MOVER	MOVES	MUCH
MUST	MYSELF	NARROW	NARROWER
NEAREST	NECESSARILY	NECESSARY	NEED
NEEDED	NEEDING	NEEDS	NEITHER
NEVER	NEVERTHELESS	NEW	NEWLY
NEXT	NOBODY	NONE	NORMAL
NORMALLY	NOT	NOTE	
TOTAL ILLE	1101	NOIL	NOTED

NOTES	NOTHING	NOW	NOWHERE
OBTAIN	OCCUR	OCCURRED	OCCURRENCE
OCCURRENCES	OCCURRING	OCCURS	OF
OFF	OFTEN	OH	OLD
ONCE	ONE	ONES	ONGOING
ONLY	ONTO	OR	OTHER
OTHERS	OTHERWISE	OUGHT	OUR
OURS	OURSELVES	OUT	OUTPUTS
OVER	OVERALL	OVERFLOW	OWN
PAGE	PER	PERFORM	PERFORMED
PERFORMS	PERMIT	PERMITS	PERMITTED
PLACE	PLACED	PLEASE	POLE
POLLED	POSSIBLE	POSSIBLY	PREPARE
PREPARED	PREPARES	PREPARING	PRESENT
PRESENTED	PRESENTLY	PRESENTS	PRESS
PRESSING	PROBLEMS	PROCESS	PROCESSED
PROCESSES	PROPER	PROPERLY	PROVIDE
PROVIDED	PROVIDES	PROVIDING	PUT
QUIT	RATE	RATED	RATES
RATHER	RATING	REACH	REALLY
REASON	REASONABLE	REASONS	RECEIPT
RECEIVE	RECEIVED	RECEIVES	RECEIVING
RECORDED	RECORDS	REDUCE	REDUCED
REDUCES	REFLECT	REFLECTING	REFLECTS
REGARD	REGARDLESS	REGULAR	REGULARLY
RELATE	RELATES	REMOVE	REMOVED
REMOVES	REQUESTED	REQUESTING	RESTORES
RESULT	RESULTANT	RESULTING	RESULTS
RESUME	RESUMED	RESUMES	RESUMING
RETAIN	RETAINED	RETAINS	REVIEW
REVIEWING	REVIEWS	RIGHT	SAME
SAVE	SAW	SAY	SAYING
SEE	SEEN	SELF	SELVES
SEND	SENDING	SENDS	SENT
SET	SETTING	SEVERAL	SHALL
SHE	SHOULD	SHOULDN'T	SHOW
SHOWING	SHOWN	SHOWS	SINCE
SOLE	SOLELY	SOME	SOMEBODY
SOMEONE	SOMETHING	SOMETIMES	SOMEWHAT
SOON	SPECIALLY	START	STARTED
STARTING	STARTS	STAY	STAYS

STILL SUBMITS SURE TAKING TESTING THE THEMSELVES THEREBY THIN THROUGHOUT TOGETHER TRY UNDER UNTO US USES VIEWING WANTS WE	SUBJECT SUBMITTAL TAKE TELL TESTS THEIR THEN THEREFORE THIS TOO TYPE UNDERNEATH UPDATING USE USING WAIT WAS WELL	SUBJECTS SUBMITTALS TAKEN TELLS THAN THEIRS THENCE THESE THOSE TIME TOWARD TYPED UNLESS UPON USED VERY WAITING WAY WERE	SUBMIT SUCH TAKES TEST THAT THEM THERE THEY THROUGH TO TRUE TYPES UNTIL UPWARD USEFUL VIEW WANT WAYS WHAT
USES VIEWING	USING	VERY	VIEW
		· · - - -	WHAT WHENEVER
WHICHEVER WHOSE WITHIN WORDS YET	WHILE WHY WITHOUT WOULD YOU	WHO WILL WORD WOULDN'T YOUR	WHICH WHOM WITH WORDING YES YOURS
YOURSELF	YOURSELVES		